
## **PRODUCT GUIDE**





**#VP8238AH-b** or **#VP8238AH-r** Comes in red or black







# WORKSHOP EQUIPMENT

# **Company Profile**



TWM Imports has been providing agriculture, automotive, industrial & power products to the Australian market for over 35 years.

The company is proudly 100% Australian owned & operated by the Minett family.

TWM Imports has one of the most comprehensive product ranges in the industry. This Product Guide has 21 product categories dedicated to Workshop Equipment and reflects TWM Imports as a market leader in product development and innovation.

TWM Imports operate from a 15000sqm facility in Tottenham Victoria.

The publication of this product guide illustrates in detail the commitment to quality sourcing, product, logistics and distribution undertaken by TWM Imports.

We look forward to being of service to you and trust that this 2019 product guide is a valuable reference.

Yours sincerely,

**The Minett Family** 



### **Contents**

- 4-5 Hydraulic Cranes 29-33 Materials Handling
- 6-7 Engine Stands 34-35 Generators
- 8-9 Workshop Fans & Jockey Wheels Ventilators
- 10-11 Air Hydraulic Jacks 37-40 Workshop Essentials Compressors Etc..
- 12 Truck Trolley Jacks 41 Rubber Products
- Transmission Jacks,
  Digital Brake Caliper

  42-43 Log Splitters
- Hydraulic and Air Hydraulic Shop Presses
- 18 Parts Washers
  - 19 **Rotisseries**
- 20 Sandblasting
- 21-22 Motorcycle Lifts
- 23 Creepers
- 24-26 Service Trolleys,
  Workbenches, Wheel Dolly
- 27 Spring Compressors
- 28 Oil Drainers

### **Hydraulic Cranes**

#### 1000kgs Foldable Engine Crane

#CR1TF



Arm lifting range: 0-2150mm Working range: 960-1240mm

Packing dimensions: 138 x 65 x 34cm skid

Weight: 78Kg

#### 1250kg Foldable Engine Crane

#CR125F



Boom working range: 1050-1590mm

Lifting range: 0-2360mm

Packing dimensions: 144 x 80 x 48cm

Weight: 91kg

#### 1500kgs Foldable Engine Crane

#CR2TFHD



Arm lifting range: 0-2360mm Working range: 1050-1590mm

With 8000kg long ram & adjustable outrigger legs Rear outrigger legs adjust from 105-168cm Packing dimensions: 165 x 71 x 41cm

Weight: 99Kg

#### 500kg 12V Utility Crane with Winch

#CR500EL



Compact fold-design

3 step telescopic extension

Easily installed

Ready to fit to your vehicle

Massive 500kg single rope/800kg double rope capacity

Overload protection

Single-handed operation

360 degrees continuous manual rotation

Hand switch-control at your fingertips

Heavy duty, stable base

3 tier boom

Connector 12V battery

Packing dimensions: 140 x 51 x 42cm

**Air Hydraulic Engine Crane** 

Weight: 69kg

#### **450kg Swivel Crane Attachment**

Millers Falls Worker

#CRSC1ATT

Capacity: 450kgs

Weight: 30kg



simply the best

**#CR2TFAIR** 

Capacity: 1500kg Working range of boom: 1050-1590mm Lifting range: 0-2360mm

Packing dimensions: 146 x 66 x 40cm

Weight: 112kg

**Hydraulic Cranes** 



#### **Swivel Base Hydraulic Utility Crane**

#CRSC2T

Capacity: 900kgs Working range of boom: 900-1325mm Lifting range: 0-2015mm Overall height folded: 1.45m Packing dimensions: 111 x 67 x 47cm Weight: 60kg



**Australian Standard** approval No: CC-029

#### **Swivel Base Hydraulic Lifting Crane With Winch**

#CRSC1TW

Capacity: 450kg Working range of boom: 870~1290mm

Lifting range: 0~2015mm Overall height: 1.45m

Packing dimensions: 114 x 54 x 62cm skid

Weight: 60kg



#### **Swivel Base Hydraulic Lifting Crane With Winch** #CRSC2TW

Capacity: 900kg Working range of boom: 870-1290mm Lifting range: 0~2015mm Overall height: 1.45m Size of base: 270 x 270mm Packing dimensions: 113 x 64 x 47cm Weight: 67Kg

#### #CRSC1TWGAL

#### **Swivel Base Hydraulic Crane With Galvanised Winch**

Capacity: 450kgs

Boom working range: 870-1290mm

Lifting range: 0-2015mm Automatic brake winch

Packing dimensions: 115 x 40 x 65cm skid

Weight: 75kg



#### #CRSC2TWGAL

#### **Swivel Base Hydraulic** Crane With **Galvanised Winch**

Capacity: 900kgs

Boom working range: 870-1290mm Lifting range: 0-2015mm Automatic brake winch

Packing dimensions: 114 x 69 x 48cm skid

Weight: 69kg



#### **900KG Heavy Duty Swivel Base Lifting Crane**

Boom working range: 1250-1900mm

#CRSC2TWHDA

Capacity: 900kg

Weight: 100Kg

Lifting range: 0-2300mm



(Non-folding)

#CRANE3T



Capacity: 3 ton

Boom working range: 1200-1830mm

Lifting range: 0-2200mm



## **Engine Stands**



350kg Capacity
Packing dimensions: 89 x 22 x 19cm
Weight: 19Kg

#### **Engine Stand**

#ES1000

450kg Capacity
Packing dimensions: 91 x 22 x 19cm
Weight: 21kg



#ES1250

570kg Capacity Packing dimensions: 95 x 24 x 20cm Weight: 33Kg



#### **Engine Stand**

#ES1500

680kg Capacity
Packing dimensions: 99 x 35 x 35cm skid
Weight: 34kg

#### **Engine Stand**

#ES1500F

Comes in red (pic in black)
Heavy Duty
Cap: 680kgs
4-leg folding engine crane
Large, heavy chrome head for big block & display engines
4-hole mounting head rotates 360°
and locks with a pin
Front T-bar length: 800mm
Size between front & back: 865mm
Packing dimensions: 92 x 36 x 30cm
Weight: 36kg



#### **Engine Stand**

#ES2000FQ

Comes in red (pic in black)
Heavy Duty
Cap: 905kgs
4-leg folding engine crane
Large, heavy chrome head for big block & display engines
4-hole mounting head rotates 360°
and locks with a pin
Front T-bar length: 800mm
Size between front & back: 865mm
Packing dimensions: 91 x 63 x 33cm
Weight: 50kg



**Engine Stands Engine Stand** #ES2000

900kg Capacity

Fully adjustable mounting head secures rear of engine to the stand Sliding 20" handle & 360 degree rotating head allows easy rotation

One bolt easily disassembles stand for transport or storage Heavy gauge steel mechanical tubing to prevent excessive frame flex

Packing dimensions: 96 x 54 x 31cm skid

Weight: 52Kg



#ES1100GD

Folded



300kg Engine Stand with Heavy Duty Worm Gear

Max capacity: 300kg Length: 900mm Width: 700mm Height: 950mm Centre height: 820mm

2 x 3" castors + 2 x 3" castors with brake (75mm)

Oil pan overall size: 725L x 560W mm Packing dimensions: 98 x 74 x 53 skid

Weight: 92kg

#### **Engine Stand**

#### #ES2000GD

900kg Engine Stand with Heavy Duty Worm Gear

Max capacity: 900kg Length: 1190mm Height: 850mm Width: 1230mm 2 x 3" castors (90mm) 2 x 3" castors with brake Wheel size: 90mm Gearbox ratio: 40:1 Centre height: 1050mm

Packing dimensions: 123 x 98 x 70 skid

Weight: 103kg





#### **Engine Stand**

#### #ES2200GD

800kg Engine Stand with Heavy Duty Worm Gear

Max capacity: 800kg Length: 1300mm Width: 940mm Height: 1100mm Centre height: 945mm 2 x 3" castor with brake (75mm)

2 x 3" castors (75mm) Oil pan overall size: 1040L x 800W mm

Packing dimensions: 135 x 100 x 56

Weight: 157kg



### **Workshop Fans**

#### **Evaporative Cooler**

#FANEC100L



Evaporative Cooler Max airflow:18000m3/h Power consumption: 550W

Fan style: Axial Water capacity: 100L

Effective cooling area: 100-150m2 Noise level: around 60dB for commercial & industrial use; operating noise rate at 55dB no

more than 65dB

Temperature: cooler can lower temp by 5-8 degrees

On average in Australia 5 degrees Dimensions: 117 x 85 x 165cm plt

Weight: 70kg

#### Floor Fan

#FAN450FLO



Motor: 240V/50Hz/150W, 450mm 4 speed: 680, 900, 1030, 1220rpm

5 wide aluminium blades

Black grill net

Press button for swing or fixed Black metal support bracket

SAA approval plug

Packing dimensions: 52 x 28 x 52 ctn

Weight: 8kg

#### **Pedestal Fan**

#FAN750PED



Motor: 240V/50Hz/280W 750mm

3 speeds adjustable: 1100, 1250, 1380rpm

100% full copper wire motor

3 aluminium blades

1.8mm wire grill chromed

Metal cross base

Oscillating angle: 0-90 degrees or fixed

Adjustable height: 1.5-1.87m SAA plug with 1.8m power cord Packing dimensions: 82 x 82 x 17 ctn

Weight: 21kg





Motor: 240V/50Hz/280W, 750mm 3 speed: 1100, 1250, 1380rpm Oscillating: 0-90 degrees or fixed

3 alumiumium blades 1.8mm wire grill chromed Strong wall mount kit

SAA plug with 1.8m power cord Packing dimensions: 83 x 83 x 18 ctn

Weight: 13kg



### **Workshop Fans**

#### **Misting Fan 52 Litre**

#FANMI52P

660mm Centrifugal Mist Fan Motor power 260w Motor speed 3 Water tank capacity 52L Airflow 138m3/min Atomization 0-5kg/h Lower temperature 2-8 degrees Celsius Affected distance 10m



#### **Misting Fan 9 Litre**

#FANMI9W

660mm Centrifugal Mist Fan Motor power 260w Motor speed 3 Water tank capacity 9L Airflow 138m3/min Atomization 0-5kg/h

Lower temperature 2-8 degrees Celsius Affected distance 10m



#### **Portable Ventilator**

#VEN12

Dia: 300mm Power: 550W Capacity: 62 m³/min Rotation speed: 3300rpm

Packing dimensions: 43 x 36 x 38cm skid

Weight: 12kg



#### **Portable Ventilator**

#VEN24

Dia: 600mm Power: 2200W

Rotation speed: 1450rpm Flow rate: 18700m3/h

Packing dimensions: 78 x 78 x 64cm skid

Weight: 50kg

#### **Hoses to suit VEN12**

#VEN125M

5 metre hose to suit VEN12 Packing Dimensions: 36 x 36 x 16

Weight: 5kg #VEN1210M

10 metre hose to suit VEN12 Packing Dimensions: 36 x 36 x 28

Weight: 10kg



#### **Portable Ventilator**

#VEN16

Dia: 400mm Power: 1500W Capacity: 130 m³/min Rotation speed: 3300rpm

Packing dimensions: 86 x 60 x 53cm skid

Weight: 28kg



#### **Hoses to suit VEN24**

#VEN2420M

20 metre hose to suit VEN24

Packing Dimensions: 72 x 66 x 52 skid

Weight: 42kg

#### **Hoses to suit VEN16**

#VEN165M

5 metre hose to suit VEN16

Packing dimensions: 47 x 47 x 16 ctn

Weight: 7kg

#VEN1610M

10 metre hose to suit VEN16 Packing dimensions: 47 x 47 x 28 ctn



## Air Hydraulic Jacks

22 Ton Air Hydraulic Trolley Jack

#### #LHTJ22

Capacity: 22 ton
Min height: 225+20mm
Max height: 435+100mm
Adjustable height: 80mm
Lifting height: 130mm

Packing dimensions:  $72 \times 67 \times 45$ cm

Weight: 46kg



#### **50 Ton Air Hydraulic Trolley Jack**

#### #LHTJA50

Capacity: 50 ton Min height: 267+20mm Max height: 427+100mm Lifting height: 150mm Package size: 77 x 44 x 46cm

NW: 52kg



#### 35 Ton Air Hydraulic Trolley Jack

#LHTJ35

Capacity: 35 ton
Min height: 263+20mm
Max height: 538+100mm
Adjustable height: 120mm
Lifting height: 155mm
Package size: 66 x 42 x 43cm

NW: 49kg



#### 5 Ton Air Hydraulic Bottle Jack

#LHJ5



Capacity:5,000kg Min height: 210mm Max height: 430mm Adjustable height: 80mm Lifting height: 140mm Packing dimensions: 20 x

Packing dimensions: 20 x 17 x 23cm ctn

Weight: 7kg



#### 12 Ton Air Hydraulic Bottle Jack

#LHJA12



Capacity:12,000kg Min height: 250mm Max height: 495mm Adjustable height: 80mm Lifting height: 165mm

Packing dimensions: 24 x 20 x 30cm ctn

Weight: 12kg

## Air Hydraulic Jacks

#### 20 Ton Air Hydraulic Bottle Jack

#LHJ20

Capacity: 2,000kg Min height: 260mm Max height: 510mm Adjustable height: 80mm Lifting height: 170mm

Packing dimensions: 28 x 20 x 28cm

Weight: 16kg



#### 20 Ton Air Hydraulic Squat Bottle Jack

#LHJ20SQ

Capacity: 20,000kg Min height: 210mm Max height: 390mm

Packing dimensions: 29 x 21 x 28cm

Weight: 15kg



#### 35 Ton Air Hydraulic Bottle Jack

#LHJ35

Capacity: 35,000 kgs

Air Hydraulic Jack- 4 Return Springs Min Height: 265mm; Max Height: 416mm Packing dimensions: 29 x 22 x 27cm ctn

Weight: 23Kg



#### **50 Ton Air Hydraulic Bottle Jack**

#LHJ50

Capacity: 50,000kg Min height: 280mm Max height: 470mm

Packing dimensions: 67 x 36 x 51cm skid

Weight: 35Kg



## **Truck Trolley Jacks**

#### **Heavy Duty Truck Trolley Jack**

#VP8595A

Capacity: 5,000kg Min height: 160mm Max height: 560mm Length: 150cm

Packing dimensions: 154 x 41 x 27cm skid

Weight: 98kg



#### **Heavy Duty Truck Trolley Jack**

#VP8597A

Capacity: 10,000kg Min height: 160mm Max height: 560mm

Packing dimensions: 165 x 52 x 33cm

Weight: 128kg



#### **Heavy Duty Truck Trolley Jack**

#VP8599A

Capacity: 20,000kg Min height: 220mm Max height: 680mm

Packing dimensions: 167 x 53 x 35cm crate

Weight: 200kg



### **Transmission Jacks**

#### **Telescopic Transmission Jack**

#VP8240 Tall Transmission Jack Capacity: 454 Kgs Min Height: 1.28m Max Height: 1.75m

Packing dimensions: 84 x 43 x 42cm skid

Weight: 47kg

#### **Telescopic Transmission Jack**

#VP8253

Double tilting working head Complete with safety chains Foot pedal Under hoist transmission jack Capacity: 600kg Min height: 880; max height: 1825mm

Packing dimensions: 67 x 71 x 89 skid

Weight: 69kg



#### **Low Profile** Transmission Jack

#VP82605

Cap: 1 Ton Min height: 230mm Max height: 760mm NW: 56kg

Adjustable head can be tilted forward, backward & side to side for optimum alignment of transmission

4 swivel castors allow easy movement/positioning Pump handle rotates a full 360 degrees for max multi-directional operation

Dual safety load-restraining chain is vital for raising

Packing dimension: 92 x 53 x 27cm

Weight: 66kg

#### **Low Profile Transmission Jack**

#VP82606

Cap: 1.5 Ton Min height: 230mm Max height: 880mm

NW: 78kg

Adjustable head can be tilted forward, backward & side to side for optimum alignment of transmission bolt patterns and pins

4 swivel castors allow easy movement/positioning Pump handle rotates a full 360 degrees for max multi-directional operation

Dual safety load-restraining chain is vital for raising & lowering safely

Packing dimension: 98 x 56 x 31cm crate

Weight: 85kg

### bolt patterns and pins

& lowering safely

#### **Telescopic Transmission Jack**

#VP8260

Heavy duty Capacity: 1 ton Min height: 860mm Max height: 1850mm

Packing dimensions: 67 x 71 x 96cm skid

Weight: 95Kg



#### 750kg Under Hoist Stand

#VP8380

Capacity: 750kgs Height lowered: 1370mm Height raised: 2065mm Thread: 29.5mm Saddle: 132 x 65 x 12mm

Post dia: 42mm

Base size: D300 x 4.5mm

Pedal lift: 30mm

Packing dimensions: 140 x 38 x 20cm skid

Weight: 25kg



### **Transmission Jacks**

#### 2 Ton Floor Transmission Jack

#VP82607

Capacity: 2 Ton Stroke: 210mm Min height: 210mm Max height: 900mm

Packing dimension: 122 x 72 x 25cm crate

Weight: 140kg



## Digital Brake Caliper

#### **Digital Brake Caliper**

#VP8600



One-piece measuring jaws with Carbide Tips

Selectable Inch or Metric readings

Push button on/off

Specifically designed for performing reconditioning and inspection work on brake rotors Pointed (Conical) contact anvil to accurately locate the deepest pits on a brake rotor

Range: 0-100mm/0.4" Extra large LCD screen Jaw reach: 70mm/2.75"

LR44 battery

Packing dimension: 22 x 12 x 3cm ctn

Weight: 500gms



## **Hydraulic Presses**

#### **Shop Press**

#PRESS6T

6000kgs shop press "H" frame


Dimensions (mm): A420; B500, C935, D76, E 245

F120, G245, H90,

Working width: 0-245mm

Packing dimensions: 97 x 66 x 24cm

Weight: 37Kg



#### **Shop Press**

#PRESS12T

12,000kgs shop press "H" frame

Weight: 46kgs

Dimensions (mm): A500; B500, C1320, D90, E 420

F125, G700, H90,

Working width: 0-700mm

Packing dimensions: 136 x 41 x 37cm

Weight: 56Kg



#### **Shop Press**

#PRESS20T



20,000kgs shop press "H" frame

Weight: 97kgs

Dimensions (mm): A613; B700, C1570, D120, E 505

F145, G915, H100,

Working width: 0-915mm

Packing dimensions: 160 x 67 x 44cm skid

Weight: 90kg

#### **Shop Press**

#PRESS20HD



20,000kgs shop press "H" frame Heavy Duty

Weight: 110kgs

Dimensions (mm): A760; B660, C1660, D100, E 590

F150, G1000, H100,

Working width: 0-800mm

Packing dimensions: 169 x 80 x 56cm skid

Weight: 142kg





30,000kgs shop press "H" frame

Dimensions (mm): A760; B660, C1695, D100, E 595

F150, G770, H190,

Working width: 0-770mm

Packing dimensions: 170 x 100 x 50cm

Weight: 150Kg

### **Hydraulic Presses**



#### **50 Ton Shop Press**

#PRESS50THD

50 Ton Shop Press "H": Frame Heavy Duty Dimensions (mm): A985; B800, C1665, D140, E 820

F190, G735, H230,

Working width: 0-735mm

Packing dimensions: 120 x 100 x 203cm crate

Weight: 255kg

75 Ton Air Hydraulic Shop Press **Light Duty** 

#PRESS75TA

75 ton capacity Has moveable head Working range: 130-1140mm

Bed width: 700mm

Packing dimensions: 210 x 100 x 47cm skid

Weight: 327kg

#### 12 Ton Air Hydraulic Shop Press

#PRESALR12T

Air hydraulic shop press with foot valve Head moves from left to right & right to left Used for parts straightening, bending & pressing

Multi-position bed for work height adjust. With air pump to reduce labour

& improve efficiency

Cap: 12 Ton

Working range: 0-970mm

NW: 66kg

Packing dimensions: 1400x240x150mm

Weight: 68kg



#### 20 Ton Air Hydraulic Shop Press

#PRESALR20T

Air hydraulic shop press with foot valve Head moves from left to right & right to left

Used for parts straightening,

bending & pressing

Multi-position bed for work height adjust.

With air pump to reduce labour

& improve efficiency

Cap: 20 Ton

Working range: 0-970mm

NW: 89.5kg

Packing dimensions: 156 x 28 x 21cm

Weight: 92kg



#### **30 Ton Air Hydraulic Shop Press**

#PRESALR30T

Air hydraulic shop press with foot valve Used for parts straightening,

bending & pressing

Multi-position bed for work height adjust.

With air pump to reduce labour

& improve efficiency

Cap: 30 Ton

Working range: 140-1020mm

Stroke: 162mm Bed width: 535mm

Air pressure: 0.75-0.85mpa Air inlet fitting: 1/4" NPT

Packing dimensions: 120 x 100 x 207cm

Weight: 195kg



## **Hydraulic Presses**

#### **50 Ton Air Hydraulic Shop Press**

#### #PRESALR50T

Air hydraulic shop press with foot valve Head moves from left to right & right to left Used for parts straightening, bending & pressing Multi-position bed for work height adjustment With air pump to reduce labour & improve efficiency

Cap: 50 Ton

Working range: 75-1125mm

Stroke: 200mm Bed width: 700mm

Air pressure: 0.75-0.85Mpa Air inlet fitting: 1/4" NPT

Packing dimensions: 120 x 100 x 207cm plt

Weight: 294kg



#### **75 Ton Air Hydraulic Shop Press**

#### #PRESALR75T

Air hydraulic shop press with foot valve Used for parts straightening, bending & pressing Multi-position bed for work height adjustment With air pump to reduce labour & improve efficiency

Cap: 75 Ton

Working range: 255-1155mm

Stroke: 250mm Bed width: 700mm

Air pressure: 0.75-0.85Mpa Air inlet fitting: 1/4" NPT

Packing dimensions: 120 x 100 x 220cm

Weight: 340kg



#### **100 Ton Air Hydraulic Shop Press**

#### #PRESALR100T

Air hydraulic shop press with foot valve
Head moves from left to right & right to left
Used for parts straightening, bending & pressing
Multi-position bed for work height adjustment
With air pump to reduce labour & improve efficiency

Cap: 100 Ton

Working range: 101.6-1016mm

Ram stroke: 279.4mm Slide stroke: 228.6mm Working width: 812.8mm Air pressure: 0.68-0.86Mpa Air inlet fitting: 1/4" NPT

NW: 528kg

Packing dimensions: 117 x 117 x 223cm

Weight: 655kg





### **Parts Washers**

#### 20 Gallon Parts Washer & Stand

#### #PW20

20 Gallon 75litre Parts Washer & stand Tub size: 78 x 55 x 30cm Packing dimensions: 120 x 60 x 46cm skid Weight: 37Kg



#### 40 Gallon Parts Washer & Stand

#### #PW40

40 Gallon 150litre Parts Washer & stand Tub size: 112 x 54 x 30cm Packing dimensions: 114 x 67 x 50cm skid Weight: 55kg



#### **Multi Circulative Pump**

#### #PUMP

It's a magnetic sealless pump Used in parts washers, fish pools, fountains etc. 240v/50Hz 0.2A Max head 1.3m max Flow 51/m Packing dimensions: 15 x 10 x 9cm Weight: 1Kg



#### **Cleaning Brush**

#### #PWBRUSH



Cleaning brush available seperately Packing dimensions: 25 x 5 x 4cm Weight: 1kg

#### **Hot Water Parts Washer**

#### #PWHOTW

Heats up to 45 degrees celcius Enclosed parts washer with auxiliary heating system Pneumatic washing gun suitable for rapid cleaning Max 60 degrees solvent, which highly increases cleaning efficiency Flourescent lighting system for bright view External air fan

Washing pressure: 70-120psi Washing recirculate flux: 0.8l/min Working area: 29 x 22 x 17.8 inch Solvent capacity: 8-14L

Cleaning solutions:

Approved cleaning solutions:

Water/household detergents (PHD~8) WARNING

The hose of your parts washer may be damaged if you use solvents other than those listed above such as methyl ethyl ketone (MEK), Perchloroethylene or Trichloroethylene

Packing dimensions: 100 x 76 x 98cm skid Weight: 66kg





### Rotisseries

#### 3000lbs Car Rotisserie

#RR3000



Capacity: 3000lbs - 8 Ton Hydraulic ram Opening width: excess of 600cm Height of arm to bottom rail: 115cm

Fixed position outriggers

Easy wind handle for setting centre of gravity

Spring loaded positioning pins 3.0mm gauge high quality steel

Packing dimensions: 157 x 72 x 33cm crate

Weight: 228kg



Capacity: 4000lbs with 8 ton hydraulic ram Opening width: Excess of 600cm Height of arm to bottom rail: 115cms

Fixed position outriggers

Easy wind handle for setting crentre of gravity

Spring loaded positioning pins 3.0mm gauge high quality

stee

Packing dimensions: 154 x 75 x 37cm crate

Weight: 242kg

#### 4500lbs Car Rotisserie

#RR4500



Capacity: 4500lbs with 8 ton hydraulic ram

Opening width: Excess of 600cm Height of arm to bottom rail: 115cm

Fixed position outriggers

Easy wind handle for setting crentre of gravity

Spring loaded positioning pins 3.0mm gauge high quality

steel

Packing dimensions: 154 x 75 x 35cm crate

Weight: 250kg

#### 3000lbs Gear Driven Car Rotisserie



Max capacity: 1360kg Min height: 485mm Max height: 1280mm Max length: 115-4450mm Wheel dia: 200mm

Packing dimensions: 157 x 72 x 34cm crate

Weight: 244kg

#### 4000lbs Gear Driven Car Rotisserie

#RR4000GB

#### 4500lbs Gear Driven Car Rotisserie

#RR4500GB



Max capacity: 2040kg Min height: 495mm Max height: 1290mm Max length: 1145-4440mm Wheel dia: 200mm

Packing dimensions: 154 x 75 x 37cm crate

Weight: 268kg



Max capacity: 1800kg Min height: 495mm Max height: 1290mm Max length: 1145-4440mi

Max length: 1145-4440mm Wheel dia: 200mm

Packing dimensions: 154 x 75 x 37cm crate

Weight: 260kg

### **Sandblasting**

#### **Portable Sandblasting Tank**

#### #SB250

Recommended air Pressure range: 65-125psi Tank capacity: 10 gallons/45 litres

Hose: 3.15m

Packing dimensions: 101 x 47 x 60cm skid

Weight: 30kg



#### **Sandblasting Cabinet**

#### #SB5000HD

Width: 850mm Depth: 570mm Capacity: 317 litres

Front panel height: 350mm Back panel height: 580mm Comes with interior light

Replaceable glass viewing panel 5 extra viewing panels

Includes gloves, gun & ceramic tips Packing dimensions: 97 x 69 x 83cm

Weight: 52kg



#### **Sandblasting Garnet Grit**

#### **#SBGRIT**

Garnet grit available 25 Kg per bag. The Garnet grit is 30/60 grade The chemical composition of #SBGRIT: SiO2:36-40 AL203:20-24 Fe203:4-6 TiO2:0-0.5 MgO:8-13 FeO:22-24 CaO:6-9 MNO:0-0.53 Packing dimensions: 45 x 34 x 17cm





#### **Sandblasting Glass Beads**

#### #SBBGB4

Micron Max: 425 Micon Min: 212 Polishing medium/fine Available 25 kg per bag Packing dimensions: 50 x 36 x 16cm Weight: 25Kg

#### #SBBGB6

Micron Max: 300 Micon Min: 106 General purpose all rounder Available 25 kg per bag Packing dimensions: 46 x32 x 32cm ctn Weight: 25Kg

#### **Portable Sandblasting Tank**

#SB300



20 gallon

Material: steel

Average air consumption: 6 CFM @ 60 PSI; 25 CMF @ 125PSI Recommended media; silica, silicon carbide, aluminium oxide

Working pressure: 60-125psi

Designed to handle big jobs like auto body paint removal

Can be used with a blast cabinet

Ideal to have in any auto garage or metal working shop for sandblasting applications

Pressurised tank moves abrasives at 80-90 % of air speed

Nozzle end shutoff valve for safety

6" rubber wheels

Packing dimensions: 88 x 67 x 63cm skid

Weight: 35Kg

#### **Industrial Sandblasting Cabinet** With 2 Dust Collectors

#SB990

990 Litres high pressure cabinet sandblaster. Combines traditional sandblaster cabinet with

abrasive tank

Using abrasive blaster tank to get higher sanding pressure, dramatically increases sandblaster working efficiency

Ideal for large working space

Foot pedal valve controlling brings flexible operation

Working pressure: 6t0-125PSI Working area: 46.5\*35\*33.5" Tank volume: 22 litres

Packing dimensions: 134 x 97 x 107cm plt

Weight: 255Kg

#### #SB6000

Supplied with Nozzles/Gloves Nozzle Size: 6/7/6/7MM Natural rubber/vinyl blast gloves Air regulator /gauge panel 14 gauge steel legs (16 gauge panels) Eliminating typical suction pick-up tubes and hoses, media metering valve. Overall Dimensions: 135 x 90 x 170cm

**Industrial Sandblasting Cabinet** 

Packing dimensions: 128 x 125 x 76cm crate Weight: 157kg



420L capacity Motor: 1200W

Air compress delivery: 90-125psi @ 21.18cfm

Air hose: f19\*(1000mm&2000mm) Sand hose: f19\*1800mm Working space: 48"x24"x24"

### **Motorcycle Lifts**

#### **Air Hydraulic Motorcycle Lift**

#VP8236AH



Capacity: 450kg Max height: 840mm Min height: 185mm Platform width: 230mm

Lifting capacity: 1000lbs Overall length: 2571mm Overall height: 525mm

Packing dimensions: 188 x 62 x 32cm crate

Weight: 112kg



#### **Mini Motorcycle Lift**

#VP8218A



Capacity: 500kgs Min height: 90mm Max height: 405mm

Packing dimensions: 53 x 35 x 10cm ctn

Weight: 15kg

#### Air Hydraulic Motorcycle Lift

#VP8238AH

Capacity: 450kg Comes in red or black Air bottle jack & air inlet connector Lifting foot pedal & release pedal Front wheel clamp

Compressed air range: 0-120 PSI

Capacity 454kgs Min height: 195mm Max height 780mm Size of table top 180x66cm Size of ramp 68x66cm Overall length: 2.48mtrs Overall height: 845mm

Packing dimensions: 191 x 80 x 30cm crate

Weight: 155kg







## **Motorcycle Lifts**

#### **Electric Motorcycle & Ride On Mower & ATV Lift**

#VP8217E

One of the largest lifting tables on the market today. Fully equipped with extensions & accessories, allows you to work on your larger & heavier recreational vehicles Its electric power unit gives the table a smooth & gentle range of motion.

Capacity: 680kgs

Motor: 230V/0.75kw/1400r/min Hydraulic pump: 1.6cc/r Pressure: 20mpa Working voltage: 240V Oil charge: 2.3L

Lifting height: 210-1000mm Wheel clamp range: 70-340mm Plug cable: 1.5m/200mm Switch cable: 1.5m/4000mm Cylinder dia: O80xO80 Piston dia: O40

Stroke: 283mm

Cycle time: 50-60 seconds

Packing dimensions: 218 x 95 x 42cm

Weight: 276kg



2 PC ramp only to suit VP8217E Packing dimensions: 191 x 45 x 21cm

Weight: 68kg

#### **Aluminium Motorcycle** Ramp

#VP8200MR

Capacity: 200kgs for one unit (400kgs for pair (2 units)

Length/fold: 91cm Length unfold: 182cm Width: 29.5cm

All aluminium design lightweight ramp Constructed of 6061 aluminium Adjustable attachment straps Folds in half for easy transport & storage Suitable for lawnmowers, ATV/dirt bikes & other wheeled garden machinery Suitable for motorcycle, scooter & other two wheeled garden machinery Packing dimensions: 94 x 31 x 16cm



simply the best





### Creepers

#### **Plastic Creeper**

#VP8006Q



Overall size: 100 x 40 x 10cmm

Length: 100cm Can hold 200kg

Packing dimensions: 103 x 50 x 9cm ctn

Weight: 6kg

#### **Kneeler - Padded**

#VP8002



Magnetic clip in the backside of product so that the round tool tray can have magnetic power

Two EVA pads affixed in the body

Large tool tray (37L x 7.2Wcm) can be put with your repair tools

Grip hole can be available to take this product Great for auto repairs, home construction, garden Packing dimensions: 50x25.5x8.5 (for 2x per carton)

Weight: 4kg

#### Combo Creeper 920mm (36")

#VP8025



Use to easily access low chassis position.

Made from all steel construction, with powder coat finish Use with easy access to your tools using the plastic tool tray.

Creeper: Length: 920mm (36")

Height: 95mm (3.74") Width: 425mm (16")

Padded cushion & head rest

Seat: Length: 360mm (14")

Height and width: 365mm (14+") Padded cushion: 375 x 210mm Plastic tool tray: 360 x 350mm

Packing dimensions: 94 x 44 x 14cm ctn

Weight: 11kg

#### **Topside Creeper**

#VP8015

Capacity: 180kg All steel with tool drawer Length: 1435mm Width: 750mm

Adjustable Height: 1206 -1485mm Swivel castors: 2 x brake

Packing dimensions: 130 x 80 x 33cm crate

Weight: 43kg



#### **Creeper Caddy**

#VP8009



A centre steel disc to hold magnetic pod light

There is a large section for tools, 2 x smaller sections for parts, one section for your phone

The handle in the middle is easy to take away

Overall size: 48x46,5x8,5cm

Material: PP

Packing dimensions: 48 x 47 x 6cm ctn

Weight: 2kg



#VP8009T

Torch to suit Vp8009 packing dimensions: 10 x 10 x 13cm weight: 0.5kg



## **Service Trolleys**

#### 2 Tier Utility Cart

#WH7002



Height with castors on: W804xD454xH1030mm

Tray size: W800xD450xH76.5mm steel

Tray load weight: 45kg Material thickness: 1.2mm tray 4 x 1" rubber wheels - 2 with brake Tubing chrome square steel Packing dimensions: 100x60x38 skid

Weight: 30kg

#### **3 Tier Service Trolley**

#VP8280



3 tier

Capacity: 100kg

Tray dimensions: 700 x 450 mm

Length: 730mm Width: 380mm Height: 790mm

Packing dimensions: 78 x 43 x 15cm

Weight: 17kg

#### **3 Drawer Service Trolley**

#VP8290

Body size: 750 x 440 x 780mm

Drawer: 3 x 72mm Castors: 4 inches Material: SPCC

Package size: 95 x 61 x 62cm skid

GW: 48kgs



#### **32 Piece Steel Workshop Trolley**

#WH7016

Steel SPCC 0.6 - 1.0mm Trolley size: 1126 x 654 x 840mm 8 blue bins: 241 x 152 x 127mm 24 yellow bins: 165 x 101 x 76mm

Castors: 5" (127mm) Load cap: 300kg

Package size: 120 x 77 x 42cm skid

GW: 45kgs





## **Service Trolleys & Wheel Dolly**

#### **Truck Dual Wheel Dolly**

#### **#VP812TD**

Capacity: 680kg
Lifting range 67-240mm
Outer frame height from ground
-195mm front - 190mm back
Lifting tray length 640mm
Lowest position tray width 685mm
Highest position tray width 595mm
Horizontal position tray width 570mm
Lift low 67mm - lift up 240mm
Front wheel dia 88W 30mm; Rear wheel dia 75W 30mm
Tilt 0-6 dec
Chain length 1550mm
Chain single ring di 5mm

- 19mm width - 32mm length Handle length 510mm dia 21mm Packing dimensions: 120 x 100 x 36cm Weight: 90kg



#### **Plastic Utility Cart**

#### #VP81832

Cart size: 82cmL x 46cmW x 79cmH Inner pan size: 68 x 40.5 x 10cm

Outer size: 82L x 46W with two direction built-in handle

Easy assemble/disassemble

100mm swiveled castor wheel; 2 with brake

Loading capacity: 135kg

Packing dimensions: 85 x 50 x 23cm ctn

Weight: 9kg



#### 1000lb Car & Truck Wheel Dolly

#VP8100

Max cap: 454kg Overall Size: 603 x 390 x 140mm' 245kg pair carton 1 pair Packing dimensions: 64 x 43 x 14cm Weight: 24Kg



### **Workbenches**

#### **Steel Work Bench**

#WH7100

Overall width: 2000mm Overall depth: 640mm Overall height: 865mm Shelf width: 1700mm Shelf depth: 500mm Shelf height: 225mm

Packing dimensions: 206 x 77 x 37cm

Weight: 133Kg



Work Bench Top Made Of 3mm Thick Steel Plate

#### **Mobile Work Bench**

#WH7005

300kg load capacity
Heavy duty steel construction
Quality swivel castors with brake
Powder coated paint finish
Dimensions: L1100xW700xH1000mm
Platform material thickness: 3mm
Platform size: 1100x700mm
2pcs castor with brake
2pcs castors

Packing dimensions: 120 x 80 x 26 skid

Weight: 80Kg



**Fold Up Steel Workbench Heavy Duty** 

#WH7090

Bench top capacity: 250kg Heavy gauge steel construction for heavy duty application

Tear down structure and easy to assemble

Superior red powder coating

Unfold size: 1198L x 645W x 1380Wmm Folded size: 1198L x 1380Wmm Packing dimensions: 147 x 74 x 32cm

Weight: 60kg







## **Spring Compressors**

#### Strut Coil Spring Compressor

#VP83005

Max working length: 430mm
Max compressed spring dia: 260mm

Ram travel: 280mm Spring size: 100-160mm Product size: 110 x 42 x 42cm

Packing dimensions: 115 x 45 x 39cm skid

Weight: 40kg



#### Air Spring Compressor With Guard

#VP83007

Capacity: 1 Ton

Max working length: 450mm Ram travel: 420mm Spring size: 100-163mm

Air pressure: 0.65MPa-0.9MPa

Packing dimensions: 140 x 58 x 40cm skid

Weight: 75kg



#### **Spring Compressor Set**

#VP83010

Operates with a ratchet or wrench with a 21mm spanner width

- 1 pair of spring retainers for an 80-115mm range of application (surface 65-125mm)
- 1 pair of spring retainers for an 110-150mm range of application (surface 88-160mm)
- 1 pair of spring retainers for an 140-195mm range of application (surface 125-214mm)

Max span width: 300mm

Packing dimensions: 51 x 13 x 39cm ctn

Weight: 16kg



### **Oil Drainers**

#### **20 Litre Oil Drainer**

#VPOD20L

Capacity: 20 litres Min height: 1175mm Max height: 1850mm

Bowl dimensions: H230xW515xL515mm

Base dia: 380mm

Comes with 1 adaptor for 44 gal drum Packing dimensions: 2 cartons: 94 x 53 x 29cm Weight: 4kg 53 x 53 x 29cm Weight: 7kg



#### #VPOD20LBO



Replacement bowl

#### **#VPOD20LSK**



Replacement seal kit

#### **80 Litre Oil Drainer**

#VPOD80L

Capacity: 80 litres
Air pressure: 1-2.5BAR
The greatest pressure: 3BAR

Packing dimensions: 85 x 71 x 62cm skid

Weight: 27kg



65 Litre Low Profile Oil Drainer With Hand Pump

#VPOD65L



Capacity: 65 litres Material: polyethylene

Length: 110cm Width: 70cm Height: 19cm (with castors) High-Impact poly tank with T-handle that folds for storage

Expanded metal shield - Gravity drain valve

Manual pump for fast oil draining

Packing dimensions: 120 x 80 x 34cm skid

Weight: 31kg

#### **Mobile Oil Drainer**

**#VPODAIR** 

Oil tank capacity: 80L
Oil basin capacity: 20L
Air pressure: 8-10bar
Oil discharge pressure: <1bar
Vacuum degree: -0-0.1mpa
Oil discharge temp: 40-60 degrees

Height for basin: 1100-1850mm Packing dimensions: 100 x 64 x 54cm skid

Weight: 31kg





#### **Pallet Truck**

#WH7400

Capacity: 2000Kg
Fork length: 1100mm
Fork width: 550mm
Fork min. Height: 85mm
Fork max. Height: 200mm
Durable hydraulic pump
Central fingertip controls
Packing dimensions:
147 x 80 x 58cm skid



#### **Pallet Truck**

#WH7405



120mm inside Length of forks: 1150mm Capacity: 1680kg

Tandem wheels
Distance between forks: 220mm

Packing dimensions: 154 x 80 x 60cm skid

Weight: 79Kg

#### **Pallet Truck**

Weight: 89kg

#WH7410

Capacity: 2500Kg
fork length: 1100mm
Fork width: 550mm
fork min. Height: 85mm
fork max. Height: 200mm
Durable hydraulic pump
Central fingertip controls

Distance between forks: 250mm

Packing dimensions: 148 x 80 x 63cm skid

Weight: 85kg

#### Pallet Truck

#WH7412

Capacity: 2500Kg Fork width: 685mm Fork length: 1220mm Tandem Nylon Wheel Min fork height: 85mm

Max fork height: 195mm Distance between forks: 360mm

Packing dimensions: 160 x 80 x 65cm skid

Weight: 96Kg



#WH7413

Capacity: 2500Kg Fork width: 685mm Fork length: 1150mm Double rollers

Min fork height: 85mm Max fork height: 195mm

Distance between forks: 365mm

Packing dimensions: 150 x 80 x 59cm skid

Weight: 90Kg

#### **Pallet Truck**

#WH7415

Capacity: 2500Kg Fork width: 685mm Fork length: 1220mm Double Rollers

Distance between forks: 365mm

Packing dimensions: 160 x 80 x 58cm skid

Weight: 92kg

#### **Pallet Truck**

#WH7418

Capacity: 3000KG Fork width: 685mm Fork length: 1220mm Tandem Polyurethane Wheel Min fork height: 75mm Max fork height: 185mm

Distance between forks: 365mm

Packing dimensions: 160 x 76 x 57cm skid

Weight: 85kg



### **Hand Pallet Truck**

#WH7419

Nylon Single Roller Capacity: 2500kg Fork width: 685mm Fork length: 1220mm Min fork height: 85mm Max fork height: 195mm

Packing dimensions: 164 x 70 x 57cm skid

Weight: 82kg

#### **Galvanised Hand Pallet Truck**

#WH7459



Fork Width: 685mm Fork Length: 1220mm Capacity: 2000Kg

Distance between forks: 360mm Packing dimensions: 153 x 84 x 58cm

Weight: 102kg

#### **Double Scissor Lift Table**

#WH7530

Capacity: 350Kg Lifting Height: 1.3 metres Lowest table height: 350mm Table size: 910x500x53mm

Packing dimensions: 105 x 65 x 56cm

Weight: 112kg

#### Scissor Lift Table

#WH7540

Capacity: 500kg Min height: 300mm Max height: 740mm

Packing dimensions: 100 x 60 x 42cm skid



Weight: 81kg

#### **Scissor Lift Table**

#WH754002

Capacity: 150kgs Table size: 708x450mm Min height: 225mm Max height: 700mm

Foot-operated hydraulic pedal keeps your hands free Hand lever for easy, controlled hydraulic release

Two locking swivel casters All steel construction

Packing dimensions: 100 x 77 x 44cm skid

Weight: 57kg

#### **Scissor Lift Table**

#WH754003

Capacity: 300kgs Table size: 820x520mm Min height: 240mm Max height: 750mm

Foot-operated hydraulic pedal keeps your hands free Hand lever for easy, controlled hydraulic release

Two locking swivel casters All steel construction

Packing dimensions: 98 x 63 x 42cm skid

Weight: 74kg





#### **Scissor Lift Table**

#WH754004



Capacity: 500kgs Table size: 820x520mm Min height: 260mm

Max height: 780mm

Foot-operated hydraulic pedal keeps your hands free Hand lever for easy, controlled hydraulic release

Two locking swivel casters All steel construction

Packing dimensions: 103 x 67 x 44cm

Weight: 81kg

#### Scissor Lift Table

#WH754005



Capacity: 750kgs Table size: 820x520mm Min height: 280mm Max height: 780mm

Foot-operated hydraulic pedal keeps your hands free Hand lever for easy, controlled hydraulic release

Two locking swivel casters All steel construction

Packing dimensions: 101 x 58 x 44cm

Weight: 90kg



#### **Scissor Lift Table**

#WH7550

Capacity: 500KG
Table Size: 855 x 500 x 50 mm
Lifting height: 880mm
Lowest table height: 340mm

Height of handle: 965mm With folding handle

Packing dimensions: 104 x 67 x 64cm skid

Weight: 99kg



#### **Scissor Lift Table**

#WH7555

Capacity: 750kg Lifting height: 900mm Lowest table height: 420mm Table size: 1000 x 510 x 60

Packing dimensions: 117 x 86 x 62cm skid

Weight: 131kg





Packing dimensions: 121 x 80 x 57cm skid

Weight: 148kg



#### **High Lift Stacker**

#### #WH768L

Capacity: 1000Kg Min Fork Height: 85mm Max Fork Height: 2.5m Overall Mast Height: 1.83m Length Of Forks: 900mm Max Height: 2.5m Overall Width: 780mm Overall Fork Width: 760mm

Packing dimensions: 160 x 100 x 198cm

Weight: 323kg



#### 300Kg Scissor Lift/Table Cart

#### #WH754003B

Two locking swivel castors All steel construction Capacity: 300Kg Max lift height: 900mm Min height of table: 340mm Lifting height: 560mm Tyre size: 127mm

Packing dimensions: 100 x 80 x 50cm skid

Weight: 94kg



#### **1000LBS Rapid Lift Table Cart**

#### #WH75DL454

Rapid lift technology -

Just 8 stroke to reach the highest position

Capacity: 454kg Table size: 813 x 500mm Min height: 406mm Max height: 1400mm

Wheel size: 125mm Packing dimensions: 98 x 56 x 43cm crate

Weight: 116kg



#### **Hand Stacker**

#### #WH750SL

Capacity: 1000kg Max fork height: 2850mm Min fork height: 65mm Single fork width: 160mm Overall fork width: 540mm Fork length: 1150mm Overall length: 1595mm Overall width: 1395mm Ovearall height: 2000mm Load centre: 550mm



#### **Platform Trolley**

#WH7500




fold down handles\*\*

Dimensions: L73.8 x W47.9 x H81.5 cm Packing dimensions: 76 x 50 x 12cm

Weight: 9Kg

Load: 150kg

#### #WH7509



Dimensions: L91.6 x W61.6 x H86.3 cm Packing dimensions: 92 x 62 x 15cm

Weight: 15kg





#### **Double Scissor Lift Table**

#WH75DL150

150kg Heavy duty double scissor lift table

Capacity: 150kg Table: 830 x 500mm Table height: 435-1585mm Stroke: 995mm

1100 x 500 x 1010

Pedal to top (approx 30 times)

Wheel 125mm

Packing dimensions: 94 x 60 x 47cm

Weight: 90kg



#### **Double Scissor Lift Table**

#WH75DL300

300kg Heavy duty double scissor lift table

Capacity: 300kg
Table: 1010 x 520mm
Table height: 435-1585mm
Stroke: 1150mm
1130 x 520 x 1260

Pedal to top (approx 53 times)

Wheel 150mm

Packing dimensions: 114 x 56 x 46cm

Weight: 145kg



#### **Double Scissor Lift Table**

#WH75DL500

500kg Heavy duty double scissor lift table

Capacity: 500kg Table: 1010 x 520mm Table height: 435-1585mm Stroke: 1150mm 1130 x 520 x 1260

Pedal to top (approx 68 times)

Wheel 150mm

Packing dimensions: 114 x 58 x 45cm

Weight: 157kg



#### **Double Scissor Lift Table**

#WH75DL800

800kg Heavy duty double scissor lift table

Capacity: 800kg Table: 1010 x 520mm Table height: 490-1400mm

Stroke: 910mm 1130 x 520 x 1275

Pedal to top (approx 95 times)

Wheel 150mm

Packing dimensions: 119 x 58 x 49cm

Weight: 158kg



#### **Scissor Lift Table**

#WH75HD750

750kg Heavy duty scissor lift table Capacity: 750kg

Table: 1010 x 520mm Table height: 432-1000mm

Stroke: 568m 1130 x 520 x 1260

Pedal to top (approx 55 times)

Wheel 150mm

Packing dimensions: 120 x 60 x 56cm skid

Weight: 120kg

#### **Scissor Lift Table**

#WH75HD1000

1000kg Heavy duty scissor lift table Capacity: 1000kg

Table: 1010 x 520mm
Table height: 490-960mm

Stroke: 520mm 1130 x 520 x 1260

Pedal to top (approx 68 times)

Wheel 150mm

Packing dimensions: 120 x 79 x 60cm

Weight: 141kg





### Generators

#### Generator

#### #GENI3000C

Engine power: 196cc, 6.5HP, 240V

Rated max: 2.2kw Rated currency: 8.3a

Phase frequancy: Single, 50Hz

Noise: 70DB Fuel capacity: 3.6L

Dimensions: 65 x 59 x 59cm skid

Weight: 42kg



#### **Generator**

#### #GENI4000C

Engine power: 208cc, 7HP, 240V

Rated max: 2.8kw Rated currency: 10.4a Phase frequancy: Single, 50Hz

Noise: 70DB Fuel capacity: 3.6L Dimensions: 75 x 75 x 60cm

Weight: 50kg

#### Generator

#### #GENI5000C

Engine power: 208cc, 7.5HP, 240V

Rated max: 3.2kw Rated currency: 11.7a Phase frequancy: Single, 50Hz

Noise: 70DB Fuel capacity: 3.6L

Dimensions: 72 x 72 x 62cm Weight: 51kg



#### Generator

#### #GENI6000C

Engine power: 223cc, 7.5HP, 240 V

Rated max: 3.8kw Rated currency: 13.8a Phase frequancy: Single, 50Hz

Noise: 70DB Fuel capacity: 3.6L Dimensions: 91 x 65 x 57cm

Weight: 55kg



#### Generator

#### #GENI10000C

Engine power: 420cc, 14HP, 240V

Rated max: 7.0kw Rated currency: 27.1a Phase frequancy: Single, 50Hz

Noise: 80DB Fuel capacity: 5.5L Dimensions: 82 x 66 x 70cm

Weight: 82kg



#### **Generator**

#### #GENI13000C

Engine power: 459cc, 16HP, 240V

Rated max: 7.5kw Rated currency: 31.3a Phase frequancy: Single, 50Hz

Noise: 80DB Fuel capacity: 5.5L Dimensions: 96 x 75 x 72cm

Weight: 93kg

#### Generator

#### #GENI10000CE

Recoil/Electric Start

Engine power: 420cc, 14HP, 240V

Rated max: 7.0kw Rated currency: 27.1

Phase frequancy: Single, 50Hz

Noise: 80DB Fuel capacity: 25L Dimensions: 92 x 62 x 73cm Weight: 96kg





#### **Generator**

#### #GENI13000CE

Recoil/Electric Start

Engine power: 459cc, 16HP, 240V

Rated max: 7.5kw Rated currency: 31.3a Phase frequancy: Single, 50Hz

Noise: 80DB Fuel capacity: 25L

Dimensions: 80 x 70 x 74cm

Weight: 108kg

### Generators

#### **Generator** #GENI8000C



Engine power: 389cc, 13HP, 240 V

Rated max: 5.5kw Rated currency: 20.8a Phase frequancy: Single/50Hz

Noise: 70DB Fuel capacity: 5.5L

Dimensions: 102 x 70 x 99cm crate

Weight: 220kg

#### Generator

#### #GENI3000CE



Recoil/Electric Start

Engine power: 196cc, 6.5HP, 240V

Rated max: 2.2kw Rated currency: 8.3a

Phase frequancy: Single/50Hz

Noise: 70DB Fuel capacity: 15L

Dimensions: 71 x 67 x 64cm skid

Weight: 57kg

#### Generator

#### #GENI4000CE

Recoil/Electric Start

Engine power: 208cc, 7HP, 240V

Rated max: 2.8kw Rated currency: 10.4a Phase frequancy: Single/50Hz

Noise: 70DB Fuel capacity: 15L

Dimensions: 75 x 75 x 60cm skid

Weight: 50kg



#### Generator

#### #GENI5000CE

Recoil/Electric Start

Engine power: 208cc, 7.5HP, 240V

Rated max: 3.2kw Rated currency: 11.7a Phase frequancy: Single/50Hz

Noise: 70DB Fuel capacity: 15L

Dimensions: 72 x 67 x 64cm skid

Weight: 61kg



#### Generator

#### #GENI6000CE

Recoil/Electric Start

Engine power: 223cc, 7.5HP, 240V

Rated max: 3.8kw Rated currency: 13.8a Phase frequancy: Single/50Hz

Noise: 70DB Fuel capacity: 15L

Dimensions: 66 x 49 x 64 skid

Weight: 63kg



#### Generator

#### #GENI8000CE

Recoil/Electric Start

Engine power: 389cc, 13HP, 240 V

Rated max: 5.5kw Rated currency: 20.8a Phase frequancy: Single/50Hz

Noise: 75DB Fuel capacity: 25L

Dimensions: 102 x 70 x 99 crate

Weight: 58kg



#### **Generator**

#### #GENI18000CE

V-Twin Electric Start, remote control Engine power: 679cc, 21HP, 240 V

Rated max: 12kw Rated currency: 42a

Phase frequancy: Single/50Hz

Noise: 90DB Fuel capacity: 30L Running power 10kw L94 x W66 x H99cm 4 x 15amp sockets 12v.36Ah battery

1 x 42A circuit breaker

2 x fixed wheels; 2 x swivel wheels

Cooling fan

Packing Dimensions: 102 x 70 x 99 crate

Weight: 219kg





### **Jockey Wheels**

#### 6" Jockey Wheel

#VP8700



6" Swing-Up Solid Jockey Wheel

#VP8710



Capacity: 750lbs

Packing dimensions: 60 x 16 x 10

Weight: 5kg

Capacity: 750lbs

Packing dimensions: 64 x 22 x 18cm

Weight: 7Kg

#### 8" Swing-Up Sold Jockey Wheel

#VP8720



#VP8730

Swing Up 10"



Capacity: 500lbs

Packing dimensions: 65 x 29 x 18cm ctn

Weight: 7kg

Capacity: 300lbs
Packing dimensions: 71 x 25 x 16cm
Weight: 8Kg

**Pneumatic Jockey Wheel** 

#### **Motorised Jockey Wheel**

#### **#VP87RCSW**

Single solid wheel Speed ratio: 153:1 Towing cap: 1800 kgs Rate of travel: 18 ft/min Power of travel motor: 500W

Working voltage: 12V (Battery not included)

Remote control

Packing dimensions: 69 x 34 x 28cm

Weight: 17kg





#### 5" Offset Vice

#VICOF5

5"

Packing dimensions: 45 x 25 x 20cm

Weight: 20kg



#### 6" Offset Vice

#VICOF6

6"

Packing dimensions: 57 x 34 x 41cm

Weight: 31kg

#### 6500kgs Container Ramp

#### #RAMP6500


Safe working load: 6500kg Length: 2000mm

Width: 2200mm Weight: 310kg

Fork pocket size: 165x60mm

Packing dimensions: 226 x 155 x 26cm

Weight: 353Kg



#### **Steel Loading Ramps**

Lifting chains included on all models for ease of handling All models made of steel plate with welded steel kerb Painted sides to ensure user is aware of the edges All models capacity: 6 ton

#### #RAMPS6060

1500x1500mm

Packing dimensions: 153 x 153 x 170cm

Weight: 160kg

#### #RAMPS7248

1800x1200mm

Packing dimensions: 180 x 150 x 20cm

Weight: 125kg

#### #RAMPS7260

1800x1500mm

Packing dimensions: 181 x 151 x 23cm

Weight: 207kg



#### **Steel Wall Cabinet**

#WS3200

Powder coated

Overall size: W120 x H60 x D20cm Consists of 3 x lockable cabinets Each cabinet size: W40 xD20 x H60 cm

Packing dimensions: 2 cartons: 130 x 27 x 10cm

64 x 44 x 8cm

Weight: 19kg



#### **Car Tyre Changer**

#VP8270

All steel construction 40 x 50cm base

Packing dimensions: 98 x 24 x 24cm

Weight: 18Kg



10,000kg Porta Power

#PPOW10T



10,000kg porta power with own trolley case Hydraulic tool kit for repair service Complete kit contains the heavy duty hydraulic equipment you need for lifting, pulling, bending, straightening and spreading

Packing dimensions: 96 x 60 x 36cm skid

Weight: 41kg

4,000kg Porta Power

#PPOW4



straightening and spreading Packing dimensions: 60 x 35 x 19cm ctn

Weight: 18kg

#### **Hydraulic Air Pump**

**#VPAHP10** 



Rugged construction - built for long life & easy service Controls the input & valve by foot pedal, easier to operate than a hand pump Operates in all positions for increased versatility in use Ideal for powering single-acting cylinders & portable hydraulic tools

Output pressure: 700bar/10,000psi Air supply required: 8 bar/120psi Usable oil capacity: 1700cm3 Packing dimensions: 27 x 13 x 21cm

Weight: 7kg

#### **Engine Load Leveler**

#ELEV15

Heavy Duty Construction Adjustable range: 0-315mm

Capacity: 750kg

Packing dimensions: 49 x 20 x 12cm ctn

Weight: 7Kg





**Example of use of Engine Levelers** 

#### **Engine Load Leveler**

#ELEV34

**Light Duty Construction** Adjustable range: 0-415mm

Capacity: 550kg

Packing dimensions: 72 x 58 x 8cm

Weight: 6Kg



Capacity: 1800kgs

Adjustable range of threaded rod: 350mm Packing dimensions: 58 x 25 x 7cm

Weight: 6kg



#### **3 HP Air Compressor**

#ACB30100B

100 Litre tank 3 cylinder pump 115 psi Cfm: 12.72

Displacement: 360L/m With metal air filter - U handle

7" rubber wheels x 2 240V, 10amp plug

Packing dimensions: 109 x 45 x 89cm crate

Weight: 97kg

#### **3HP Air Compressor**

#ACB30501AB



Displacement: 360l/m

Packing dimensions: 88 x 42 x 83cm crate

Weight: 88kg



#### **3HP Air Compressor**

#ACB3050B

#ACB3070B



240V, 50 litre tank, 2 cylinder pump

115 psi, 10amp plug Cfm: 11.66

Displacement: 330L/m With metal air filter - U handle Measurements without handle: L80 x W40 x H80cm

7" rubber wheels x 2

Packing dimensions: 89 x 39 x 81cm crate

Weight: 76kg

3HP, 3 cylinder pump, 70 litre tank

115 psi Cfm: 12.72

Displacement: 360l/m With metal air filter - U handle

7" rubber wheels x 2 240V - 10 amp plug

Packing dimensions: 99 x 42 x 85cm crate

Weight: 96kg

#### **3HP Direct Drive Air Compressor**

#ACD30100V

**Driect drive Compressor** Press: 8kg/cm2; 115psi; 800kpa

Power: 3HP

Displacement: 350l/min Tank capacity: 100 litres

Packing dimensions: 106 x 55 x 85 skid

Weight: 100kg





#### **Petrol Compressor**

#### #ACB6550PB

6.5HP 50 litre tank 2 cylinder pump, pull start

Cfm: 12.37 Displacement: 350l/m With metal air filter 7" rubber wheels x 2 U handle - recoil start

Packing dimensions: 91 x 39 x 84cm crate

Weight: 80kg

115 psi

#### **Petrol Air Compressor**

#### #ACB130100PES



Free air delivery: 560l/m

Packing dimensions: 111 x 47 x 116cm

Weight: 160kg



#### **Wet & Dry Vacuum Cleaner**

#PT2230

Function: wet & dry Motor: twin 2000w Capacity: 70 litre Voltage: 220-240v Tank dia: 420mm

Mode of cooling: circulation air cooling

Air flow rate: 108L/s Noise: 80-82dB(A) Hose dia: 48mm Hose length: 2m Cable length: 7.2m

Packing dimensions: 76 x 76 x 118cm

Weight: 40kg



#### Floor Sweeper

#SW920

Two front side brushes One centre main brush Sweeps all kinds of large & fine sand both wet & dry

Distinguising feature: fine sand, granule

Capacity: 40L

Sweeping width: 920mm/36" Performance: 3680m2

Packing dimensions: 89 x 81 x 54cm skid

Weight: 41kg





### **Rubber Products**

#### **Car Rubber Wheel Chock**

#J11001

175 x 100 x 150mm

Packing dimensions: 28 x 12 x 18cm

Weight: 2kg



#### **Truck Rubber Wheel Chock**

#J11002

240 x 195 x 150mm

Packing dimensions: 28 x 20 x 15cm

Weight: 5kg



#### **Rubber Truck Wheel Chock**

#J11003

245x 165 x 185mm Packing dimensions: 29 x 17 x 18cm

Weight: 5kg



#### **Orange Car Wheel Chock PP**

#J11004

140 x 80 x 100mm Packing dimensions: 5 x 15 x 10cm

Weight: 0.5kg



#### 3 Hole Cable Protector



#J11005

1x40 2x20mm Holes 3.75 metres long


Packing dimensions: 65 x 55 x 20cm

Weight: 17kg



#### **Reflective Carpark Marker**

#J11006



#### **Tethered Wheel Chocks**

#J11009

450 x 150 x 140 Nylon Rope

Packing dimensions: 200 x 16 x 14cm

Weight: 17kg



#### **Rubber Tie Down Straps**

#J11013

10 inch 254mm Pack dimensions: 37 x 13 x 5cm

Weight: .0.5kg

#J11016 31 inch 787mm Pack dimensions:

92 x 14 x 6cm Weight: .2kg

#J11014

14 inch 381mm Pack dimensions: 55 x 13 x 5cm

Weight: 1kg #J11017

41 inch 1025mm Pack dimensions:

116 x 14 x 6cm

Weight: .2kg

#J11015

21 inch 533mm

66 x 13 x 6cm

Veight: 1kg

Pack dimensions:

#### Rubber Tie Down Straps: Our price is for 10 pieces in a pack

#### **Half Moon Solid Rubber**

#J11018

200 x 250mm 10701 Solid Rubber Packing dimensions: 30 x 18 x 21cm

Weight: 4kg



#### **Rubber Wheel Chock**

#J11019

200 x 120 x 100 With Eye Bolt Packing dimensions: 31 x 23 x 17cm

Weight: 3kg



#### **Jumbo Wheel Chock**

#J11020

300 x 300 x 255mm Metal Hand Packing dimensions: 38 x 29 x 26cm

Weight: 14kg



#### **Rubber Wheel Chock**

#J11220

Weight: 2kg

195 x 195 x 100 Metal Hand Packing dimensions: 22 x 19 x 11cm





### **Log Splitters**

#### 22 Ton Manual Log Splitter

#LS22BD #LS22ESBD



Max force: 22 ton

Cycle time: split 7.5 seconds, back 6.5 seconds

Max splitting length: 24" (610mm) Wedge height: 7" (180mm) Max oil tank capacity: 12.5L Max towing speed: 8KPH Working status: Only horizontal

Power: 6.5ph petrol engine manual start Cylinder size: dia 90mm x stroke 574mm

Tyre: 13" pneumatic

Packing dimensions: 168 x 42 x 69cm

Weight: 165kg

#### 25 Ton 3 Point Linkage Log Splitter

#LS25-3PT



Capacity: 25 ton

Operation: Either vertical or horizontal

Powered by tractor

Valve: detent, auto return, max flow 25gpm

Cylinder: 4-1/8" x 24.5" Assembly time: Under 30 mins Packing dimensions: 191 x 48 x 69cm

Weight: 220kg

#### 25 Ton Manual Log Splitter

#LS25BD #LS25ESBD



6.5ph Manual start engine

Horizontal & Vertical two operation position

Hydraulic cylinder: 10cm x 58cm

Max log length: 61cm Auto return control valve Max towing speed: 72KPH

Only to be towed on private property - not on public roads

Packing dimensions: 187 x 51 x 68cm

Weight: 243kg

#### 25 Ton Manual Log Splitter With Jockey Wheel



Horizontal & Vertical two operation position

Hydraulic cylinder: 10cm x 58cm

Max log length: 61cm Auto return control valve Max towing speed: 72KPH

8" (20cm) dia x 2" (5cm) jockey wheel

Only to be towed on private property - not on public roads

Packing dimensions: 187 x 51 x 68cm

Weight: 252kg

#### 30 Ton Manual Log Splitter

#LS30JTTBD #LS30JTTESBD



Max split force: 30 Ton Cycle time: 15s

Max splitting length: 610mm Wedge height: 200mm Max oil tank capapcity: 11 litres Max towing speed: 72KPH

Working status: Horizontal & Vertical Cylinder size: di 90mm x stroke 574mm Pneumatic wheel: 16x6.5" D.O.T. Coupler size: 50mm cast steel

Log table: Max 20kg 6" front jockey wheel

Packing dimensions: 193 x 50 x 80cm

Weight: 280kg



#### **30 Ton Log Splitter** With Hydraulic Lifting Table

#LS30LTBD #LS30LTESBD

6.5HP manual start engine 8" (20cm) dia x 2" (5cm) jockey wheel

Max log length: 24" (61cm)

Heavy duty 4-1/2" (11.5cm) x 23" (57.5cm) cylinder

8" (20cm) heavy duty cast steel wedge

Max lifting cap of table: 50kg

2-stage gear pump for min 17s cycle time Auto return valve, with safe release function

16" D.O.T. Pneumatic wheels towing

Max towing speed: 72kph

Safe chain, wheel fenders included, with reflector Only to be towed on private property, not on public roads

Packing dimensions: 187 x 52 x 93cm

Weight: 320kg



### **Log Splitters**

40 Ton Manual Log Splitter

#LS40BD #LS40ESBD



13HP Manual start engine 8" dia x 2" jockey wheel

Max length: 55cm; 30cm diametre

Heavy duty log table

Heavy duty 5" x 19.4" cylinder

8" heavy duty cast steel wedge, wearproof 2-stage gear pump for min 16s cycle time Auto return valve, with safe relief function 16" DOT pneumatic wheels towing

Max towing speed: 72KPH

Safe chain, wheel fenders included, with reflector

Only to be towed on private property - not on public roads

Packing dimensions: 173 x 52 x 79cm

Weight: 320kg

45 Ton Manual Log Splitter

#LS45BD #LS45ESBD



Power: 15HP manual start petrol engine Horizontal & vertical working position

Max log length: 55cm

8" x 2" jockey wheel for easy moving 20cm in height heavy duty cast steel wedge 2-stage gear pump for min 18s cycle time Auto return valve, with safe relief function

16" DOT pneumatic tyre for max towing speed: 72kmp

Packing dimensions: 173 x 52 x 79cm

Weight: 323kg

50 Ton Manual Start Log Splitter With Hydraulic Lifting Table

#LS50LTBD #LS50LTESBD



15HP manual start petrol engine 8" dia x 2" jockey wheel

Max length: 55cm; 30cm diameter

Hydraulic lifting table for easy loading & unloading log: 50kg capacity

Heavy duty 5" x 19.4" cylinder

8" heavy duty cast steel wedge, wearproof 2-stage gear pump for min 16s cycle time Auto return valve, with safe relief function

16" DOT pneumatic wheels towing

Max towing speed: 72KPH

Only to be towed on private property - not on public roads

Packing dimensions: 173 x 52 x 104cm

Weight: 357kg

#### Log Splitter Wood Rack & Rain Cover

#LSWR





Protects up to 100kg of firewood under a polyester cover Heavy-duty rubber wheels allow the cart to move easily

Capacity: 100kg

Overall dimensions: 625x495x1050mm

Wheel size: 8"x2"

### **Notes**





TWM Imports Pty Ltd ACN 061 735 699 ABN 21061735699 1-15 James Court, Tottenham, Victoria 3012

PO Box 466 Williamstown, Victoria 3016

Phone: (03) 9314 8588 Fax: (03) 9314 8255

Email: sales@twm.com.au