

# PRODUCT GUIDE



#VP8238AH-b or #VP8238AH-r  
Comes in red or black

CR125F

LIFTING RANGE: 0-2360MM

BOOM WORKING RANGE:  
1050-1590MM



#WH754005



**Millers Falls** **Worker**  
simply the best

# WORKSHOP EQUIPMENT

# Company Profile



**Imports Pty Ltd**

**TWM Imports has been providing agriculture, automotive, industrial & power products to the Australian market for over 35 years.**

**The company is proudly 100% Australian owned & operated by the Minett family.**

**TWM Imports has one of the most comprehensive product ranges in the industry. This Product Guide has 21 product categories dedicated to Workshop Equipment and reflects TWM Imports as a market leader in product development and innovation.**

**TWM Imports operate from a 15000sqm facility in Tottenham Victoria.**

**The publication of this product guide illustrates in detail the commitment to quality sourcing, product, logistics and distribution undertaken by TWM Imports.**

**We look forward to being of service to you and trust that this 2019 product guide is a valuable reference.**

**Yours sincerely,**

**The Minett Family**

# Contents

4-5	Hydraulic Cranes	29-33	Materials Handling
6-7	Engine Stands	34-35	Generators
8-9	Workshop Fans & Ventilators	36	Jockey Wheels
10-11	Air Hydraulic Jacks	37-40	Workshop Essentials Compressors Etc..
12	Truck Trolley Jacks	41	Rubber Products
13-14	Transmission Jacks, Digital Brake Caliper	42-43	Log Splitters
15-17	Hydraulic and Air Hydraulic Shop Presses		
18	Parts Washers		
19	Rotisseries		
20	Sandblasting		
21-22	Motorcycle Lifts		
23	Creepers		
24-26	Service Trolleys, Workbenches, Wheel Dolly		
27	Spring Compressors		
28	Oil Drainers		

# Hydraulic Cranes

## 1000kgs Foldable Engine Crane

#CR1TF



Arm lifting range: 0-2150mm  
Working range: 960-1240mm  
Packing dimensions: 138 x 65 x 34cm skid  
Weight: 78Kg

## 1250kg Foldable Engine Crane

#CR125F



Boom working range: 1050-1590mm  
Lifting range: 0-2360mm  
Packing dimensions: 144 x 80 x 48cm  
Weight: 91kg

## 1500kgs Foldable Engine Crane

#CR2TFHD



Arm lifting range: 0-2360mm  
Working range: 1050-1590mm  
With 8000kg long ram & adjustable outrigger legs  
Rear outrigger legs adjust from 105-168cm  
Packing dimensions: 165 x 71 x 41cm  
Weight: 99Kg

## 500kg 12V Utility Crane with Winch

#CR500EL



Compact fold-design  
3 step telescopic extension  
Easily installed  
Ready to fit to your vehicle  
Massive 500kg single rope/800kg double rope capacity  
Overload protection  
Single-handed operation  
360 degrees continuous manual rotation  
Hand switch-control at your fingertips  
Heavy duty, stable base  
3 tier boom  
Connector 12V battery  
Packing dimensions: 140 x 51 x 42cm  
Weight: 69kg

## 450kg Swivel Crane Attachment

#CRSC1ATT



Fits onto Tow Ball on any car or light truck  
Capacity: 450kgs  
Fits 450kg swivel lifting crane - CRSC1T  
Size: 55 x 40 x 37cm  
Packing dimensions: 54 x 38 x 34  
Weight: 30kg

## Air Hydraulic Engine Crane

#CR2TFAIR



Capacity: 1500kg  
Working range of boom: 1050-1590mm  
Lifting range: 0-2360mm  
Packing dimensions: 146 x 66 x 40cm  
Weight: 112kg



# Hydraulic Cranes

## Swivel Base Hydraulic Lifting Crane

#CRSC1T

Capacity: 450kgs  
Working range of boom: 870-1290mm  
Lifting range: 0-2015mm  
Overall height folded: 1.45m  
Packing dimensions: 117 x 33 x 66cm skid  
Weight: 50Kg



Australian Standard  
approval No: CC-028

## Swivel Base Hydraulic Utility Crane

#CRSC2T

Capacity: 900kgs  
Working range of boom: 900-1325mm  
Lifting range: 0-2015mm  
Overall height folded: 1.45m  
Packing dimensions: 111 x 67 x 47cm  
Weight: 60kg



Australian Standard  
approval No: CC-029

**SOLD OUT**

## Swivel Base Hydraulic Lifting Crane With Winch

#CRSC1TW

Capacity: 900kg  
Working range: 870~1290mm  
Lifting range: 0~2015mm  
Overall height: 1.45m  
Packing dimensions: 114 x 54 x 62cm skid  
Weight: 60kg

**SOLD OUT**



## Swivel Base Hydraulic Lifting Crane With Winch

#CRSC2TW

Capacity: 900kg  
Working range of boom: 870-1290mm  
Lifting range: 0~2015mm  
Overall height: 1.45m  
Size of base: 270 x 270mm  
Packing dimensions: 113 x 64 x 47cm  
Weight: 67Kg

**SOLD OUT**

#CRSC1TWGAL

## Swivel Base Hydraulic Crane With Galvanised Winch

Capacity: 450kgs  
Boom working range: 870-1290mm  
Lifting range: 0-2015mm  
Automatic brake winch  
Packing dimensions: 115 x 40 x 65cm skid  
Weight: 75kg



#CRSC2TWGAL

## Swivel Base Hydraulic Crane With Galvanised Winch

Capacity: 900kgs  
Boom working range: 870-1290mm  
Lifting range: 0-2015mm  
Automatic brake winch  
Packing dimensions: 114 x 69 x 48cm skid  
Weight: 69kg

**SOLD OUT**



## 900KG Heavy Duty Swivel Base Lifting Crane

#CRSC2TWHDA

Capacity: 900kg  
Boom working range: 1250-1900mm  
Lifting range: 0-2300mm  
Packing dimensions: 145 x 77 x 67cm skid  
Weight: 100Kg

**SOLD OUT**



## 3 Ton Engine Crane (Non-folding)

#CRANE3T

Capacity: 3 ton  
Boom working range: 1200-1830mm  
Lifting range: 0-2200mm  
Packing dimensions: 144 x 84 x 46cm skid  
Weight: 142kg



**Millers Falls Worker**  
simply the best

# Engine Stands

## Engine Stand

#ES750

350kg Capacity  
Packing dimensions: 89 x 22 x 19cm  
Weight: 19Kg



## Engine Stand

#ES1000

450kg Capacity  
Packing dimensions: 91 x 22 x 19cm  
Weight: 21kg



## Engine Stand

#ES1250

570kg Capacity  
Packing dimensions: 95 x 24 x 20cm  
Weight: 33Kg



## Engine Stand

#ES1500

680kg Capacity  
Packing dimensions: 99 x 35 x 35cm skid  
Weight: 34kg



## Engine Stand

#ES1500F

Comes in red (p **SOLD OUT**)  
Heavy Duty  
Cap: 680kgs  
4-leg folding engine crane  
Large, heavy chrome head -  
for big block & display engines  
4-hole mounting head rotates 360°  
and locks with a pin  
Front T-bar length: 800mm  
Size between front & back: 865mm  
Packing dimensions: 92 x 36 x 30cm  
Weight: 36kg



## Engine Stand

#ES2000FQ

Comes in red (pic in black)  
Heavy Duty  
Cap: 905kgs  
4-leg folding engine crane  
Large, heavy chrome head -  
for big block & display engines  
4-hole mounting head rotates 360°  
and locks with a pin  
Front T-bar length: 800mm  
Size between front & back: 865mm  
Packing dimensions: 91 x 63 x 33cm  
Weight: 50kg

# Engine Stands

## Engine Stand

#ES2000



Folded

900kg Capacity

Fully adjustable mounting head secures rear of engine to the stand  
Sliding 20" handle & 360 degree rotating head allows easy rotation of engine

One bolt easily disassembles stand for transport or storage

Heavy gauge steel mechanical tubing to prevent excessive frame flex  
45kg

Packing dimensions: 96 x 54 x 31cm skid

Weight: 52Kg

## Engine Stand

#ES1100GD

**SOLD OUT**



300kg Engine Stand with Heavy Duty Worm Gear

Max capacity: 300kg

Length: 900mm

Width: 700mm

Height: 950mm

Centre height: 820mm

2 x 3" castors + 2 x 3" castors with brake (75mm)

Oil pan overall size: 725L x 560W mm

Packing dimensions: 98 x 74 x 53 skid

Weight: 92kg

## Engine Stand

#ES2000GD

900kg Engine Stand

Max capacity: 900kg

Length: 1190mm

Height: 850mm

Width: 1230mm

2 x 3" castors (90mm)

2 x 3" castors with brake

Wheel size: 90mm

Gearbox ratio: 40:1

Centre height: 1050mm

Packing dimensions: 123 x 98 x 70 skid

Weight: 103kg

**SOLD OUT**

Gear



## Engine Stand

#ES2200GD

800kg Engine Stand with Heavy Duty Worm Gear

Max capacity: 800kg

Length: 1300mm

Width: 940mm

Height: 1100mm

Centre height: 945mm

2 x 3" castor with brake (75mm)

2 x 3" castors (75mm)

Oil pan overall size: 1040L x 800W mm

Packing dimensions: 135 x 100 x 56

Weight: 157kg





# Workshop Fans

## Evaporative Cooler

#FANEC100L



Evaporative Cooler  
Max airflow: 18000m<sup>3</sup>/h  
Power consumption: 550W  
Fan style: Axial  
Water capacity: 100L  
Effective cooling area: 100-150m<sup>2</sup>  
Noise level: around 60dB for commercial & industrial use; operating noise rate at 55dB no more than 65dB  
Temperature: cooler can lower temp by 5-8 degrees  
On average in Australia 5 degrees  
Dimensions: 117 x 85 x 165cm plt  
Weight: 70kg

## Floor Fan

#FAN450FLO



Motor: 240V/50Hz/150W, 450mm  
4 speed: 680, 900, 1030, 1220rpm  
5 wide aluminium blades  
Black grill net  
Press button for swing or fixed  
Black metal support bracket  
SAA approval plug  
Packing dimensions: 52 x 28 x 52 ctn  
Weight: 8kg

## Pedestal Fan

#FAN750PED

**SOLD OUT**



Motor: 240V/50Hz/280W 750mm  
3 speeds adjustable: 1100, 1250, 1380rpm  
100% full copper wire motor  
3 aluminium blades  
1.8mm wire grill chromed  
Metal cross base  
Oscillating angle: 0-90 degrees or fixed  
Adjustable height: 1.5-1.87m  
SAA plug with 1.8m power cord  
Packing dimensions: 82 x 82 x 17 ctn  
Weight: 21kg

## Wall Fan

#FAN750WAL



Motor: 240V/50Hz/280W, 750mm  
3 speed: 1100, 1250, 1380rpm  
Oscillating: 0-90 degrees or fixed  
3 aluminium blades  
1.8mm wire grill chromed  
Strong wall mount kit  
SAA plug with 1.8m power cord  
Packing dimensions: 83 x 83 x 18 ctn  
Weight: 13kg

# Workshop Fans

## Misting Fan 52 Litre

#FANMI52P

660mm Centrifugal Mist Fan  
Motor power 260w  
Motor speed 3  
Water tank capacity 52L  
Airflow 138m<sup>3</sup>/min  
Atomization 0-5kg/h  
Lower temperature 2-8 degrees Celsius  
Affected distance 10m



## Misting Fan 9 Litre

#FANMI9W

660mm Centrifugal Mist Fan  
Motor power 260w  
Motor speed 3  
Water tank capacity 9L  
Airflow 138m<sup>3</sup>/min  
Atomization 0-5kg/h  
Lower temperature 2-8 degrees Celsius  
Affected distance 10m



## Portable Ventilator

#VEN12

Dia: 300mm  
Power: 550W  
Capacity: 62 m  
Rotation speed: 3300rpm  
Packing dimensions: 43 x 36 x 38cm skid  
Weight: 12kg



**SOLD OUT**

## Portable Ventilator

#VEN16

Dia: 400mm  
Power: 1500W  
Capacity: 130 m<sup>3</sup>/min  
Rotation speed: 3300rpm  
Packing dimensions: 86 x 60 x 53cm skid  
Weight: 28kg



## Portable Ventilator

#VEN24

Dia: 600mm  
Power: 2200  
Rotation spe  
Flow rate: 18  
Packing dimensions: 78 x 78 x 64cm skid  
Weight: 50kg



**SOLD OUT**

## Hoses to suit VEN24

#VEN2420M

20 metre hose to suit VEN24  
Packing Dimensions: 72 x 66 x 52 skid  
Weight: 42kg

## Hoses to suit VEN16

#VEN165M

5 metre hose to suit VEN16  
Packing dimensions: 47 x 47 x 16 ctn  
Weight: 7kg

#VEN1610M

10 metre hose to suit VEN16  
Packing dimensions: 47 x 47 x 28 ctn  
Weight: 14kg



## Hoses to suit VEN12

#VEN125M

5 metre hose to suit VEN12  
Packing Dimensions: 36 x 36 x 16  
Weight: 5kg

#VEN1210M

10 metre hose to suit VEN12  
Packing Dimensions: 36 x 36 x 28  
Weight: 10kg

**SOLD OUT**

**SOLD OUT**



# Air Hydraulic Jacks

## 22 Ton Air Hydraulic Trolley Jack

#LHTJ22

**SOLD OUT**

Capacity: 22 ton  
Min height: 225+20mm  
Max height: 435+100mm  
Adjustable height: 80mm  
Lifting height: 130mm  
Packing dimensions: 72 x 67 x 45cm  
Weight: 46kg



## 50 Ton Air Hydraulic Trolley Jack

#LHTJA50

**SOLD OUT**

Capacity: 50 ton  
Min height: 267+20mm  
Max height: 427+100mm  
Lifting height: 150mm  
Package size: 77 x 44 x 46cm  
NW: 52kg



## 35 Ton Air Hydraulic Trolley Jack

#LHTJ35

Capacity: 35 ton  
Min height: 263+20mm  
Max height: 538+100mm  
Adjustable height: 120mm  
Lifting height: 155mm  
Package size: 66 x 42 x 43cm  
NW: 49kg



## 5 Ton Air Hydraulic Bottle Jack

#LHJ5

**SOLD OUT**

Capacity: 5,000kg  
Min height: 210mm  
Max height: 430mm  
Adjustable height: 80mm  
Lifting height: 140mm  
Packing dimensions: 20 x 17 x 23cm ctn  
Weight: 7kg



## 12 Ton Air Hydraulic Bottle Jack

#LHJA12



Capacity: 12,000kg  
Min height: 250mm  
Max height: 495mm  
Adjustable height: 80mm  
Lifting height: 165mm  
Packing dimensions: 24 x 20 x 30cm ctn  
Weight: 12kg

# Air Hydraulic Jacks

## 20 Ton Air Hydraulic Bottle Jack

#LHJ20

**SOLD OUT**

Capacity: 2,000kg  
Min height: 260mm  
Max height: 510mm  
Adjustable height: 80mm  
Lifting height: 170mm  
Packing dimensions: 28 x 20 x 28cm  
Weight: 16kg



## 20 Ton Air Hydraulic Squat Bottle Jack

#LHJ20SQ

**SOLD OUT**

Capacity: 20,000kg  
Min height: 210mm  
Max height: 390mm  
Packing dimensions: 29 x 21 x 28cm  
Weight: 15kg



## 35 Ton Air Hydraulic Bottle Jack

#LHJ35

Capacity: 35,000 kgs  
Air Hydraulic Jack- 4 Return Springs  
Min Height: 265mm; Max Height: 416mm  
Packing dimensions: 29 x 22 x 27cm ctn  
Weight: 23Kg



## 50 Ton Air Hydraulic Bottle Jack

#LHJ50

**SOLD OUT**

Capacity: 50,000kg  
Min height: 280mm  
Max height: 470mm  
Packing dimensions: 67 x 36 x 51cm skid  
Weight: 35Kg



# Truck Trolley Jacks

## Heavy Duty Truck Trolley Jack

#VP8595A

**SOLD OUT**

Capacity: 5,000kg

Min height: 160mm

Max height: 560mm

Length: 150cm

Packing dimensions: 154 x 41 x 27cm skid

Weight: 98kg



## Heavy Duty Truck Trolley Jack

#VP8597A

**SOLD OUT**

Capacity: 10,000kg

Min height: 160mm

Max height: 560mm

Packing dimensions: 165 x 52 x 33cm

Weight: 128kg



## Heavy Duty Truck Trolley Jack

#VP8599A

**SOLD OUT**

Capacity: 20,000kg

Min height: 220mm

Max height: 680mm

Packing dimensions: 167 x 53 x 35cm crate

Weight: 200kg

# Transmission Jacks

## Telescopic Transmission Jack

#VP8240

**SOLD OUT**

Tall Transmission Jack  
Capacity: 454 Kgs  
Min Height: 1.28m  
Max Height: 1.75m  
Packing dimensions: 84 x 43 x 42cm skid  
Weight: 47kg



## Telescopic Transmission Jack

#VP8253

**SOLD OUT**

Double tilting working head  
Complete with safety chains  
Foot pedal  
Under hoist transmission jack  
Capacity: 600kg  
Min height: 880; max height: 1825mm  
Packing dimensions: 67 x 71 x 89 skid  
Weight: 69kg



## Low Profile Transmission Jack

#VP82605

**SOLD OUT**

Cap: 1.5 Ton  
Min height: 230mm  
Max height: 880mm  
NW: 78kg  
Adjustable head can be tilted forward, backward & side to side for optimum alignment of transmission bolt patterns and pins  
4 swivel castors allow easy movement/positioning  
Pump handle rotates a full 360 degrees for max multi-directional operation  
Dual safety load-restraining chain is vital for raising & lowering safely  
Packing dimension: 92 x 53 x 27cm  
Weight: 66kg



## Low Profile Transmission Jack

#VP82606

Cap: 1.5 Ton  
Min height: 230mm  
Max height: 880mm  
NW: 78kg  
Adjustable head can be tilted forward, backward & side to side for optimum alignment of transmission bolt patterns and pins  
4 swivel castors allow easy movement/positioning  
Pump handle rotates a full 360 degrees for max multi-directional operation  
Dual safety load-restraining chain is vital for raising & lowering safely  
Packing dimension: 98 x 56 x 31cm crate  
Weight: 85kg



## Telescopic Transmission Jack

#VP8260

**SOLD OUT**

Capacity: 1 ton  
Min height: 860mm  
Max height: 1850mm  
Packing dimensions: 67 x 71 x 96cm skid  
Weight: 95Kg



## 750kg Under Hoist Stand

#VP8380

Capacity: 750kgs  
Height lowered: 1370mm  
Height raised: 2065mm  
Thread: 29.5mm  
Saddle: 132 x 65 x 12mm  
Post dia: 42mm  
Base size: D300 x 4.5mm  
Pedal lift: 30mm  
Packing dimensions: 140 x 38 x 20cm skid  
Weight: 25kg



# Transmission Jacks

## 2 Ton Floor Transmission Jack

#VP82607

Capacity: 2 Ton  
Stroke: 210mm  
Min height: 210mm  
Max height: 900mm  
Packing dimension: 122 x 72 x 25cm crate  
Weight: 140kg



---

# Digital Brake Caliper

## Digital Brake Caliper

#VP8600



One-piece measuring jaws with Carbide Tips  
Selectable Inch or Metric readings  
Push button on/off  
Specifically designed for performing reconditioning and inspection work on brake rotors  
Pointed (Conical) contact anvil to accurately locate the deepest pits on a brake rotor  
Range: 0-100mm/0.4"  
Extra large LCD screen  
Jaw reach: 70mm/2.75"  
LR44 battery  
Packing dimension: 22 x 12 x 3cm ctn  
Weight: 500gms



# Hydraulic Presses

## Shop Press

#PRESS6T

**SOLD OUT**



6000kgs shop press "H" frame


Dimensions (mm): A420; B500, C935, D76, E 245

F120, G245, H90,

Working width: 0-245mm

Packing dimensions: 97 x 66 x 24cm

Weight: 37Kg



## Shop Press

#PRESS12T

**SOLD OUT**



12,000kgs shop press "H" frame

Weight: 46kgs

Dimensions (mm): A500; B500, C1320, D90, E 420

F125, G700, H90,

Working width: 0-700mm

Packing dimensions: 136 x 41 x 37cm

Weight: 56Kg

## Shop Press

#PRESS20T

**SOLD OUT**



20,000kgs shop press "H" frame

Weight: 97kgs

Dimensions (mm): A613; B700, C1570, D120, E 505

F145, G915, H100,

Working width: 0-915mm

Packing dimensions: 160 x 67 x 44cm skid

Weight: 90kg

## Shop Press

#PRESS20HD

**SOLD OUT**



20,000kgs shop press "H" frame Heavy Duty

Weight: 110kgs

Dimensions (mm): A760; B660, C1660, D100, E 590

F150, G1000, H100,

Working width: 0-800mm

Packing dimensions: 169 x 80 x 56cm skid

Weight: 142kg

## Shop Press

#PRESS30T

**SOLD OUT**



30,000kgs shop press "H" frame

Dimensions (mm): A760; B660, C1695, D100, E 595

F150, G770, H190,

Working width: 0-770mm

Packing dimensions: 170 x 100 x 50cm

Weight: 150Kg

# Hydraulic Presses



## 50 Ton Shop Press

#PRESS50THD

50 Ton Shop Press "H": Frame Heavy Duty  
 Dimensions (mm): A985; B800, C1665, D140, E 820  
 F190, G735, H230,  
 Working width: 0-735mm  
 Packing dimensions: 120 x 100 x 203cm crate  
 Weight: 255kg

## 75 Ton Air Hydraulic Shop Press Light Duty

#PRESS75TA



75 ton capacity  
 Has moveable head  
 Working range: 130-1140mm  
 Bed width: 700mm  
 Packing dimensions: 210 x 100 x 47cm skid  
 Weight: 327kg

## 12 Ton Air Hydraulic Shop Press

#PRESALR12T

**SOLD OUT**

Air hydraulic shop press with foot valve  
 Head moves from left to right & right to left  
 Used for parts straightening,  
 bending & pressing  
 Multi-position bed for work height adjust.  
 With air pump to reduce labour  
 & improve efficiency  
 Cap: 12 Ton  
 Working range: 0-970mm  
 NW: 66kg  
 Packing dimensions: 1400x240x150mm  
 Weight: 68kg



## 20 Ton Air Hydraulic Shop Press

#PRESALR20T

**SOLD OUT**

Air hydraulic shop press with foot valve  
 Head moves from left to right & right to left  
 Used for parts straightening,  
 bending & pressing  
 Multi-position bed for work height adjust.  
 With air pump to reduce labour  
 & improve efficiency  
 Cap: 20 Ton  
 Working range: 0-970mm  
 NW: 89.5kg  
 Packing dimensions: 156 x 28 x 21cm  
 Weight: 92kg



## 30 Ton Air Hydraulic Shop Press

#PRESALR30T

**SOLD OUT**

Air hydraulic shop press with foot valve  
 Used for parts straightening,  
 bending & pressing  
 Multi-position bed for work height adjust.  
 With air pump to reduce labour  
 & improve efficiency  
 Cap: 30 Ton  
 Working range: 140-1020mm  
 Stroke: 162mm  
 Bed width: 535mm  
 Air pressure: 0.75-0.85mpa  
 Air inlet fitting: 1/4" NPT  
 Packing dimensions: 120 x 100 x 207cm  
 Weight: 195kg



# Hydraulic Presses

## 50 Ton Air Hydraulic Shop Press

#PRESALR50T

**SOLD OUT**

Air hydraulic shop press with foot valve  
Head moves from left to right & right to left  
Used for parts straightening, bending & pressing  
Multi-position bed for work height adjustment  
With air pump to reduce labour & improve efficiency  
Cap: 50 Ton  
Working range: 75-1125mm  
Stroke: 200mm  
Bed width: 700mm  
Air pressure: 0.75-0.85Mpa  
Air inlet fitting: 1/4" NPT  
Packing dimensions: 120 x 100 x 207cm plt  
Weight: 294kg



## 75 Ton Air Hydraulic Shop Press

#PRESALR75T

Air hydraulic shop press with foot valve  
Used for parts straightening, bending & pressing  
Multi-position bed for work height adjustment  
With air pump to reduce labour & improve efficiency  
Cap: 75 Ton  
Working range: 255-1155mm  
Stroke: 250mm  
Bed width: 700mm  
Air pressure: 0.75-0.85Mpa  
Air inlet fitting: 1/4" NPT  
Packing dimensions: 120 x 100 x 220cm  
Weight: 340kg



## 100 Ton Air Hydraulic Shop Press

#PRESALR100T

Air hydraulic shop press with foot valve  
Head moves from left to right & right to left  
Used for parts straightening, bending & pressing  
Multi-position bed for work height adjustment  
With air pump to reduce labour & improve efficiency  
Cap: 100 Ton  
Working range: 101.6-1016mm  
Ram stroke: 279.4mm  
Slide stroke: 228.6mm  
Working width: 812.8mm  
Air pressure: 0.68-0.86Mpa  
Air inlet fitting: 1/4" NPT  
NW: 528kg  
Packing dimensions: 117 x 117 x 223cm  
Weight: 655kg



# Parts Washers

## 20 Gallon Parts Washer & Stand

### #PW20

20 Gallon 75litre Parts Washer & stand  
Tub size: 78 x 55 x 30cm  
Packing dimensions: 120 x 60 x 46cm skid  
Weight: 37Kg



## 40 Gallon Parts Washer & Stand

### #PW40

40 Gallon 150litre Parts Washer & stand  
Tub size: 112 x 54 x 30cm  
Packing dimensions: 114 x 67 x 50cm skid  
Weight: 55kg



## Multi Circulative Pump

### #PUMP

**SOLD OUT**

It's a magnetic sealless pump  
Used in parts washers,  
fish pools, fountains etc.  
240v/50Hz 0.2A  
Max head 1.3m max Flow 51/m  
Packing dimensions: 15 x 10 x 9cm  
Weight: 1Kg



## Cleaning Brush

### #PWBRUSH

Cleaning brush available seperately  
Packing dimensions: 25 x 5 x 4cm  
Weight: 1kg



## Hot Water Parts Washer

### #PWHOTW

Heats up to 45 degrees celcius  
Enclosed parts washer with auxiliary heating system  
Pneumatic washing gun suitable for rapid cleaning  
Max 60 degrees solvent, which highly increases cleaning efficiency  
Flourescent lighting system for bright view  
External air fan  
Washing pressure: 70-120psi  
Washing recirculate flux: 0.8l/min  
Working area: 29 x 22 x 17.8 inch  
Solvent capacity: 8-14L

Cleaning solutions:

Approved cleaning solutions:

Water/household detergents (PHD-8) WARNING

The hose of your parts washer may be damaged if you use solvents other than those listed above such as methyl ethyl ketone (MEK), Perchloroethylene or Trichloroethylene

Packing dimensions: 100 x 76 x 98cm skid

Weight: 66kg





# Rotisseries

## 3000lbs Car Rotisserie

#RR3000

**SOLD OUT**



Capacity: 3000lbs - 8 Ton Hydraulic ram  
Opening width: excess of 600cm  
Height of arm to bottom rail: 115cm  
Fixed position outriggers  
Easy wind handle for setting centre of gravity  
Spring loaded positioning pins 3.0mm gauge high quality steel  
Packing dimensions: 157 x 72 x 33cm crate  
Weight: 228kg

## 4000lbs Car Rotisserie

#RR4000

**SOLD OUT**



Capacity: 4000lbs with 8 ton hydraulic ram  
Opening width: Excess of 600cm  
Height of arm to bottom rail: 115cms  
Fixed position outriggers  
Easy wind handle for setting centre of gravity  
Spring loaded positioning pins 3.0mm gauge high quality steel  
Packing dimensions: 154 x 75 x 37cm crate  
Weight: 242kg

## 4500lbs Car Rotisserie

#RR4500

**SOLD OUT**



Capacity: 4500lbs with 8 ton hydraulic ram  
Opening width: Excess of 600cm  
Height of arm to bottom rail: 115cm  
Fixed position outriggers  
Easy wind handle for setting centre of gravity  
Spring loaded positioning pins 3.0mm gauge high quality steel  
Packing dimensions: 154 x 75 x 35cm crate  
Weight: 250kg

## 3000lbs Gear Driven Car Rotisserie

#RR3000GB

**SOLD OUT**



Max capacity: 1360kg  
Min height: 485mm  
Max height: 1280mm  
Max length: 115-4450mm  
Wheel dia: 200mm  
Packing dimensions: 157 x 72 x 34cm crate  
Weight: 244kg

## 4000lbs Gear Driven Car Rotisserie

#RR4000GB

**SOLD OUT**



Max capacity: 1800kg  
Min height: 495mm  
Max height: 1290mm  
Max length: 1145-4440mm  
Wheel dia: 200mm  
Packing dimensions: 154 x 75 x 37cm crate  
Weight: 260kg

## 4500lbs Gear Driven Car Rotisserie

#RR4500GB

**SOLD OUT**



Max capacity: 2040kg  
Min height: 495mm  
Max height: 1290mm  
Max length: 1145-4440mm  
Wheel dia: 200mm  
Packing dimensions: 154 x 75 x 37cm crate  
Weight: 268kg



# Sandblasting

## Portable Sandblasting Tank

#SB250

Recommended air  
Pressure range: 65-125psi  
Tank capacity: 10 gallons/45 litres  
Hose: 3.15m  
Packing dimensions: 101 x 47 x 60cm skid  
Weight: 30kg



## Sandblasting Cabinet

#SB5000HD

Width: 850mm  
Depth: 570mm  
Capacity: 317 litres  
Front panel height: 350mm  
Back panel height: 580mm  
Comes with interior light  
Replaceable glass viewing panel  
5 extra viewing panels  
Includes gloves, gun & ceramic tips  
Packing dimensions: 97 x 69 x 83cm  
Weight: 52kg



## Sandblasting Garnet Grit

#SBGRIT

Garnet grit available 25 Kg per bag. The Garnet grit is 30/60 grade  
The chemical composition of #SBGRIT:  
SiO<sub>2</sub> :36 - 40 AL<sub>2</sub>O<sub>3</sub> :20 - 24 Fe<sub>2</sub>O<sub>3</sub> :4 - 6  
TiO<sub>2</sub> :0-0.5 MgO :8-13 FeO :22 - 24  
CaO :6 - 9 MnO :0-0.5  
Packing dimensions: 45 x 34 x 17cm  
Weight: 25Kg



## Sandblasting Glass Beads

#SBBGB4

Micron Max: 425  
Micron Min: 212  
Polishing medium/fine  
Available 25 kg per bag  
Packing dimensions: 50 x 36 x 16cm  
Weight: 25Kg

#SBBGB6

Micron Max: 300  
Micron Min: 106  
General purpose all rounder  
Available 25 kg per bag  
Packing dimensions: 46 x 32 x 32cm ctn  
Weight: 25Kg

## Portable Sandblasting Tank

#SB300



20 gallon  
Material: steel  
Average air consumption: 6 CFM @ 60 PSI; 25 CMF @ 125PSI  
Recommended media; silica, silicon carbide, aluminium oxide  
Working pressure: 60-125psi  
Designed to handle big jobs like auto body paint removal  
Can be used with a blast cabinet  
Ideal to have in any auto garage or metal working shop for sandblasting applications  
Pressurised tank moves abrasives at 80-90 % of air speed  
Nozzle end shutoff valve for safety  
6" rubber wheels  
Packing dimensions: 88 x 67 x 63cm skid  
Weight: 35Kg

## Industrial Sandblasting Cabinet With 2 Dust Collectors

#SB990

**SOLD OUT**



990 Litres high pressure cabinet sandblaster.  
Combines traditional sandblaster cabinet with abrasive tank  
Using abrasive blaster tank to get higher sanding pressure, dramatically increases sandblaster working efficiency  
Ideal for large working space  
Foot pedal valve controlling brings flexible operation  
Working pressure: 6to-125PSI  
Working area: 46.5\*35\*33.5"  
Tank volume: 22 litres  
Packing dimensions: 134 x 97 x 107cm plt  
Weight: 255Kg


## Industrial Sandblasting Cabinet

#SB6000

Supplied with Nozzles/Gloves  
Nozzle Size: 6/7/6/7MM  
Natural rubber/vinyl blast gloves  
Air regulator /gauge panel  
14 gauge steel legs (16 gauge panels)  
Eliminating typical suction pick-up tubes and hoses, media metering valve.  
Overall Dimensions: 135 x 90 x 170cm  
Packing dimensions: 128 x 125 x 76cm crate  
Weight: 157kg



420L capacity  
Motor: 1200W  
Air compress delivery: 90-125psi @ 21.18cfm  
Air hose: f19\*(1000mm&2000mm)  
Sand hose: f19\*1800mm  
Working space: 48"x24"x24"



# Motorcycle Lifts

## Air Hydraulic Motorcycle Lift

#VP8236AH



Capacity: 450kg  
Max height: 840mm  
Min height: 185mm  
Platform width: 230mm  
Lifting capacity: 1000lbs  
Overall length: 2571mm  
Overall height: 525mm  
Packing dimensions: 188 x 62 x 32cm crate  
Weight: 112kg



## Mini Motorcycle Lift

#VP8218A



Capacity: 500kgs  
Min height: 90mm  
Max height: 405mm  
Packing dimensions: 53 x 35 x 10cm ctn  
Weight: 15kg

## Air Hydraulic Motorcycle Lift

#VP8238AH

Capacity: 450kg  
Comes in red or black  
Air bottle jack & air inlet connector  
Lifting foot pedal & release pedal  
Front wheel clamp  
Compressed air range: 0-120 PSI  
Capacity 454kgs  
Min height: 195mm  
Max height 780mm  
Size of table top 180x66cm  
Size of ramp 68x66cm  
Overall length: 2.48mtrs  
Overall height: 845mm  
Packing dimensions: 191 x 80 x 30cm crate  
Weight: 155kg



**Black**

#VP8238AHB



**Red**

#VP8238AHR

# Motorcycle Lifts

## Electric Motorcycle & Ride On Mower & ATV Lift

#VP8217E

One of the largest lifting tables on the market today. Fully equipped with extensions & accessories, allows you to work on your larger & heavier recreational vehicles. Its electric power unit gives the table a smooth & gentle range of motion.

Capacity: 680kgs  
Motor: 230V/0.75kw/1400r/min  
Hydraulic pump: 1.6cc/r  
Pressure: 20mpa  
Working voltage: 240V  
Oil charge: 2.3L  
Lifting height: 210-1000mm  
Wheel clamp range: 70-340mm  
Plug cable: 1.5m/200mm  
Switch cable: 1.5m/4000mm  
Cylinder dia: O80xO80  
Piston dia: O40  
Stroke: 283mm  
Cycle time: 50-60 seconds  
Packing dimensions: 218 x 95 x 42cm  
Weight: 276kg



SEPERATE ITEM

#VP8217ERAMP

2 PC ramp only to suit VP8217E  
Packing dimensions: 191 x 45 x 21cm  
Weight: 68kg

## Aluminium Motorcycle Ramp

#VP8200MR

**SOLD OUT**

Capacity: 200kgs for one unit  
(400kgs for pair (2 units))  
Length/fold: 91cm  
Length unfold: 182cm  
Width: 29.5cm  
All aluminium design lightweight ramp  
Constructed of 6061 aluminium  
Adjustable attachment straps  
Folds in half for easy transport & storage  
Suitable for lawnmowers, ATV/dirt bikes  
& other wheeled garden machinery  
Suitable for motorcycle, scooter & other  
two wheeled garden machinery  
Packing dimensions: 94 x 31 x 16cm  
Weight: 8kg



# Creepers

## Plastic Creeper

#VP8006Q



Overall size: 100 x 40 x 10cm  
Length: 100cm  
Can hold 200kg  
Packing dimensions: 103 x 50 x 9cm ctn  
Weight: 6kg

## Kneeler - Padded

#VP8002



Magnetic clip in the backside of product so that the round tool tray can have magnetic power  
Two EVA pads affixed in the body  
Large tool tray (37L x 7.2Wcm) can be put with your repair tools  
Grip hole can be available to take this product  
Great for auto repairs, home construction, garden  
Packing dimensions: 50x25.5x8.5 (for 2x per carton)  
Weight: 4kg

## Combo Creeper 920mm (36")

#VP8025



Use to easily access low chassis position.  
Made from all steel construction, with powder coat finish  
Use with easy access to your tools using the plastic tool tray.

Creeper: Length: 920mm (36")  
Height: 95mm (3.74")  
Width: 425mm (16")  
Padded cushion & head rest  
Seat: Length: 360mm (14")  
Height and width: 365mm (14+")  
Padded cushion: 375 x 210mm  
Plastic tool tray: 360 x 350mm  
Packing dimensions: 94 x 44 x 14cm ctn  
Weight: 11kg

## Topside Creeper

#VP8015



Capacity: 180kg  
All steel with tool drawer  
Length: 1435mm  
Width: 750mm  
Adjustable Height: 1206 -1485mm  
Swivel castors: 2 x brake  
Packing dimensions: 130 x 80 x 33cm crate  
Weight: 43kg

## Creeper Caddy

#VP8009



Supported by 4 easy-rolling urethane castors  
A centre steel disc to hold magnetic pod light  
There is a large section for tools, 2 x smaller sections for parts, one section for your phone  
The handle in the middle is easy to take away  
Overall size: 48x46.5x8.5cm  
Material: PP  
Packing dimensions: 48 x 47 x 6cm ctn  
Weight: 2kg



#VP8009T

Torch to suit Vp8009  
packing dimensions: 10 x 10 x 13cm  
weight: 0.5kg



# Service Trolleys

## 2 Tier Utility Cart

#WH7002

**SOLD OUT**



Height with castors on: W804xD454xH1030mm

Tray size: W800xD450xH76.5mm steel

Tray load weight: 45kg

Material thickness: 1.2mm tray

4 x 1" rubber wheels - 2 with brake

Tubing chrome square steel

Packing dimensions: 100x60x38 skid

Weight: 30kg

## 3 Tier Service Trolley

#VP8280



3 tier

Capacity: 100kg

Tray dimensions: 700 x 450 mm

Length: 730mm

Width: 380mm

Height: 790mm

Packing dimensions: 78 x 43 x 15cm

Weight: 17kg

## 3 Drawer Service Trolley

#VP8290

Body size: 750 x 440 x 780mm

Drawer: 3 x 72mm

Castors: 4 inches

Material: SPCC

Package size: 95 x 61 x 62cm skid

GW: 48kgs



## 32 Piece Steel Workshop Trolley

#WH7016

Steel SPCC 0.6 - 1.0mm

Trolley size: 1126 x 654 x 840mm

8 blue bins: 241 x 152 x 127mm

24 yellow bins: 165 x 101 x 76mm

Castors: 5" (127mm)

Load cap: 300kg

Package size: 120 x 77 x 42cm skid

GW: 45kgs





# Service Trolleys & Wheel Dolly

## Truck Dual Wheel Dolly

#VP812TD

Capacity: 680kg  
Lifting range 67-240mm  
Outer frame height from ground  
-195mm front - 190mm back  
Lifting tray length 640mm  
Lowest position tray width 685mm  
Highest position tray width 595mm  
Horizontal position tray width 570mm  
Lift low 67mm - lift up 240mm  
Front wheel dia 88W 30mm; Rear wheel dia 75W 30mm  
Tilt 0-6 dec  
Chain length 1550mm  
Chain single ring di 5mm  
- 19mm width - 32mm length  
Handle length 510mm dia 21mm  
Packing dimensions: 120 x 100 x 36cm  
Weight: 90kg



## Plastic Utility Cart

#VP81832

Cart size: 82cmL x 46cmW x 79cmH  
Inner pan size: 68 x 40.5 x 10cm  
Outer size: 82L x 46W with two direction built-in handle  
Easy assemble/disassemble  
100mm swiveled castor wheel; 2 with brake  
Loading capacity: 135kg  
Packing dimensions: 85 x 50 x 23cm ctn  
Weight: 9kg



## 1000lb Car & Truck Wheel Dolly

#VP8100

Max cap: 454kg  
Overall Size: 603 x 390 x 140mm  
245kg pair carton 1 pair  
Packing dimensions: 64 x 43 x 14cm  
Weight: 24Kg



# Workbenches

## Steel Work Bench

#WH7100

Overall width: 2000mm

Overall depth: 640mm

Overall height: 865mm

Shelf width: 1700mm

Shelf depth: 500mm

Shelf height: 225mm

Packing dimensions: 206 x 77 x 37cm

Weight: 133Kg

**SOLD OUT**



**Work Bench Top Made Of  
3mm Thick Steel Plate**

## Mobile Work Bench

#WH7005

300kg load capacity

Heavy duty steel construction

Quality swivel castors with brake

Powder coated paint finish

Dimensions: L1100xW700xH1000mm

Platform material thickness: 3mm

Platform size: 1100x700mm

2pcs castor with brake

2pcs castors

Packing dimensions: 120 x 80 x 26 skid

Weight: 80Kg



## Fold Up Steel Workbench Heavy Duty

#WH7090

Bench top capacity: 250kg

Heavy gauge steel construction for heavy duty application

Tear down structure and easy to assemble

Superior red powder coating

Unfold size: 1198L x 645W x 1380Wmm

Folded size: 1198L x 1380Wmm

Packing dimensions: 147 x 74 x 32cm

Weight: 60kg



# Spring Compressors

## Strut Coil Spring Compressor

#VP83005

Max working length: 430mm  
Max compressed spring dia: 260mm  
Ram travel: 280mm  
Spring size: 100-160mm  
Product size: 110 x 42 x 42cm  
Packing dimensions: 115 x 45 x 39cm skid  
Weight: 40kg



## Air Spring Compressor With Guard

#VP83007

Capacity: 1 Ton  
Max working length: 450mm  
Ram travel: 420mm  
Spring size: 100-163mm  
Air pressure: 0.65MPa-0.9MPa  
Packing dimensions: 140 x 58 x 40cm skid  
Weight: 75kg



## Spring Compressor Set

#VP83010

Operates with a ratchet or wrench with a 21mm spanner width  
1 pair of spring retainers for an 80-115mm range of application (surface - 65-125mm)  
1 pair of spring retainers for an 110-150mm range of application (surface - 88-160mm)  
1 pair of spring retainers for an 140-195mm range of application (surface - 125-214mm)  
Max span width: 300mm  
Packing dimensions: 51 x 13 x 39cm ctn  
Weight: 16kg



# Oil Drainers

## 20 Litre Oil Drainer

#VPOD20L

Capacity: 20 litres  
Min height: 1175mm  
Max height: 1850mm  
Bowl dimensions: H230xW515xL515mm  
Base dia: 380mm  
Comes with 1 adaptor for 44 gal drum  
Packing dimensions: 2 cartons:  
94 x 53 x 29cm Weight: 4kg  
53 x 53 x 29cm Weight: 7kg



#VPOD20LBO



Replacement bowl

#VPOD20LSK



Replacement seal kit

## 80 Litre Oil Drainer

#VPOD80L

**SOLD OUT**

Capacity: 80 litres  
Air pressure: 1-2.5BAR  
The greatest pressure: 3BAR  
Packing dimensions: 85 x 71 x 62cm skid  
Weight: 27kg



## 65 Litre Low Profile Oil Drainer With Hand Pump

#VPOD65L

**SOLD OUT**

Capacity: 65 litres  
Material: polyethylene  
Length: 110cm Width: 70cm Height: 19cm (with castors)  
High-Impact poly tank with T-handle that folds for storage  
Expanded metal shield - Gravity drain valve  
Manual pump for fast oil draining  
Packing dimensions: 120 x 80 x 34cm skid  
Weight: 31kg



## Mobile Oil Drainer

#VPODAIR

**SOLD OUT**

Oil tank capacity: 50L  
Oil basin capacity: 20L  
Air pressure: 8-10bar  
Oil discharge pressure: <1bar  
Vacuum degree: -0-0.1mpa  
Oil discharge temp: 40-60 degrees  
Height for basin: 1100-1850mm  
Packing dimensions: 100 x 64 x 54cm skid  
Weight: 31kg





# Materials Handling

## Pallet Truck

#WH7400

Capacity: 2000Kg  
Fork length: 1100mm  
Fork width: 550mm  
Fork min. Height: 85mm  
Fork max. Height: 200mm  
Durable hydraulic pump  
Central fingertip controls  
Packing dimensions:  
147 x 80 x 58cm skid  
Weight: 89kg



## Pallet Truck

#WH7405

Fork width: 530mm outside  
120mm inside  
Length of forks: 1150mm  
Capacity: 1680kg  
Tandem wheels  
Distance between forks: 220mm  
Packing dimensions: 154 x 80 x 60cm skid  
Weight: 79Kg



## Pallet Truck

#WH7410

Capacity: 2500Kg  
fork length: 1100mm  
Fork width: 550mm  
fork min. Height: 85mm  
fork max. Height: 200mm  
Durable hydraulic pump  
Central fingertip controls  
Distance between forks: 250mm  
Packing dimensions: 148 x 80 x 63cm skid  
Weight: 85kg



## Pallet Truck

#WH7412

Capacity: 2500Kg  
Fork width: 685mm  
Fork length: 1220mm  
Tandem Nylon Wheel  
Min fork height: 85mm  
Max fork height: 195mm  
Distance between forks: 360mm  
Packing dimensions: 160 x 80 x 65cm skid  
Weight: 96Kg



## Pallet Truck

#WH7413

Capacity: 2500kg  
Fork width: 685mm  
Fork length: 1150mm  
Double rollers  
Min fork height: 85mm  
Max fork height: 195mm  
Distance between forks: 365mm  
Packing dimensions: 150 x 80 x 59cm skid  
Weight: 90Kg

**SOLD OUT**

## Pallet Truck

#WH7418

Capacity: 3000KG  
Fork width: 685mm  
Fork length: 1220mm  
Tandem Polyurethane Wheel  
Min fork height: 75mm  
Max fork height: 185mm  
Distance between forks: 365mm  
Packing dimensions: 160 x 76 x 57cm skid  
Weight: 85kg



## Pallet Truck

#WH7415

Capacity: 2500Kg  
Fork width: 685mm  
Fork length: 1220mm  
Double Rollers  
Distance between forks: 365mm  
Packing dimensions: 160 x 80 x 58cm skid  
Weight: 92kg

# Materials Handling

## Hand Pallet Truck

#WH7419

Nylon Single Roller  
Capacity: 2500kg  
Fork width: 685mm  
Fork length: 1220mm  
Min fork height: 85mm  
Max fork height: 195mm  
Packing dimensions: 164 x 70 x 57cm skid  
Weight: 82kg



## Galvanised Hand Pallet Truck

#WH7459

Fork Width: 685mm  
Fork Length: 1220mm  
Capacity: 2000Kg  
Distance between forks: 360mm  
Packing dimensions: 153 x 84 x 58cm  
Weight: 102kg



## Double Scissor Lift Table

#WH7530

Capacity: 350Kg  
Lifting Height: 1.3 metres  
Lowest table height: 350mm  
Table size: 910x500x53mm  
Packing dimensions: 105 x 65 x 56cm  
Weight: 112kg



## Scissor Lift Table

#WH7540

Capacity: 500kg  
Min height: 300mm  
Max height: 740mm  
Table Size: 820 x 500mm  
Packing dimensions: 100 x 60 x 42cm skid  
Weight: 81kg



## Scissor Lift Table

#WH754002

Capacity: 150kgs  
Table size: 708x450mm  
Min height: 225mm  
Max height: 700mm  
Foot-operated hydraulic pedal keeps your hands free  
Hand lever for easy, controlled hydraulic release  
Two locking swivel casters  
All steel construction  
Packing dimensions: 100 x 77 x 44cm skid  
Weight: 57kg



## Scissor Lift Table

#WH754003

Capacity: 300kgs  
Table size: 820x520mm  
Min height: 240mm  
Max height: 750mm  
Foot-operated hydraulic pedal keeps your hands free  
Hand lever for easy, controlled hydraulic release  
Two locking swivel casters  
All steel construction  
Packing dimensions: 98 x 63 x 42cm skid  
Weight: 74kg



# Materials Handling

## Scissor Lift Table

#WH754004



Capacity: 500kgs  
Table size: 820x520mm  
Min height: 260mm  
Max height: 780mm  
Foot-operated hydraulic pedal keeps your hands free  
Hand lever for easy, controlled hydraulic release  
Two locking swivel casters  
All steel construction  
Packing dimensions: 103 x 67 x 44cm  
Weight: 81kg

## Scissor Lift Table

#WH754005



Capacity: 750kgs  
Table size: 820x520mm  
Min height: 280mm  
Max height: 780mm  
Foot-operated hydraulic pedal keeps your hands free  
Hand lever for easy, controlled hydraulic release  
Two locking swivel casters  
All steel construction  
Packing dimensions: 101 x 58 x 44cm  
Weight: 90kg

## Scissor Lift Table

#WH7545



Capacity: 150kg  
Min height: 370mm  
Max height: 1250mm  
Table Size: 820 x 500mm  
Packing dimensions: 102 x 62 x 49cm skid  
Weight: 91kg

## Scissor Lift Table

#WH7550



Capacity: 500KG  
Table Size: 855 x 500 x 50 mm  
Lifting height: 880mm  
Lowest table height: 340mm  
Height of handle: 965mm  
With folding handle  
Packing dimensions: 104 x 67 x 64cm skid  
Weight: 99kg

## Scissor Lift Table

#WH7555



Capacity: 750kg  
Lifting height: 900mm  
Lowest table height: 420mm  
Table size: 1000 x 510 x 60  
Packing dimensions: 117 x 86 x 62cm skid  
Weight: 131kg

## Scissor Lift Table

#WH7580

**SOLD OUT**



Capacity: 1000Kg  
Min Height: 445mm  
Max Height: 950mm  
Table size: 1000x510x60mm  
Packing dimensions: 121 x 80 x 57cm skid  
Weight: 148kg



# Materials Handling

## High Lift Stacker

#WH768L

Capacity: 1000Kg  
Min Fork Height: 85mm  
Max Fork Height: 2.5m  
Overall Mast Height: 1.83m  
Length Of Forks: 900mm  
Max Height: 2.5m  
Overall Width: 780mm  
Overall Fork Width: 760mm  
Packing dimensions: 160 x 100 x 198cm  
Weight: 323kg



## 300Kg Scissor Lift/Table Cart

#WH754003B


Two locking swivel castors  
All steel construction  
Capacity: 300Kg  
Max lift height: 900mm  
Min height of table: 340mm  
Lifting height: 560mm  
Tyre size: 127mm  
Packing dimensions: 100 x 80 x 50cm skid  
Weight: 94kg



## 1000LBS Rapid Lift Table Cart

#WH75DL454

Rapid lift technology -  
Just 8 stroke to reach the highest position  
Capacity: 454kg  
Table size: 813 x 500mm  
Min height: 406mm  
Max height: 1400mm  
Wheel size: 125mm  
Packing dimensions: 98 x 56 x 43cm crate  
Weight: 116kg



## Hand Stacker

#WH750SL

Capacity: 1000kg  
Max fork height: 2850mm  
Min fork height: 65mm  
Single fork width: 160mm  
Overall fork width: 540mm  
Fork length: 1150mm  
Overall length: 1595mm  
Overall width: 1395mm  
Overall height: 2000mm  
Load centre: 550mm



## Platform Trolley

#WH7500

Load: 150kg  
Castor: 4"  
Dimensions: L73.8 x W47.9 x H81.5 cm  
Packing dimensions: 76 x 50 x 12cm  
Weight: 9Kg



**\*\*Quick handle release  
fold down handles\*\***

## Platform Trolley

#WH7509

Load: 300kg  
Castor: 5"  
Dimensions: L91.6 x W61.6 x H86.3 cm  
Packing dimensions: 92 x 62 x 15cm  
Weight: 15kg





# Materials Handling

## Double Scissor Lift Table

#WH75DL150

150kg Heavy duty double scissor lift table  
Capacity: 150kg  
Table: 830 x 500mm  
Table height: 435-1585mm  
Stroke: 995mm  
1100 x 500 x 1010  
Pedal to top (approx 30 times)  
Wheel 125mm  
Packing dimensions: 94 x 60 x 47cm  
Weight: 90kg



## Double Scissor Lift Table

#WH75DL300

300kg Heavy duty double scissor lift table  
Capacity: 300kg  
Table: 1010 x 520mm  
Table height: 435-1585mm  
Stroke: 1150mm  
1130 x 520 x 1260  
Pedal to top (approx 53 times)  
Wheel 150mm  
Packing dimensions: 114 x 56 x 46cm  
Weight: 145kg



## Double Scissor Lift Table

#WH75DL500

500kg Heavy duty double scissor lift table  
Capacity: 500kg  
Table: 1010 x 520mm  
Table height: 435-1585mm  
Stroke: 1150mm  
1130 x 520 x 1260  
Pedal to top (approx 68 times)  
Wheel 150mm  
Packing dimensions: 114 x 58 x 45cm  
Weight: 157kg



## Double Scissor Lift Table

#WH75DL800

800kg Heavy duty double scissor lift table  
Capacity: 800kg  
Table: 1010 x 520mm  
Table height: 490-1400mm  
Stroke: 910mm  
1130 x 520 x 1275  
Pedal to top (approx 95 times)  
Wheel 150mm  
Packing dimensions: 119 x 58 x 49cm  
Weight: 158kg



## Scissor Lift Table

#WH75HD750

750kg Heavy duty scissor lift table  
Capacity: 750kg  
Table: 1010 x 520mm  
Table height: 432-1000mm  
Stroke: 568mm  
1130 x 520 x 1260  
Pedal to top (approx 55 times)  
Wheel 150mm  
Packing dimensions: 120 x 60 x 56cm skid  
Weight: 120kg



## Scissor Lift Table

#WH75HD1000

1000kg Heavy duty scissor lift table  
Capacity: 1000kg  
Table: 1010 x 520mm  
Table height: 490-960mm  
Stroke: 520mm  
1130 x 520 x 1260  
Pedal to top (approx 68 times)  
Wheel 150mm  
Packing dimensions: 120 x 79 x 60cm  
Weight: 141kg



# Generators

## Generator

#GENI3000C

Engine power: 196cc, 6.5HP, 240V  
 Rated max: 2.2kw  
 Rated currency: 8.3a  
 Phase frequency: Single, 50Hz  
 Noise: 70DB  
 Fuel capacity: 3.6L  
 Dimensions: 65 x 59 x 59cm skid  
 Weight: 42kg



## Generator

#GENI4000C

Engine power: 208cc, 7HP, 240V  
 Rated max: 2.8kw  
 Rated currency: 10.4a  
 Phase frequency: Single, 50Hz  
 Noise: 70DB  
 Fuel capacity: 3.6L  
 Dimensions: 75 x 75 x 60cm  
 Weight: 50kg

## Generator

#GENI5000C

Engine power: 208cc, 7.5HP, 240V  
 Rated max: 3.2kw  
 Rated currency: 11.7a  
 Phase frequency: Single, 50Hz  
 Noise: 70DB  
 Fuel capacity: 3.6L  
 Dimensions: 72 x 72 x 62cm  
 Weight: 51kg



## Generator

#GENI6000C

Engine power: 223cc, 7.5HP, 240 V  
 Rated max: 3.8kw  
 Rated currency: 13.8a  
 Phase frequency: Single, 50Hz  
 Noise: 70DB  
 Fuel capacity: 3.6L  
 Dimensions: 91 x 65 x 57cm  
 Weight: 55kg



## Generator

#GENI10000C

**SOLD OUT**

Engine power: 420cc, 14HP, 240V  
 Rated max: 7.0kw  
 Rated currency: 27.1a  
 Phase frequency: Single, 50Hz  
 Noise: 80DB  
 Fuel capacity: 5.5L  
 Dimensions: 82 x 66 x 70cm  
 Weight: 82kg



## Generator

#GENI13000C

Engine power: 459cc, 16HP, 240V  
 Rated max: 7.5kw  
 Rated currency: 31.3a  
 Phase frequency: Single, 50Hz  
 Noise: 80DB  
 Fuel capacity: 5.5L  
 Dimensions: 96 x 75 x 72cm  
 Weight: 93kg

## Generator

#GENI10000CE

Recoil/Electric Start  
 Engine power: 420cc, 14HP, 240V  
 Rated max: 7.0kw  
 Rated currency: 27.1a  
 Phase frequency: Single, 50Hz  
 Noise: 80DB  
 Fuel capacity: 25L  
 Dimensions: 92 x 62 x 73cm  
 Weight: 96kg

**SOLD OUT**



## Generator

#GENI13000CE

**SOLD OUT**

Recoil/Electric Start  
 Engine power: 459cc, 16HP, 240V  
 Rated max: 7.5kw  
 Rated currency: 31.3a  
 Phase frequency: Single, 50Hz  
 Noise: 80DB  
 Fuel capacity: 25L  
 Dimensions: 80 x 70 x 74cm  
 Weight: 108kg



# Generators

## Generator #GENI8000C

**SOLD OUT**



Engine power: 389cc, 13HP, 240 V  
Rated max: 5.5kw  
Rated currency: 20.8a  
Phase frequency: Single/50Hz  
Noise: 70DB  
Fuel capacity: 5.5L  
Dimensions: 102 x 70 x 99cm crate  
Weight: 220kg

## Generator #GENI3000CE

**SOLD OUT**



Recoil/Electric Start  
Engine power: 196cc, 6.5HP, 240V  
Rated max: 2.2kw  
Rated currency: 8.3a  
Phase frequency: Single/50Hz  
Noise: 70DB  
Fuel capacity: 15L  
Dimensions: 71 x 67 x 64cm skid  
Weight: 57kg

## Generator

### #GENI4000CE

**SOLD OUT**



Recoil/Electric Start  
Engine power: 208cc, 7HP, 240V  
Rated max: 2.8kw  
Rated currency: 10.4a  
Phase frequency: Single/50Hz  
Noise: 70DB  
Fuel capacity: 15L  
Dimensions: 75 x 75 x 60cm skid  
Weight: 50kg

## Generator

### #GENI5000CE

**SOLD OUT**



Recoil/Electric Start  
Engine power: 208cc, 7.5HP, 240V  
Rated max: 3.2kw  
Rated currency: 11.7a  
Phase frequency: Single/50Hz  
Noise: 70DB  
Fuel capacity: 15L  
Dimensions: 72 x 67 x 64cm skid  
Weight: 61kg

## Generator

### #GENI6000CE

**SOLD OUT**



Recoil/Electric Start  
Engine power: 223cc, 7.5HP, 240V  
Rated max: 3.8kw  
Rated currency: 13.8a  
Phase frequency: Single/50Hz  
Noise: 70DB  
Fuel capacity: 15L  
Dimensions: 66 x 49 x 64 skid  
Weight: 63kg

## Generator

### #GENI8000CE

**SOLD OUT**



Recoil/Electric Start  
Engine power: 389cc, 13HP, 240V  
Rated max: 5.5kw  
Rated currency: 20.8a  
Phase frequency: Single/50Hz  
Noise: 75DB  
Fuel capacity: 25L  
Dimensions: 102 x 70 x 99 crate  
Weight: 58kg

## Generator

### #GENI18000CE

V-Twin Electric Start, remote control  
Engine power: 679cc, 21HP, 240 V  
Rated max: 12kw  
Rated currency: 42a  
Phase frequency: Single/50Hz  
Noise: 90DB  
Fuel capacity: 30L  
Running power 10kw  
L94 x W66 x H99cm

4 x 15amp sockets  
12v.36Ah battery  
1 x 42A circuit breaker  
2 x fixed wheels; 2 x swivel wheels  
Cooling fan  
Packing Dimensions: 102 x 70 x 99 crate  
Weight: 219kg




# Jockey Wheels

## 6" Jockey Wheel

#VP8700

**SOLD OUT**



Capacity: 750lbs  
Packing dimensions: 60 x 16 x 10  
Weight: 5kg

## 6" Swing-Up Solid Jockey Wheel

#VP8710



Capacity: 750lbs  
Packing dimensions: 64 x 22 x 18cm  
Weight: 7Kg

## 8" Swing-Up Solid Jockey Wheel

#VP8720



Capacity: 500lbs  
Packing dimensions: 65 x 29 x 18cm ctn  
Weight: 7kg

## Swing Up 10" Pneumatic Jockey Wheel

#VP8730

**SOLD OUT**



Capacity: 300lbs  
Packing dimensions: 71 x 25 x 16cm  
Weight: 8Kg

## Motorised Jockey Wheel

#VP87RCSW

Single solid wheel  
Speed ratio: 153:1  
Towing cap: 1800 kgs  
Rate of travel: 18 ft/min  
Power of travel motor: 500W  
Working voltage: 12V (Battery not included)  
Remote control  
Packing dimensions: 69 x 34 x 28cm  
Weight: 17kg





# Workshop Essentials


## 5" Offset Vice

#VICO5

5"

Packing dimensions: 45 x 25 x 20cm

Weight: 20kg



## 6" Offset Vice

#VICO6

6"

Packing dimensions: 57 x 34 x 41cm

Weight: 31kg

## 6500kgs Container Ramp

#RAMP6500

Safe working load: 6500kg

Length: 2000mm

Width: 2200mm


Weight: 310kg

Fork pocket size: 165x60mm

Packing dimensions: 226 x 155 x 26cm

Weight: 353Kg

**SOLD OUT**



## Steel Loading Ramps

Lifting chains included on all models for ease of handling

All models made of steel plate with welded steel kerb

Painted sides to ensure user is aware of the edges

All models capacity: 6 ton

#RAMPS6060

1500x1500mm

Packing dimensions: 153 x 153 x 170cm

Weight: 160kg

#RAMPS7248

1800x1200mm

Packing dimensions: 180 x 150 x 20cm


Weight: 125kg

#RAMPS7260

1800x1500mm

Packing dimensions: 181 x 151 x 23cm

Weight: 207kg



## Steel Wall Cabinet

#WS3200

Powder coated

Overall size: W120 x H60 x D20cm

Consists of 3 x lockable cabinets

Each cabinet size: W40 x D20 x H60 cm

Packing dimensions: 2 cartons: 130 x 27 x 10cm

64 x 44 x 8cm

Weight: 19kg



## Car Tyre Changer

#VP8270

All steel construction

40 x 50cm base

Packing dimensions: 98 x 24 x 24cm

Weight: 18Kg



# Workshop Essentials

## 10,000kg Porta Power

#PPOW10T



10,000kg porta power with own trolley case  
Hydraulic tool kit for repair service  
Complete kit contains the heavy duty hydraulic equipment you need for lifting, pulling, bending, straightening and spreading  
Packing dimensions: 96 x 60 x 36cm skid  
Weight: 41kg

## 4,000kg Porta Power

#PPOW4



4,000kg porta power with storage case  
Hydraulic tool kit for repair service  
Complete kit contains the heavy duty hydraulic equipment you need for lifting, pulling, bending, straightening and spreading  
Packing dimensions: 60 x 35 x 19cm ctn  
Weight: 18kg

## Hydraulic Air Pump

#VPAHP10



Rugged construction - built for long life & easy service  
Controls the input & valve by foot pedal, easier to operate than a hand pump  
Operates in all positions for increased versatility in use  
Ideal for powering single-acting cylinders & portable hydraulic tools  
Output pressure: 700bar/10,000psi  
Air supply required: 8 bar/120psi  
Usable oil capacity: 1700cm<sup>3</sup>  
Packing dimensions: 27 x 13 x 21cm  
Weight: 7kg



## Engine Load Leveler

#ELEV15

**SOLD OUT**

Heavy Duty Construction  
Adjustable range: 0-315mm  
Capacity: 750kg  
Packing dimensions: 49 x 20 x 12cm ctn  
Weight: 7Kg



Example of use of Engine Levelers

## Engine Load Leveler

#ELEV34

**SOLD OUT**



Light Duty Construction  
Adjustable range: 0-415mm  
Capacity: 550kg  
Packing dimensions: 72 x 58 x 8cm  
Weight: 6Kg

## Engine Load Leveler

#ELEV1800

**SOLD OUT**



Capacity: 1800kgs  
Adjustable range of threaded rod: 350mm  
Packing dimensions: 58 x 25 x 7cm  
Weight: 6kg

# Workshop Essentials

## 3 HP Air Compressor

#ACB30100B

100 Litre tank  
3 cylinder pump  
115 psi  
Cfm: 12.72  
Displacement: 360L/m  
With metal air filter - U handle  
7" rubber wheels x 2  
240V, 10amp plug  
Packing dimensions: 109 x 45 x 89cm crate  
Weight: 97kg



## 3HP Air Compressor

#ACB30501AB

50 Litre tank  
3 cylinder pump  
115 psi  
Cfm: 12.72  
Displacement: 360l/m  
Packing dimensions: 88 x 42 x 83cm crate  
Weight: 88kg



## 3HP Air Compressor

#ACB3050B

240V, 50 litre tank, 2 cylinder pump  
115 psi, 10amp plug  
Cfm: 11.66  
Displacement: 330L/m  
With metal air filter - U handle  
Measurements without handle:  
L80 x W40 x H80cm  
7" rubber wheels x 2  
Packing dimensions: 89 x 39 x 81cm crate  
Weight: 76kg



## 3 HP Air Compressor

#ACB3070B

3HP, 3 cylinder pump, 70 litre tank  
115 psi  
Cfm: 12.72  
Displacement: 360l/m  
With metal air filter - U handle  
7" rubber wheels x 2  
240V - 10 amp plug  
Packing dimensions: 99 x 42 x 85cm crate  
Weight: 96kg



## 3HP Direct Drive Air Compressor

#ACD30100V

Direct drive Compressor  
Press: 8kg/cm<sup>2</sup>; 115psi; 800kpa  
Power: 3HP  
Displacement: 350l/min  
Tank capacity: 100 litres  
Packing dimensions: 106 x 55 x 85 skid  
Weight: 100kg



# Workshop Essentials

## Petrol Compressor

#ACB6550PB



6.5HP 50 litre tank  
2 cylinder pump, pull start  
115 psi  
Cfm: 12.37  
Displacement: 350l/m  
With metal air filter  
7" rubber wheels x 2  
U handle - recoil start  
Packing dimensions: 91 x 39 x 84cm crate  
Weight: 80kg

## Petrol Air Compressor

#ACB130100PES



13HP 100 litre tank  
3 cylinder pump  
115 psi  
Cfm: 28.27  
Displacement: 800l/m  
With Metal Air filter  
10" Rubber wheels x 2  
U handle - electric start  
Free air delivery: 560l/m  
20cfm  
Packing dimensions: 111 x 47 x 116cm  
Weight: 160kg

## Wet & Dry Vacuum Cleaner

#PT2230

Function: wet & dry  
Motor: twin 2000w  
Capacity: 70 litre  
Voltage: 220-240v  
Tank dia: 420mm  
Mode of cooling: circulation air cooling  
Air flow rate: 108L/s  
Noise: 80-82dB(A)  
Hose dia: 48mm  
Hose length: 2m  
Cable length: 7.2m  
Packing dimensions: 76 x 76 x 118cm  
Weight: 40kg



## Floor Sweeper

#SW920

Two front side brushes  
One centre main brush  
Sweeps all kinds of large & fine sand  
both wet & dry  
Distinguishing feature: fine sand, granule  
Capacity: 40L  
Sweeping width: 920mm/36"  
Performance: 3680m<sup>2</sup>  
Packing dimensions: 89 x 81 x 54cm skid  
Weight: 41kg





# Rubber Products

## Car Rubber Wheel Chock

#J11001

175 x 100 x 11

Packing dimensions: 28 x 12 x 18cm

Weight: 2kg

**SOLD OUT**



## Truck Rubber Wheel Chock

#J11002

240 x 195 x 150mm

Packing dimensions: 28 x 20 x 15cm

Weight: 5kg



## Rubber Truck Wheel Chock

#J11003

245 x 165 x 185mm

Packing dimensions: 29 x 17 x 18cm

Weight: 5kg



## Orange Car Wheel Chock PP

#J11004

140 x 80 x 100mm

Packing dimensions: 5 x 15 x 10cm

Weight: 0.5kg



## 3 Hole Cable Protector

#J11005

1x40 2x20mm Holes

3.75 metres long

Packing dimensions: 65 x 55 x 20cm

Weight: 17kg



## Reflective Carpark Marker

#J11006

50 x 14 x 10mm Car Block

Packing dimensions: 53 x 15 x 12cm

Weight: 3kg



## Tethered Wheel Chocks

#J11009

450 x 150 x 140 Nylon Rope

Packing dimensions: 200 x 16 x 14cm

Weight: 17kg



## Rubber Tie Down Straps

#J11013

10 inch 254mm

Pack dimensions:

37 x 13 x 5cm

Weight: .05kg

#J11016

31 inch 787mm

Pack dimensions:

92 x 14 x 6cm

Weight: .2kg

#J11014

14 inch 381mm

Pack dimensions:

55 x 13 x 5cm

Weight: 1kg

#J11017

41 inch 1025mm

Pack dimensions:

116 x 14 x 6cm

Weight: .2kg

#J11015

21 inch 533mm

Pack dimensions:

66 x 13 x 6cm

Weight: 1kg



**Rubber Tie Down Straps:**  
Our price is for 10 pieces in a pack

## Half Moon Solid Rubber

#J11018

200 x 250mm 10701 Solid Rubber

Packing dimensions: 30 x 18 x 21cm

Weight: 4kg



## Rubber Wheel Chock

#J11019

200 x 120 x 100 With Eye Bolt

Packing dimensions: 31 x 23 x 17cm

Weight: 3kg




## Jumbo Wheel Chock

#J11020

300 x 300 x 255mm Metal Hand

Packing dimensions: 38 x 29 x 26cm

Weight: 14kg



## Rubber Wheel Chock

#J11220

195 x 195 x 100 Metal Hand

Packing dimensions:

22 x 19 x 11cm

Weight: 2kg



**Millers Falls Worker**  
simply the best

# Log Splitters

## 22 Ton Manual Log Splitter

#LS22BD  
#LS22ESBD



Max force: 22 ton  
Cycle time: split 7.5 seconds, back 6.5 seconds  
Max splitting length: 24" (610mm)  
Wedge height: 7" (180mm)  
Max oil tank capacity: 12.5L  
Max towing speed: 8KPH  
Working status: Only horizontal  
Power: 6.5ph petrol engine manual start  
Cylinder size: dia 90mm x stroke 574mm  
Tyre: 13" pneumatic  
Packing dimensions: 168 x 42 x 69cm  
Weight: 165kg

## 25 Ton 3 Point Linkage Log Splitter

#LS25-3PT



Capacity: 25 ton  
Operation: Either vertical or horizontal  
Powered by tractor  
Valve: detent, auto return, max flow 25gpm  
Cylinder: 4-1/8" x 24.5"  
Assembly time: Under 30 mins  
Packing dimensions: 191 x 48 x 69cm  
Weight: 220kg

## 25 Ton Manual Log Splitter

#LS25BD  
#LS25ESBD



6.5ph Manual start engine  
Horizontal & Vertical two operation position  
Hydraulic cylinder: 10cm x 58cm  
Max log length: 61cm  
Auto return control valve  
Max towing speed: 72KPH  
Only to be towed on private property - not on public roads  
Packing dimensions: 187 x 51 x 68cm  
Weight: 243kg

## 25 Ton Manual Log Splitter With Jockey Wheel

#LS25JTBD



6.5ph Manual start engine  
Horizontal & Vertical two operation position  
Hydraulic cylinder: 10cm x 58cm  
Max log length: 61cm  
Auto return control valve  
Max towing speed: 72KPH  
8" (20cm) dia x 2" (5cm) jockey wheel  
Only to be towed on private property - not on public roads  
Packing dimensions: 187 x 51 x 68cm  
Weight: 252kg

## 30 Ton Manual Log Splitter

#LS30JTTBD  
#LS30JTTESBD



Max split force: 30 Ton  
Cycle time: 15s  
Max splitting length: 610mm  
Wedge height: 200mm  
Max oil tank capacity: 11 litres  
Max towing speed: 72KPH  
Working status: Horizontal & Vertical  
Cylinder size: di 90mm x stroke 574mm  
Pneumatic wheel: 16x6.5" D.O.T.  
Coupler size: 50mm cast steel  
Log table: Max 20kg  
6" front jockey wheel  
Packing dimensions: 193 x 50 x 80cm  
Weight: 280kg

## 30 Ton Log Splitter With Hydraulic Lifting Table

#LS30LTBD  
#LS30LTESBD



6.5HP manual start engine  
8" (20cm) dia x 2" (5cm) jockey wheel  
Max log length: 24" (61cm)  
Heavy duty 4-1/2" (11.5cm) x 23" (57.5cm) cylinder  
8" (20cm) heavy duty cast steel wedge  
Max lifting cap of table: 50kg  
2-stage gear pump for min 17s cycle time  
Auto return valve, with safe release function  
16" D.O.T. Pneumatic wheels towing  
Max towing speed: 72kph  
Safe chain, wheel fenders included, with reflector  
Only to be towed on private property, not on public roads  
Packing dimensions: 187 x 52 x 93cm  
Weight: 320kg

# Log Splitters

## 40 Ton Manual Log Splitter

#LS40BD  
#LS40ESBD



13HP Manual start engine  
8" dia x 2" jockey wheel  
Max length: 55cm; 30cm diameter  
Heavy duty log table  
Heavy duty 5" x 19.4" cylinder  
8" heavy duty cast steel wedge, wearproof  
2-stage gear pump for min 16s cycle time  
Auto return valve, with safe relief function  
16" DOT pneumatic wheels towing  
Max towing speed: 72KPH  
Safe chain, wheel fenders included, with reflector  
Only to be towed on private property - not on public roads  
Packing dimensions: 173 x 52 x 79cm  
Weight: 320kg

## 45 Ton Manual Log Splitter

#LS45BD  
#LS45ESBD



Power: 15HP manual start petrol engine  
Horizontal & vertical working position  
Max log length: 55cm  
8" x 2" jockey wheel for easy moving  
20cm in height heavy duty cast steel wedge  
2-stage gear pump for min 18s cycle time  
Auto return valve, with safe relief function  
16" DOT pneumatic tyre for max towing speed: 72kmp  
Packing dimensions: 173 x 52 x 79cm  
Weight: 323kg

## 50 Ton Manual Start Log Splitter With Hydraulic Lifting Table

#LS50LTBD  
#LS50LTESBU



15HP manual start petrol engine  
8" dia x 2" jockey wheel  
Max length: 55cm; 30cm diameter  
Hydraulic lifting table for easy loading & unloading log:  
50kg capacity  
Heavy duty 5" x 19.4" cylinder  
8" heavy duty cast steel wedge, wearproof  
2-stage gear pump for min 16s cycle time  
Auto return valve, with safe relief function  
16" DOT pneumatic wheels towing  
Max towing speed: 72KPH  
Only to be towed on private property - not on public roads  
Packing dimensions: 173 x 52 x 104cm  
Weight: 357kg

## Log Splitter Wood Rack & Rain Cover

#LSWR



Protects up to 100kg of firewood under a polyester cover  
Heavy-duty rubber wheels allow the cart to move easily  
Capacity: 100kg  
Overall dimensions: 625x495x1050mm  
Wheel size: 8"x2"

# Notes





**TWM Imports Pty Ltd**

**ACN 061 735 699**

**ABN 21061735699**

**1-15 James Court, Tottenham, Victoria 3012**

**PO Box 466 Williamstown, Victoria 3016**

**Phone: (03) 9314 8588**

**Fax: (03) 9314 8255**

**Email: [sales@twm.com.au](mailto:sales@twm.com.au)**