

1



# TWM Imports 2012 Pricelist

| Model No.          | ITEM                                                  | Page No.         |  |
|--------------------|-------------------------------------------------------|------------------|--|
| <b>100R2AT1"</b>   | <b>High Pressure Hydraulic Hose - 1".....</b>         | <b>Pg 20</b>     |  |
| <b>100R2AT1/2"</b> | <b>High Pressure Hydraulic Hose - 1/2".....</b>       | <b>Pg 20</b>     |  |
| <b>100R2AT1/4"</b> | <b>High Pressure Hydraulic Hose - 1/4".....</b>       | <b>Pg 20</b>     |  |
| <b>100R2AT3/4"</b> | <b>High Pressure Hydraulic Hose - 3/4".....</b>       | <b>Pg 20</b>     |  |
| <b>100R2AT3/8"</b> | <b>High Pressure Hydraulic Hose - 3/8".....</b>       | <b>Pg 20</b>     |  |
| <b>100R2AT5/8"</b> | <b>High Pressure Hydraulic Hose - 5/8".....</b>       | <b>Pg 20</b>     |  |
| <b>3KR57</b>       | <b>Truck Fork Extension .....</b>                     | <b>Pg 123</b>    |  |
| <b>3KR58</b>       | <b>Truck Fork Extension .....</b>                     | <b>Pg 123</b>    |  |
| <b>3KR59</b>       | <b>Truck Fork Extension .....</b>                     | <b>Pg 123</b>    |  |
| <b>3W667</b>       | <b>Truck Fork Extension .....</b>                     | <b>Pg 123</b>    |  |
| <b>74010</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74020</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74040</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74041</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74045</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74060</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74061</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>74080</b>       | <b>Socket Set .....</b>                               | <b>Pg 76</b>     |  |
| <b>ABD105</b>      | <b>Drill Press - Bench .....</b>                      | <b>Pg 84</b>     |  |
| <b>ABD112</b>      | <b>Drill Press - Bench .....</b>                      | <b>Pg 84</b>     |  |
| <b>ABD216</b>      | <b>Drill Press - Bench .....</b>                      | <b>Pg 85</b>     |  |
| <b>ABD316FS</b>    | <b>Drill Press -Bench .....</b>                       | <b>Pg 85</b>     |  |
| <b>ABD5</b>        | <b>Drill Press - Bench .....</b>                      | <b>Pg 84</b>     |  |
| <b>ABD512</b>      | <b>Drill Press -Bench .....</b>                       | <b>Pg 85</b>     |  |
| <b>ABD612</b>      | <b>Drill Press - Bench .....</b>                      | <b>Pg 85</b>     |  |
| <b>ACB13100P</b>   | <b>Air Compressor - 3HP Petrol .....</b>              | <b>Pg 16,100</b> |  |
| <b>ACB30100</b>    | <b>Air Compressor - 3HP .....</b>                     | <b>Pg 16,99</b>  |  |
| <b>ACB3050A</b>    | <b>Air Compressor - 3HP .....</b>                     | <b>Pg 99</b>     |  |
| <b>ACB3070</b>     | <b>Air Compressor - 3HP .....</b>                     | <b>Pg 16,99</b>  |  |
| <b>ACB6550P</b>    | <b>Air Compressor - 5.5HP .....</b>                   | <b>Pg 100</b>    |  |
| <b>ACD3050VA</b>   | <b>Air Compressor - 3HP .....</b>                     | <b>Pg 99</b>     |  |
| <b>ACD30100V</b>   | <b>Air Compressor - 3HP .....</b>                     | <b>Pg 16,99</b>  |  |
| <b>ACH3070</b>     | <b>Air Compressor - 3HP .....</b>                     | <b>Pg 100</b>    |  |
| <b>ACS1</b>        | <b>Compressor Switch .....</b>                        | <b>Pg 100</b>    |  |
| <b>ACS3</b>        | <b>Compressor Switch .....</b>                        | <b>Pg 100</b>    |  |
| <b>AFR1010</b>     | <b>Air Filter Regulator - with oiler .....</b>        | <b>Pg 100</b>    |  |
| <b>AFR1000</b>     | <b>Air Filter Regulator - Single .....</b>            | <b>Pg 100</b>    |  |
| <b>ALHDSC48</b>    | <b>Mobile Aluminium Scaf. Tower - 4.8m high .....</b> | <b>Pg 138</b>    |  |
| <b>ALHDSC6</b>     | <b>Mobile Aluminium Scaf. Tower - 6m high .....</b>   | <b>Pg 138</b>    |  |
| <b>ALSC48800</b>   | <b>Scaffold Tower - 800mm Wide - 4.8m .....</b>       | <b>Pg 138</b>    |  |
| <b>ALSC6800</b>    | <b>Scaffold Tower - 800mm Wide - 6m .....</b>         | <b>Pg 138</b>    |  |

| <b>Model No.</b>    | <b>ITEM</b>                                                   | <b>Page No.</b>   |  |
|---------------------|---------------------------------------------------------------|-------------------|--|
|                     | <b>Individual Aluminium Scaffolding Parts</b>                 |                   |  |
|                     | Guard rail frame .....                                        | Pg 138            |  |
|                     | 1.25x1.2m extension frame .....                               | Pg 138            |  |
|                     | 1.25x1.6m extension frame .....                               | Pg 138            |  |
|                     | 1.25x2.0m extension frame .....                               | Pg 138            |  |
|                     | 2.5m horizontal brace .....                                   | Pg 138            |  |
|                     | 2.5m diagonal brace .....                                     | Pg 138            |  |
|                     | Plan brace (bottom brace) .....                               | Pg 138            |  |
|                     | 2.5m plain platform .....                                     | Pg 138            |  |
|                     | 2.5m hatch platform .....                                     | Pg 138            |  |
|                     | Variable ladder 4.8m .....                                    | Pg 138            |  |
|                     | Variable ladder 6.0m .....                                    | Pg 138            |  |
|                     | Outriggers (stabilizer) .....                                 | Pg 138            |  |
|                     | Adjustable castors .....                                      | Pg 138            |  |
|                     | Toe board set .....                                           | Pg 138            |  |
|                     | Ladder bracket .....                                          | Pg 138            |  |
| <b>ALUMSCA</b>      | <b>Aluminium Scaffolding</b> .....                            | <b>Pg 139</b>     |  |
| <b>APD112</b>       | <b>Drill Press - Floor</b> .....                              | <b>Pg 84</b>      |  |
| <b>APD216</b>       | <b>Drill Press - Floor</b> .....                              | <b>Pg 84</b>      |  |
| <b>APD3000</b>      | <b>Drill Press - Floor</b> .....                              | <b>Pg 85</b>      |  |
| <b>APD316FS</b>     | <b>Drill Press - Floor</b> .....                              | <b>Pg 84</b>      |  |
| <b>APD4000</b>      | <b>Drill Press - Floor</b> .....                              | <b>Pg 85</b>      |  |
| <b>APD512FS</b>     | <b>Drill Press - Floor</b> .....                              | <b>Pg 85</b>      |  |
| <b>APD612</b>       | <b>Drill Press - Floor</b> .....                              | <b>Pg 85</b>      |  |
| <b>APDR205</b>      | <b>Radial Drill Press</b> .....                               | <b>Pg 86</b>      |  |
| <b>AT3PCSET</b>     | <b>Animal Cages</b> .....                                     | <b>Pg 21</b>      |  |
| <b>BCHDN</b>        | <b>Billycart - Heavy Duty</b> .....                           | <b>Pg 53</b>      |  |
| <b>BCHDHB</b>       | <b>Billycart - Heavy Duty with hydraulic brakes</b> .....     | <b>Pg 53</b>      |  |
| <b>BD46</b>         | <b>Belt &amp; Disc Sander</b> .....                           | <b>Pg 77</b>      |  |
| <b>BD46HD</b>       | <b>Belt &amp; Disc Sander</b> .....                           | <b>Pg 77</b>      |  |
| <b>BF450</b>        | <b>Bucket Loader - Fork Ext.</b> .....                        | <b>Pg 47, 124</b> |  |
| <b>BF900</b>        | <b>Bucket Loader - Fork Ext.</b> .....                        | <b>Pg 47, 124</b> |  |
| <b>BF1350</b>       | <b>Bucket Loader - Fork Ext.</b> .....                        | <b>Pg 47, 124</b> |  |
| <b>BF1800</b>       | <b>Bucket Loader - Fork Ext.</b> .....                        | <b>Pg 47, 124</b> |  |
| <b>BF2700</b>       | <b>Bucket Loader - Fork Ext.</b> .....                        | <b>Pg 47, 124</b> |  |
| <b>BFRK</b>         | <b>Body Frame Repair Kit</b> .....                            | <b>Pg 61</b>      |  |
| <b>BG68</b>         | <b>Bench Grinder - 6" x 8"</b> .....                          | <b>Pg 82</b>      |  |
| <b>BG6GRIP</b>      | <b>Bench Grinder - 6"</b> .....                               | <b>Pg 82</b>      |  |
| <b>BG8GRIP</b>      | <b>Bench Grinder - 8"</b> .....                               | <b>Pg 82</b>      |  |
| <b>BG8HD</b>        | <b>Bench Grinder - Heavy Duty Industrial</b> .....            | <b>Pg 82</b>      |  |
| <b>BG8HDST</b>      | <b>Bench Grinder - Heavy Duty Industrial - With Stand ..</b>  | <b>Pg 82</b>      |  |
| <b>BG810HDSTAND</b> | <b>Bench Grinder - Heavy Duty Stand Only</b> .....            | <b>Pg 82</b>      |  |
| <b>BG10HD</b>       | <b>Bench Grinder - Heavy Duty Industrial</b> .....            | <b>Pg 82</b>      |  |
| <b>BG10HDST</b>     | <b>Bench Grinder - Heavy Duty Industrial with stand .....</b> | <b>Pg 82</b>      |  |
| <b>BG150F</b>       | <b>Bench Grinder - High Speed</b> .....                       | <b>Pg 87</b>      |  |
| <b>BGSTANDLD</b>    | <b>Bench Grinder Stand Light Duty</b> .....                   | <b>Pg 82</b>      |  |
| <b>BGSTANDHD</b>    | <b>Bench Grinder Stand Heavy Duty</b> .....                   | <b>Pg 82</b>      |  |



| <b>Model No.</b> | <b>ITEM</b>                                                        | <b>Page No.</b> |  |
|------------------|--------------------------------------------------------------------|-----------------|--|
| <b>BPHS2515</b>  | <b>Hydraulic Pulley Bearing Separator .....</b>                    | <b>Pg 135</b>   |  |
| <b>BPKIT</b>     | <b>Hydraulic Bearing Puller Kits .....</b>                         | <b>Pg 135</b>   |  |
| <b>BPKITRAM</b>  | <b>Hydraulic ram to suit Bearing Puller Kits .....</b>             | <b>Pg 135</b>   |  |
| <b>BPS1060</b>   | <b>Pulley &amp; Bearing Separator .....</b>                        | <b>Pg 135</b>   |  |
| <b>BPS1575</b>   | <b>Pulley &amp; Bearing Separator .....</b>                        | <b>Pg 135</b>   |  |
| <b>BPS35115</b>  | <b>Pulley &amp; Bearing Separator .....</b>                        | <b>Pg 135</b>   |  |
| <b>BPS40150</b>  | <b>Pulley &amp; Bearing Separator .....</b>                        | <b>Pg 135</b>   |  |
| <b>BSMC10</b>    | <b>Bandsaw - 10" Meat-Cutting With Mincer .....</b>                | <b>Pg 130</b>   |  |
| <b>BSMCBLADE</b> | <b>Spare Blade To Suit BSMC10 .....</b>                            | <b>Pg 130</b>   |  |
| <b>BSMC300</b>   | <b>Stainless Steel Bandsaw -<br/>Throat size 300mm (12") .....</b> | <b>Pg 19</b>    |  |
| <b>BSMJ3435</b>  | <b>Bandsaw - 4 Speed Heavy Duty .....</b>                          | <b>Pg 77</b>    |  |
| <b>CG40MM</b>    | <b>Chuck Guard - 40mm .....</b>                                    | <b>Pg 86</b>    |  |
| <b>CG55MM</b>    | <b>Chuck Guard - 55mm .....</b>                                    | <b>Pg 86</b>    |  |
| <b>CG60MM</b>    | <b>Chuck Guard - 60mm .....</b>                                    | <b>Pg 86</b>    |  |
| <b>CG75MM</b>    | <b>Chuck Guard - 75mm .....</b>                                    | <b>Pg 86</b>    |  |
| <b>CG92MM</b>    | <b>Chuck Guard - 92mm .....</b>                                    | <b>Pg 86</b>    |  |
| <b>CM130</b>     | <b>Cement Mixer .....</b>                                          | <b>Pg 143</b>   |  |
| <b>CM190</b>     | <b>Cement Mixer .....</b>                                          | <b>Pg 19</b>    |  |
| <b>CONVIB</b>    | <b>Concrete Vibrator .....</b>                                     | <b>Pg 49</b>    |  |
| <b>CP150</b>     | <b>Vibrating Plate .....</b>                                       | <b>Pg 108</b>   |  |
| <b>CP150ROB</b>  | <b>Vibrating Plate .....</b>                                       | <b>Pg 108</b>   |  |
| <b>CR1TF</b>     | <b>Engine Crane - Foldable .....</b>                               | <b>Pg 67</b>    |  |
| <b>CR125</b>     | <b>Engine Crane - Foldable .....</b>                               | <b>Pg 69</b>    |  |
| <b>CR1000EXW</b> | <b>Ute Crane With Height Ext. &amp; Winch .....</b>                | <b>Pg 69</b>    |  |
| <b>CR2000HDA</b> | <b>Shop Crane (foldable Super H/D) .....</b>                       | <b>Pg 69</b>    |  |
| <b>CR2TFHD</b>   | <b>Engine Crane - Foldable .....</b>                               | <b>Pg 67</b>    |  |
| <b>CR2TFAIR</b>  | <b>Shop Crane - Air Hydraulic .....</b>                            | <b>Pg 67</b>    |  |
| <b>CRANE1000</b> | <b>Engine Crane - Utility Crane .....</b>                          | <b>Pg 68</b>    |  |
| <b>CRANE3T</b>   | <b>Engine Crane - Non-Foldable .....</b>                           | <b>Pg 67</b>    |  |
| <b>CRSC1T</b>    | <b>Engine crane - Hydraulic Lifting Crane .....</b>                | <b>Pg 68</b>    |  |
| <b>CRSC1TW</b>   | <b>Eng. Crane - Hyd. Lift. Swivel &amp; Winch .....</b>            | <b>Pg 68</b>    |  |
| <b>CRSC2T</b>    | <b>Engine crane - Hydraulic Lifting Crane .....</b>                | <b>Pg 68</b>    |  |
| <b>CRSC2TW</b>   | <b>Eng. Crane - Hyd. Lift. Swivel &amp; Winch .....</b>            | <b>Pg 68</b>    |  |
| <b>CRSC2TWHD</b> | <b>Eng. Crane - Hyd. Lift. Swivel &amp; Winch Extra h/d .....</b>  | <b>Pg 68</b>    |  |
| <b>DCD10</b>     | <b>Core Drill bit - 10mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD12</b>     | <b>Core Drill bit - 12mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD14</b>     | <b>Core Drill bit - 14mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD16</b>     | <b>Core Drill bit - 16mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD18</b>     | <b>Core Drill bit - 18mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD20</b>     | <b>Core Drill bit - 20mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD22</b>     | <b>Core Drill bit - 22mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD24</b>     | <b>Core Drill bit - 24mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD26</b>     | <b>Core Drill bit - 26mm dia .....</b>                             | <b>Pg 92</b>    |  |
| <b>DCD28</b>     | <b>Core Drill bit - 28mm dia .....</b>                             | <b>Pg 92</b>    |  |

| <b>Model No.</b> | <b>ITEM</b>                                    | <b>Page No.</b> |  |
|------------------|------------------------------------------------|-----------------|--|
| DCD30            | Core Drill bit - 30mm dia .....                | Pg 92           |  |
| DCD32            | Core Drill bit - 32mm dia .....                | Pg 92           |  |
| DCD38            | Core Drill bit - 38mm dia .....                | Pg 92           |  |
| DCD40            | Core Drill bit - 40mm dia .....                | Pg 92           |  |
| DCD44            | Core Drill bit - 44mm dia .....                | Pg 92           |  |
| DCD48            | Core Drill bit - 48mm dia .....                | Pg 92           |  |
| DCD50            | Core Drill bit - 50mm dia .....                | Pg 92           |  |
| DCD52            | Core Drill bit - 52mm dia .....                | Pg 92           |  |
| DCD53            | Core Drill bit - 53mm dia .....                | Pg 92           |  |
| DCD57            | Core Drill bit - 57mm dia .....                | Pg 92           |  |
| DCD63            | Core Drill bit - 63mm dia .....                | Pg 92           |  |
| DCD65            | Core Drill bit - 65mm dia .....                | Pg 92           |  |
| DCD66            | Core Drill bit - 66mm dia .....                | Pg 92           |  |
| DCD71            | Core Drill bit - 71mm dia .....                | Pg 92           |  |
| DCD75            | Core Drill bit - 75mm dia .....                | Pg 92           |  |
| DCD76            | Core Drill bit - 76mm dia .....                | Pg 92           |  |
| DCD78            | Core Drill bit - 78mm dia .....                | Pg 92           |  |
| DCD80            | Core Drill bit - 80mm dia .....                | Pg 92           |  |
| DCD83            | Core Drill bit - 83mm dia .....                | Pg 92           |  |
| DCD89            | Core Drill bit - 89mm dia .....                | Pg 92           |  |
| DCD91            | Core Drill bit - 91mm dia .....                | Pg 92           |  |
| DCD100           | Core Drill bit - 100mm dia .....               | Pg 92           |  |
| DCD102           | Core Drill bit - 102mm dia .....               | Pg 92           |  |
| DCD107           | Core Drill bit - 107mm dia .....               | Pg 92           |  |
| DCD110           | Core Drill bit - 110mm dia .....               | Pg 92           |  |
| DCD115           | Core Drill bit - 115mm dia .....               | Pg 92           |  |
| DCD117           | Core Drill bit - 117mm dia .....               | Pg 92           |  |
| DCD120           | Core Drill bit - 120mm dia .....               | Pg 92           |  |
| DCD126           | Core Drill bit - 126mm dia .....               | Pg 92           |  |
| DCD127           | Core Drill bit - 127mm dia .....               | Pg 92           |  |
| DCD132           | Core Drill bit - 132mm dia .....               | Pg 92           |  |
| DCD150           | Core Drill bit - 150mm dia .....               | Pg 92           |  |
| DCD152           | Core Drill bit - 152mm dia .....               | Pg 92           |  |
| DCD154           | Core Drill bit - 154mm dia .....               | Pg 92           |  |
| DCD162           | Core Drill bit - 162mm dia .....               | Pg 92           |  |
| DCD166           | Core Drill bit - 166mm dia .....               | Pg 92           |  |
| DCD180           | Core Drill bit - 180mm dia .....               | Pg 92           |  |
| DCD202           | Core Drill bit - 202mm dia .....               | Pg 92           |  |
| DCD220           | Core Drill bit - 220mm dia .....               | Pg 92           |  |
| DCD244           | Core Drill bit - 244mm dia .....               | Pg 92           |  |
| DCD274           | Core Drill bit - 274mm dia .....               | Pg 92           |  |
| DCD300           | Core Drill bit - 300mm dia .....               | Pg 92           |  |
| ELEV34           | Engine Leveler - Light Duty Construction ..... | Pg 67           |  |
| ELEV15           | Engine Leveler - Heavy Duty Construction ..... | Pg 67           |  |
| ES750            | Engine Stand - 350kg .....                     | Pg 70           |  |
| ES1000           | Engine Stand - 450kg .....                     | Pg 70           |  |
| ES1250           | Engine Stand - 570kg .....                     | Pg 70           |  |
| ES1500           | Engine Stand - 680kg .....                     | Pg 70           |  |
| ES1500F          | Folding Engine Stand .....                     | Pg 70           |  |
| ES2000           | Engine Stand - 900kg .....                     | Pg 70           |  |

| <b>Model No.</b>                                                                 | <b>ITEM</b>                                                                                                       | <b>Page No.</b> |  |
|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------|--|
| <b>ESG10</b>                                                                     | <b>Portable Power Board .....</b>                                                                                 | <b>Pg 96</b>    |  |
| <b>ESG15</b>                                                                     | <b>Portable Power Board .....</b>                                                                                 | <b>Pg 96</b>    |  |
|                                                                                  | <b>Extension Leads -3 Phase Extension Leads<br/>made from 2.5mm, 4mm, 6mm,<br/>4 core/5core heavy duty cable:</b> |                 |  |
| <b>E4P1510</b>                                                                   | <b>15 Metre, 4 Pin, 10 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E4P1520</b>                                                                   | <b>15 Metre, 4 Pin, 20 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E4P15204</b>                                                                  | <b>15 Metre, 4 Pin, 20 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P15206</b>                                                                  | <b>15 Metre, 4 Pin, 20 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P15324</b>                                                                  | <b>15 Metre, 4 Pin, 32 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P15326</b>                                                                  | <b>15 Metre, 4 Pin, 32 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P2010</b>                                                                   | <b>20 Metre, 4 Pin, 10 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E4P2020</b>                                                                   | <b>20 Metre, 4 Pin, 20 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E4P20204</b>                                                                  | <b>20 Metre, 4 Pin, 20 Amp Plug &amp; Socket 4mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E4P20206</b>                                                                  | <b>20 Metre, 4 Pin, 20 Amp Plug &amp; Socket 6mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E4P20324</b>                                                                  | <b>20 Metre, 4 Pin, 32 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P20326</b>                                                                  | <b>20 Metre, 4 Pin, 32 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P3010</b>                                                                   | <b>30 Metre, 4 Pin, 10 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E4P3020</b>                                                                   | <b>30 Metre, 4 Pin, 20 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E4P30204</b>                                                                  | <b>30 Metre, 4 Pin, 20 Amp Plug &amp; Socket 4mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E4P30206</b>                                                                  | <b>30 Metre, 4 Pin, 20 Amp Plug &amp; Socket 6mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E4P30324</b>                                                                  | <b>30 Metre, 4 Pin, 32 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E4P30326</b>                                                                  | <b>30 Metre, 4 Pin, 32 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E5P1510</b>                                                                   | <b>15 Metre, 5 Pin, 10 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E5P1520</b>                                                                   | <b>15 Metre, 5 Pin, 20 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E5P15204</b>                                                                  | <b>15 Metre, 5 Pin, 20 Amp Plug &amp; Socket 4mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E5P15206</b>                                                                  | <b>15 Metre, 5 Pin, 20 Amp Plug &amp; Socket 6mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E5P15324</b>                                                                  | <b>15 Metre, 5 Pin, 32 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E5P15326</b>                                                                  | <b>15 Metre, 5 Pin, 32 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E5P2010</b>                                                                   | <b>20 Metre, 5 Pin, 10 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E5P2020</b>                                                                   | <b>20 Metre, 5 Pin, 20 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E5P20204</b>                                                                  | <b>20 Metre, 5 Pin, 20 Amp Plug &amp; Socket 4mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E5P20206</b>                                                                  | <b>20 Metre, 5 Pin, 20 Amp Plug &amp; Socket 6mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E5P20324</b>                                                                  | <b>20 Metre, 5 Pin, 32 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E5P20326</b>                                                                  | <b>20 Metre, 5 Pin, 32 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E5P3010</b>                                                                   | <b>30 Metre, 5 Pin, 10 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E5P3020</b>                                                                   | <b>30 Metre, 5 Pin, 20 Amp Plug &amp; Socket 2.5mm<sup>2</sup> cable .</b>                                        | <b>Pg 96</b>    |  |
| <b>E5P30204</b>                                                                  | <b>30 Metre, 5 Pin, 20 Amp Plug &amp; Socket 4mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E5P30206</b>                                                                  | <b>30 Metre, 5 Pin, 20 Amp Plug &amp; Socket 6mm<sup>2</sup> cable .</b>                                          | <b>Pg 96</b>    |  |
| <b>E5P30324</b>                                                                  | <b>30 Metre, 5 Pin, 32 Amp Plug &amp; Socket 4mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>E5P30326</b>                                                                  | <b>30 Metre, 5 Pin, 32 Amp Plug &amp; Socket 6mm<sup>2</sup> cable ....</b>                                       | <b>Pg 96</b>    |  |
| <b>ANY SIZE LEAD MADE IN 2.5MM, 4MM, 6MM IN 4 &amp; 5 CORE PRICED</b>            |                                                                                                                   |                 |  |
| <b>2.5MM, 4MM &amp; 6MM, 4 &amp; 5 CORE CABLE NOW AVAILABLE - PLEASE ENQUIRE</b> |                                                                                                                   |                 |  |
| <b>EXRCD</b>                                                                     | <b>Ext. Leads - Will Fit Any Ext. Lead Size .....</b>                                                             | <b>Pg 94</b>    |  |
| <b>EXRCDINL</b>                                                                  | <b>Ext. Leads - Fitted RCD's to Lead .....</b>                                                                    | <b>Pg 94</b>    |  |
| <b>EXRCDWP</b>                                                                   | <b>Ext. Leads - Waterproof Inline RCD .....</b>                                                                   | <b>Pg 94</b>    |  |

| <b>Model No.</b> | <b>ITEM</b>                                                            | <b>Page No.</b> |  |
|------------------|------------------------------------------------------------------------|-----------------|--|
|                  | <b>Repair Leads - (2 Core HD)</b>                                      |                 |  |
| EXR2000          | 3 Metre, 10Amp, Grey or Orange Cable, .....<br>With Clear Moulded Plug | Pg 94           |  |
| EXR2006          | 3 Metre, 10Amp, Moulded Grey & Orange .....                            | Pg 94           |  |
| EXR2006RCD       | 3 Metre, 10Amp, Moulded black & inline RCD .....                       | Pg 94           |  |
| EXR3005          | 3 Metre, 3 Core, 10Amp, HD, Grey or Orange .....                       | Pg 94           |  |
|                  | Cable with Moulded Plug Grey Or Orange                                 |                 |  |
| EXR3006          | 3 Metre, 3 Core, 10Amp, HD, Grey or Orange .....                       | Pg 94           |  |
|                  | Cable with Clear 10 amp Moulded Plug                                   |                 |  |
| EXR3007          | 3 Metre, 3 Core, 15Amp, HD, Grey or Orange .....                       | Pg 94           |  |
|                  | Cable with Clear 15 amp Fitted Plug                                    |                 |  |
| EXR3008          | 3 Metre, 3 Core, 15Amp, HD Cable, .....                                | Pg 94           |  |
|                  | Grey or Orange with Clear 10Amp<br>Moulded Plug                        |                 |  |
| EXR3009          | 3 Metre, 3 Core, 15Amp, HD Cable, .....                                | Pg 94           |  |
|                  | Grey fitted with 10Amp Moulded Plug                                    |                 |  |
| EX4C2.5MM        | 4 Core 2.5mm Heavy Duty Cable .....                                    | Pg 98           |  |
|                  | - per metre                                                            |                 |  |
| EX4C4MM          | 4 Core 4mm Heavy Duty Cable .....                                      | Pg 98           |  |
|                  | - per metre                                                            |                 |  |
| EX4C6MM          | 4 Core 6mm Heavy Duty Cable .....                                      | Pg 98           |  |
|                  | - per metre                                                            |                 |  |
| EX5C2.5MM        | 5 Core 2.5mm Heavy Duty Cable .....                                    | Pg 98           |  |
|                  | - per metre                                                            |                 |  |
| EX5C4MM          | 5 Core 4mm Heavy Duty Cable .....                                      | Pg 98           |  |
|                  | - per metre                                                            |                 |  |
| EX5C6MM          | 5 Core 6mm Heavy Duty Cable .....                                      | Pg 98           |  |
|                  | - per metre                                                            |                 |  |
| EX10MALE         | Male 10 Amp HD Unassembled Plug .....                                  | Pg 94           |  |
| EX10FEMALE       | Female 10 Amp HD Unassembled Plug .....                                | Pg 94           |  |
| EX15MALE         | Male 15 Amp HD Unassembled Plug .....                                  | Pg 94           |  |
| EX15FEMALE       | Female 15 Amp HD Unassembled plug With Shroud ..                       | Pg 94           |  |
| EX15FEWOS        | Female 15 Amp Without Shroud .....                                     | Pg 94           |  |
| EXCABLE10AMP     | Cable - 10 Amp 3 Core HD .....                                         | Pg 95           |  |
| EXCABLE15AMP     | Cable - 15 Amp 3 Core HD .....                                         | Pg 95           |  |
| EXCABLE20AMP     | Cable - 20 Amp 3 Core HD .....                                         | Pg 95           |  |
| EX500CM10        | 500m Drum of cable - 10 Amp .....                                      | Pg 95           |  |
| EX500CM15        | 500m Drum of cable - 15 Amp .....                                      | Pg 95           |  |
| EX500CM20        | 500m Drum of cable - 20 Amp .....                                      | Pg 95           |  |
|                  | Heavy Duty Ext. Leads:                                                 |                 |  |
|                  | <b>LEADS FITTED WITH SAFETY SWITCH</b>                                 |                 |  |
|                  | <b>LEADS FITTED WITH IN-LINE SAFETY SWITCH</b>                         |                 |  |
|                  | <b>10 Amp, 3 Core with 10 Amp HD Clear Plugs:</b>                      |                 |  |
| EX5M10/10        | 5 Metre .....                                                          | Pg 95           |  |
| EX10M10/10       | 10 Metre .....                                                         | Pg 95           |  |
| EX15M10/10       | 15 Metre .....                                                         | Pg 95           |  |
| EX20M10/10       | 20 Metre .....                                                         | Pg 95           |  |
| EX25M10/10MN     | 25 Metre With Moulded Neon Plugs .....                                 | Pg 95           |  |
| EX30M10/10       | 30 Metre .....                                                         | Pg 95           |  |
|                  | <b>15 Amp, 3 Core with 10 Amp HD Clear Plugs:</b>                      |                 |  |
| EX5M15/10        | 5 Metre Fitted .....                                                   | Pg 95           |  |
| EX10M15/10       | 10 Metre Fitted .....                                                  | Pg 95           |  |
| EX15M15/10       | 15 Metre Fitted .....                                                  | Pg 95           |  |
| EX20M15/10       | 20 Metre Fitted .....                                                  | Pg 95           |  |

| <b>Model No.</b> | <b>ITEM</b>                                          | <b>Page No.</b> |  |
|------------------|------------------------------------------------------|-----------------|--|
| EX25M15/10       | 25 Metre Fitted .....                                | Pg 95           |  |
| EX30M15/10       | 30 Metre Fitted .....                                | Pg 95           |  |
| EX45M15/10       | 45 Metre Fitted .....                                | Pg 95           |  |
| EX60M15/10       | 60 Metre Fitted .....                                | Pg 95           |  |
|                  | <b>Moulded Leads:</b>                                |                 |  |
|                  | <b>15 Amp, 3 Core HD With 10 Amp HD</b>              |                 |  |
|                  | <b>Clear Moulded Plugs With Neon</b>                 |                 |  |
| EX5M15/10MN      | 5 Metre .....                                        | Pg 95           |  |
| EX10M15/10MN     | 10 Metre .....                                       | Pg 95           |  |
| EX15M15/10MN     | 15 Metre .....                                       | Pg 95           |  |
| EX20M15/10MN     | 20 Metre .....                                       | Pg 95           |  |
| EX25M15/10MN     | 25 Metre .....                                       | Pg 95           |  |
| EX30M15/10MN     | 30 Metre .....                                       | Pg 95           |  |
|                  | <b>15 Amp, 3 Core HD with 15 Amp HD Clear</b>        |                 |  |
|                  | <b>Moulded Plugs With Neon:</b>                      |                 |  |
| EX5M15/15MN      | 5 Metre .....                                        | Pg 95           |  |
| EX10M15/15MN     | 10 Metre .....                                       | Pg 95           |  |
| EX15M15/15MN     | 15 Metre .....                                       | Pg 95           |  |
| EX20M15/15MN     | 20 Metre .....                                       | Pg 95           |  |
| EX30M15/15MN     | 30 Metre .....                                       | Pg 95           |  |
|                  | <b>15 Amp, 3 Core HD With 15 Amp HD Clear Plugs:</b> |                 |  |
| EX5M15/15        | 5 Metre Fitted .....                                 | Pg 95           |  |
| EX10M15/15       | 10 Metre Fitted .....                                | Pg 95           |  |
| EX15M15/15       | 15 Metre Fitted .....                                | Pg 95           |  |
| EX20M15/15       | 20 Metre Fitted .....                                | Pg 95           |  |
| EX25M15/15       | 25 Metre Fitted .....                                | Pg 95           |  |
| EX30M15/15       | 30 Metre Fitted .....                                | Pg 95           |  |
| EX45M15/15       | 45 Metre Fitted .....                                | Pg 95           |  |
| EX60M15/15       | 60 Metre Fitted .....                                | Pg 95           |  |
|                  | <b>20 Amp, 3 Core Extra HD With 15 Amp HD Clear</b>  |                 |  |
|                  | <b>Plugs:</b>                                        |                 |  |
| EX10M20/15       | 10 Metre Fitted .....                                | Pg 95           |  |
| EX15M20/15       | 15 Metre Fitted .....                                | Pg 95           |  |
| EX20M20/15       | 20 Metre Fitted .....                                | Pg 95           |  |
| EX30M20/15       | 30 Metre Fitted .....                                | Pg 95           |  |
| EX45M20/15       | 45 Metre Fitted .....                                | Pg 95           |  |
| EX60M20/15       | 60 Metre Fitted .....                                | Pg 95           |  |
|                  | <b>New Piggy Back Leads</b>                          |                 |  |
| EX2M10/10PB      | 2 Metre .....                                        | Pg 98           |  |
| EX3M10/10PB      | 3 Metre .....                                        | Pg 98           |  |
| EX5M10/10PB      | 5 Metre .....                                        | Pg 98           |  |
| EX10M10/10PB     | 10 Metre .....                                       | Pg 98           |  |
| EX15M10/10PB     | 15 Metre .....                                       | Pg 98           |  |
| EX20M10/10PB     | 20 Metre .....                                       | Pg 98           |  |
| EX25M10/10PB     | 25 Metre .....                                       | Pg 98           |  |
|                  | <b>Woven Metal Braiding Leads</b>                    |                 |  |
| EX25M10/10MW     | 25 Metre, 10 amp, 10 amp plug .....                  | Pg 98           |  |
| EX30M10/10MW     | 30 Metre, 10 amp, 10 amp plug .....                  | Pg 98           |  |
| EX15M15/10MW     | 15 Metre, 15 amp, 10 amp plug .....                  | Pg 98           |  |

| <b>Model No.</b>    | <b>ITEM</b>                                | <b>Page No.</b> |  |
|---------------------|--------------------------------------------|-----------------|--|
| <b>EX20M15/10MW</b> | <b>20 Metre, 15 amp, 10 amp plug .....</b> | <b>Pg 98</b>    |  |
| <b>EX30M15/10MW</b> | <b>30 Metre, 15 amp, 10 amp plug .....</b> | <b>Pg 98</b>    |  |
| <b>EX15M20/15MW</b> | <b>15 Metre, 20 amp, 15 amp plug .....</b> | <b>Pg 98</b>    |  |
| <b>EX10WPFE</b>     | <b>Plugs - W'proof 10 Amp Female .....</b> | <b>Pg 97</b>    |  |
| <b>EX10WPM</b>      | <b>Plugs - W'proof 10 Amp Male .....</b>   | <b>Pg 97</b>    |  |
| <b>EX10WPSET</b>    | <b>Plugs - W'proof 10 Amp SET .....</b>    | <b>Pg 97</b>    |  |
| <b>EX15WPFE</b>     | <b>Plugs - W'proof 15 Amp Female .....</b> | <b>Pg 97</b>    |  |
| <b>EX15WPM</b>      | <b>Plugs - W'proof 15 Amp Male .....</b>   | <b>Pg 97</b>    |  |
| <b>EX15WPSET</b>    | <b>Plugs - W'proof 15 Amp SET .....</b>    | <b>Pg 97</b>    |  |
| <b>FANFLO</b>       | <b>Floor Fan .....</b>                     | <b>Pg 137</b>   |  |
| <b>FANM450WHP</b>   | <b>Fan .....</b>                           | <b>Pg 136</b>   |  |
| <b>FANM500WC</b>    | <b>Fan .....</b>                           | <b>Pg 136</b>   |  |
| <b>FANM650</b>      | <b>Fan .....</b>                           | <b>Pg 136</b>   |  |
| <b>FANM650WALL</b>  | <b>Fan .....</b>                           | <b>Pg 137</b>   |  |
| <b>FANM750WHP</b>   | <b>Fan .....</b>                           | <b>Pg 136</b>   |  |
| <b>FANPED</b>       | <b>Pedestal Fan .....</b>                  | <b>Pg 137</b>   |  |
| <b>FANWAL</b>       | <b>Wall Fan .....</b>                      | <b>Pg 137</b>   |  |
| <b>FI4DH</b>        | <b>Drag Harrow .....</b>                   | <b>Pg 37</b>    |  |
| <b>FI6DH</b>        | <b>Drag Harrow .....</b>                   | <b>Pg 37</b>    |  |
| <b>FI8DH</b>        | <b>Drag Harrow .....</b>                   | <b>Pg 37</b>    |  |
| <b>FI2DH</b>        | <b>Drag Harrow - TPL .....</b>             | <b>Pg 37</b>    |  |
| <b>FI3DH</b>        | <b>Drag Harrow - TPL .....</b>             | <b>Pg 37</b>    |  |
| <b>FI110DH</b>      | <b>Drag Harrow .....</b>                   | <b>Pg 37</b>    |  |
| <b>FI112DH</b>      | <b>Drag Harrow .....</b>                   | <b>Pg 37</b>    |  |
| <b>FI13SCA</b>      | <b>Shredder Chipper .....</b>              | <b>Pg 39</b>    |  |
| <b>FI13SC4W</b>     | <b>Shredder Chipper - 4 Wheel .....</b>    | <b>Pg 39</b>    |  |
| <b>FI13SCSAW</b>    | <b>Shredder Chipper With Saw.....</b>      | <b>Pg 36</b>    |  |
| <b>FI300S</b>       | <b>Spreader .....</b>                      | <b>Pg 25</b>    |  |
| <b>FI1000S</b>      | <b>Spreader .....</b>                      | <b>Pg 25</b>    |  |
| <b>FI38LS</b>       | <b>Lawn Sweeper - 38" .....</b>            | <b>Pg 37</b>    |  |
| <b>FI42LS</b>       | <b>Lawn Sweeper - 42" .....</b>            | <b>Pg 37</b>    |  |
| <b>FI48LS</b>       | <b>Lawn Sweeper - 48" .....</b>            | <b>Pg 37</b>    |  |
| <b>FI55SC</b>       | <b>Shredder Chipper .....</b>              | <b>Pg 32</b>    |  |
| <b>FI6TPL</b>       | <b>3 Point Linkage Chipper .....</b>       | <b>Pg 32</b>    |  |
| <b>FI8TPL</b>       | <b>3 Point Linkage Chipper .....</b>       | <b>Pg 32</b>    |  |
| <b>FI115S</b>       | <b>Spreader .....</b>                      | <b>Pg 38</b>    |  |
| <b>FI160S</b>       | <b>Spreader .....</b>                      | <b>Pg 38</b>    |  |
| <b>FIABC</b>        | <b>Bucket Chain Ditching Machine .....</b> | <b>Pg 26</b>    |  |
| <b>FIAD300</b>      | <b>Ditcher .....</b>                       | <b>Pg 25</b>    |  |
| <b>FIAD400</b>      | <b>Ditcher .....</b>                       | <b>Pg 25</b>    |  |
| <b>FIAD500</b>      | <b>Ditcher .....</b>                       | <b>Pg 25</b>    |  |

| <b>Model No.</b>   | <b>ITEM</b>                             | <b>Page No.</b> |  |
|--------------------|-----------------------------------------|-----------------|--|
| <b>FIBB5</b>       | <b>Box Blade .....</b>                  | <b>Pg 44</b>    |  |
| <b>FIBB5HD</b>     | <b>Rear Box Blade .....</b>             | <b>Pg 28</b>    |  |
| <b>FIBB6</b>       | <b>Box Blade .....</b>                  | <b>Pg 44</b>    |  |
| <b>FIBB6HD</b>     | <b>Rear Box Blade .....</b>             | <b>Pg 28</b>    |  |
| <b>FIBR15</b>      | <b>Ballast Roller With Spikes .....</b> | <b>Pg 48</b>    |  |
| <b>FIBR18</b>      | <b>Ballast Roller With Spikes .....</b> | <b>Pg 48</b>    |  |
| <b>FIBS1500E</b>   | <b>Bale Spear .....</b>                 | <b>Pg 46</b>    |  |
| <b>FIBS1500HD</b>  | <b>Bale Spear .....</b>                 | <b>Pg 46</b>    |  |
| <b>FIBS1100</b>    | <b>Bale Spear .....</b>                 | <b>Pg 46</b>    |  |
| <b>FIBS2200</b>    | <b>Bale Spear .....</b>                 | <b>Pg 26</b>    |  |
| <b>FIBS2200F</b>   | <b>Bale Spear .....</b>                 | <b>Pg 26</b>    |  |
| <b>FIBS2200FA</b>  | <b>Bale Spear .....</b>                 | <b>Pg 26</b>    |  |
| <b>FIBS3300</b>    | <b>Bale Spear .....</b>                 | <b>Pg 26</b>    |  |
| <b>FIBS3500</b>    | <b>Bale Spear .....</b>                 | <b>Pg 26</b>    |  |
| <b>FICA500</b>     | <b>Carry-All .....</b>                  | <b>Pg 46</b>    |  |
| <b>FICA800</b>     | <b>Carry-All .....</b>                  | <b>Pg 46</b>    |  |
| <b>FICA1200</b>    | <b>Carry-All .....</b>                  | <b>Pg 46</b>    |  |
| <b>FICA1500</b>    | <b>Carry-All .....</b>                  | <b>Pg 46</b>    |  |
| <b>FICA1800</b>    | <b>Carry-All .....</b>                  | <b>Pg 46</b>    |  |
| <b>FICA210HD</b>   | <b>Carry-All .....</b>                  | <b>Pg 30</b>    |  |
| <b>FICAS1220</b>   | <b>Steel Plated Carry-All .....</b>     | <b>Pg 24</b>    |  |
| <b>FICAS1520</b>   | <b>Steel Plated Carry-All .....</b>     | <b>Pg 24</b>    |  |
| <b>FICAS1820</b>   | <b>Steel Plated Carry-All .....</b>     | <b>Pg 24</b>    |  |
| <b>FICAS2500</b>   | <b>Steel Plated Carry-All .....</b>     | <b>Pg 24</b>    |  |
| <b>FICLRA</b>      | <b>Cattle Loading Ramp .....</b>        | <b>Pg 36</b>    |  |
| <b>FICLRF</b>      | <b>Cattle Loading Ramp .....</b>        | <b>Pg 36</b>    |  |
| <b>FICM5</b>       | <b>3 Point Cement Mixer .....</b>       | <b>Pg 39</b>    |  |
| <b>FICSB</b>       | <b>Chain Saw Bench .....</b>            | <b>Pg 128</b>   |  |
| <b>FICULT</b>      | <b>Cultivator .....</b>                 | <b>Pg 46</b>    |  |
| <b>FIDH5</b>       | <b>Disc Harrow .....</b>                | <b>Pg 45</b>    |  |
| <b>FIDH5HD</b>     | <b>Disc Harrow .....</b>                | <b>Pg 45</b>    |  |
| <b>FIEF95</b>      | <b>Flail Mower .....</b>                | <b>Pg 29</b>    |  |
| <b>FIEF125</b>     | <b>Flail Mower .....</b>                | <b>Pg 29</b>    |  |
| <b>FIEF145</b>     | <b>Flail Mower .....</b>                | <b>Pg 29</b>    |  |
| <b>FIEF175</b>     | <b>Flail Mower .....</b>                | <b>Pg 29</b>    |  |
| <b>FIEFAG140</b>   | <b>Flail Mower .....</b>                | <b>Pg 30</b>    |  |
| <b>FIEFAG175</b>   | <b>Flail Mower .....</b>                | <b>Pg 30</b>    |  |
| <b>FIEFAG200</b>   | <b>Flail Mower .....</b>                | <b>Pg 30</b>    |  |
| <b>FIEFAG220</b>   | <b>Flail Mower .....</b>                | <b>Pg 30</b>    |  |
| <b>FIEFAGA140</b>  | <b>Bush Cutter .....</b>                | <b>Pg 28</b>    |  |
| <b>FIEFAGAL145</b> | <b>Bush Cutter .....</b>                | <b>Pg 28</b>    |  |
| <b>FIEFFC120</b>   | <b>Flail Collector .....</b>            | <b>Pg 1, 30</b> |  |
| <b>FIEFFC160</b>   | <b>Flail Collector .....</b>            | <b>Pg 1, 30</b> |  |
| <b>FIEFGC115</b>   | <b>Flail Mower .....</b>                | <b>Pg 29</b>    |  |

| <b>Model No.</b>  | <b>ITEM</b>                                     | <b>Page No.</b> |  |
|-------------------|-------------------------------------------------|-----------------|--|
| <b>FIEFGC165</b>  | <b>Flail Mower .....</b>                        | <b>Pg 29</b>    |  |
| <b>FIEFGC185</b>  | <b>Flail Mower .....</b>                        | <b>Pg 29</b>    |  |
| <b>FIEFGCH135</b> | <b>Flail Mower .....</b>                        | <b>Pg 29</b>    |  |
| <b>FIEFGCH155</b> | <b>Flail Mower .....</b>                        | <b>Pg 29</b>    |  |
| <b>FIEFGCH175</b> | <b>Flail Mower .....</b>                        | <b>Pg 29</b>    |  |
| <b>FIEFGCH185</b> | <b>Flail Mower .....</b>                        | <b>Pg 29</b>    |  |
| <b>FIFATT</b>     | <b>3 Point Linkage Forklift Attach .....</b>    | <b>Pg 36</b>    |  |
| <b>FIFM4</b>      | <b>Finish Mower .....</b>                       | <b>Pg 44</b>    |  |
| <b>FIFM5</b>      | <b>Finish Mower .....</b>                       | <b>Pg 44</b>    |  |
| <b>FIFM6</b>      | <b>Finish Mower .....</b>                       | <b>Pg 44</b>    |  |
| <b>FIGB4HD</b>    | <b>Rear Grader Blade .....</b>                  | <b>Pg 31</b>    |  |
| <b>FIGB5</b>      | <b>Grader Blade .....</b>                       | <b>Pg 45</b>    |  |
| <b>FIGB5HD</b>    | <b>Rear Grader Blade .....</b>                  | <b>Pg 31</b>    |  |
| <b>FIGB5RB</b>    | <b>Grader Blade - With Ripper .....</b>         | <b>Pg 48</b>    |  |
| <b>FIGB6</b>      | <b>Grader Blade .....</b>                       | <b>Pg 45</b>    |  |
| <b>FIGB6HD</b>    | <b>Rear Grader Blade .....</b>                  | <b>Pg 31</b>    |  |
| <b>FIGB6RB</b>    | <b>Grader Blade - With Ripper .....</b>         | <b>Pg 48</b>    |  |
| <b>FILLB5</b>     | <b>Levelling Bars - 5 foot .....</b>            | <b>Pg 48</b>    |  |
| <b>FILLB53P</b>   | <b>Levelling Bars - 5 foot - 3 pt link ....</b> | <b>Pg 34</b>    |  |
| <b>FILLB6</b>     | <b>Levelling Bars - 6 foot .....</b>            | <b>Pg 48</b>    |  |
| <b>FILLB8</b>     | <b>Levelling Bars - 8 foot .....</b>            | <b>Pg 48</b>    |  |
| <b>FILLB83P</b>   | <b>Levelling Bars - 8 foot - 3 pt link ....</b> | <b>Pg 34</b>    |  |
| <b>FILLB103P</b>  | <b>Levelling Bars - 10 foot - 3 pt link ..</b>  | <b>Pg 34</b>    |  |
| <b>FILR5</b>      | <b>Landscraper Rake .....</b>                   | <b>Pg 45</b>    |  |
| <b>FILR5HD</b>    | <b>Rake .....</b>                               | <b>Pg 31</b>    |  |
| <b>FILR6</b>      | <b>Landscraper Rake .....</b>                   | <b>Pg 45</b>    |  |
| <b>FILR6HD</b>    | <b>Landscraper Rake .....</b>                   | <b>Pg 31</b>    |  |
| <b>FILR7</b>      | <b>Landscraper Rake .....</b>                   | <b>Pg 45</b>    |  |
| <b>FILR8</b>      | <b>Landscraper Rake .....</b>                   | <b>Pg 45</b>    |  |
| <b>FIMRB50</b>    | <b>Baler - Mini Round .....</b>                 | <b>Pg 141</b>   |  |
| <b>FIMRB70</b>    | <b>Baler - Mini Round .....</b>                 | <b>Pg 141</b>   |  |
| <b>FIMT</b>       | <b>Mini Tiller .....</b>                        | <b>Pg 43</b>    |  |
| <b>FI65T</b>      | <b>Tiller - 6.5HP .....</b>                     | <b>Pg 43</b>    |  |
| <b>FIPT65</b>     | <b>Power Tiller .....</b>                       | <b>Pg 43</b>    |  |
| <b>FIRM4</b>      | <b>Rotary Mower .....</b>                       | <b>Pg 44</b>    |  |
| <b>FIRM5</b>      | <b>Rotary Mower .....</b>                       | <b>Pg 44</b>    |  |
| <b>FIRM6</b>      | <b>Rotary Mower .....</b>                       | <b>Pg 44</b>    |  |
| <b>FIRP4</b>      | <b>Ripper.....</b>                              | <b>Pg 45</b>    |  |
| <b>FIRP5</b>      | <b>Ripper.....</b>                              | <b>Pg 45</b>    |  |
| <b>FIRP6</b>      | <b>Ripper.....</b>                              | <b>Pg 45</b>    |  |
| <b>FIRP350</b>    | <b>Ripper .....</b>                             | <b>Pg 45</b>    |  |
| <b>FIRP350PL</b>  | <b>Ripper - Pipelaying .....</b>                | <b>Pg 45</b>    |  |
| <b>FIRP500</b>    | <b>Ripper .....</b>                             | <b>Pg 45</b>    |  |
| <b>FIRP500PL</b>  | <b>Ripper - Pipelaying .....</b>                | <b>Pg 45</b>    |  |
| <b>FIRP700</b>    | <b>Ripper .....</b>                             | <b>Pg 45</b>    |  |
| <b>FIRP700PL</b>  | <b>Ripper - Pipelaying .....</b>                | <b>Pg 45</b>    |  |



| <b>Model No.</b> | <b>ITEM</b>                                   | <b>Page No.</b> |  |
|------------------|-----------------------------------------------|-----------------|--|
| <b>FIRT105L</b>  | <b>Rotary Tiller .....</b>                    | <b>Pg 43</b>    |  |
| <b>FIRT125L</b>  | <b>Rotary Tiller .....</b>                    | <b>Pg 43</b>    |  |
| <b>FIRT150HD</b> | <b>Rotary Tiller .....</b>                    | <b>Pg 27</b>    |  |
| <b>FIRT180HD</b> | <b>Rotary Tiller .....</b>                    | <b>Pg 27</b>    |  |
| <b>FIRTL105</b>  | <b>Rotary Tiller .....</b>                    | <b>Pg 27</b>    |  |
| <b>FIRTL115</b>  | <b>Rotary Tiller .....</b>                    | <b>Pg 27</b>    |  |
| <b>FIRTL125</b>  | <b>Rotary Tiller .....</b>                    | <b>Pg 27</b>    |  |
| <b>FIRTL135</b>  | <b>Rotary Tiller .....</b>                    | <b>Pg 27</b>    |  |
| <b>FISB125</b>   | <b>Stone Burrier .....</b>                    | <b>Pg 1, 31</b> |  |
| <b>FISB145</b>   | <b>Stone Burrier .....</b>                    | <b>Pg 1, 31</b> |  |
| <b>FISB165</b>   | <b>Stone Burrier .....</b>                    | <b>Pg 1, 31</b> |  |
| <b>FISC4</b>     | <b>S Cultivator .....</b>                     | <b>Pg 46</b>    |  |
| <b>FISC5</b>     | <b>S Cultivator .....</b>                     | <b>Pg 46</b>    |  |
| <b>FISC6</b>     | <b>S Cultivator .....</b>                     | <b>Pg 46</b>    |  |
| <b>FISH100</b>   | <b>Subsoiler - Single Shank .....</b>         | <b>Pg 47</b>    |  |
| <b>FISH15500</b> | <b>Three Tine Ripper .....</b>                | <b>Pg 28</b>    |  |
| <b>FISCOOP24</b> | <b>3 Point Scoop .....</b>                    | <b>Pg 39</b>    |  |
| <b>FISCOOP30</b> | <b>3 Point Scoop .....</b>                    | <b>Pg 39</b>    |  |
| <b>FITB4H</b>    | <b>Tractor Bucket .....</b>                   | <b>Pg 33</b>    |  |
| <b>FITB5H</b>    | <b>Tractor Bucket .....</b>                   | <b>Pg 33</b>    |  |
| <b>FITB5HX</b>   | <b>Tractor Bucket .....</b>                   | <b>Pg 33</b>    |  |
| <b>FITB6H</b>    | <b>Tractor Bucket .....</b>                   | <b>Pg 33</b>    |  |
| <b>FITB6HX</b>   | <b>Tractor Bucket .....</b>                   | <b>Pg 33</b>    |  |
| <b>FITB7H</b>    | <b>Tractor Bucket .....</b>                   | <b>Pg 33</b>    |  |
| <b>FITB120HD</b> | <b>Carry-All Box .....</b>                    | <b>Pg 24</b>    |  |
| <b>FITB130HD</b> | <b>Carry-All Box .....</b>                    | <b>Pg 24</b>    |  |
| <b>FITB150HD</b> | <b>Carry-All Box .....</b>                    | <b>Pg 24</b>    |  |
| <b>FITT1500</b>  | <b>Trailer .....</b>                          | <b>Pg 24</b>    |  |
| <b>FSC30KIT</b>  | <b>Sewerage Cleaner Attach. - 30mm .....</b>  | <b>Pg 144</b>   |  |
| <b>FUC1000</b>   | <b>Folding Utility Cart .....</b>             | <b>Pg 23</b>    |  |
| <b>GABG01A</b>   | <b>Cast Iron Bridge .....</b>                 | <b>Pg 17</b>    |  |
| <b>GABG03B</b>   | <b>Cast Iron Bridge .....</b>                 | <b>Pg 17</b>    |  |
| <b>GABG04A</b>   | <b>Cast Iron Bridge .....</b>                 | <b>Pg 17</b>    |  |
| <b>GABG05B</b>   | <b>Cast Iron Bridge .....</b>                 | <b>Pg 17</b>    |  |
| <b>GABG06A</b>   | <b>Cast Iron Bridge .....</b>                 | <b>Pg 17</b>    |  |
| <b>GABG07B</b>   | <b>Cast Iron Bridge .....</b>                 | <b>Pg 17</b>    |  |
| <b>GA2200</b>    | <b>Generator Compressor Combination .....</b> | <b>Pg 101</b>   |  |
| <b>GEN123PH</b>  | <b>Generator - 3 Phase .....</b>              | <b>Pg 101</b>   |  |
| <b>GEN12240V</b> | <b>Generator - 10 kva . .....</b>             | <b>Pg 101</b>   |  |
| <b>GEN1500</b>   | <b>Generator - 1500 watts (GEN1501) .....</b> | <b>Pg 101</b>   |  |

| <b>Model No.</b> | <b>ITEM</b>                                      | <b>Page No.</b> |  |
|------------------|--------------------------------------------------|-----------------|--|
| <b>GEN2500A</b>  | <b>Generator - 2500 Watts .....</b>              | <b>Pg 16</b>    |  |
| <b>GEN3PTO10</b> | <b>Generator PTO - 10kva .....</b>               | <b>Pg 23</b>    |  |
| <b>GEN3PTO16</b> | <b>Generator PTO - 16kva .....</b>               | <b>Pg 23</b>    |  |
| <b>GEN3PTO20</b> | <b>Generator PTO - 20kva .....</b>               | <b>Pg 23</b>    |  |
| <b>GEN8000ES</b> | <b>Generator - 8000 watts .....</b>              | <b>PG 101</b>   |  |
| <b>GPA1</b>      | <b>Garden Arches .....</b>                       | <b>PG 51</b>    |  |
| <b>GPA2</b>      | <b>Garden Arches .....</b>                       | <b>PG 51</b>    |  |
| <b>GPA4</b>      | <b>Garden Arches .....</b>                       | <b>Pg 51</b>    |  |
| <b>GPA9</b>      | <b>Garden Arches .....</b>                       | <b>Pg 51</b>    |  |
| <b>GPA10</b>     | <b>Garden Arches .....</b>                       | <b>Pg 51</b>    |  |
| <b>GPA12</b>     | <b>Garden Arches .....</b>                       | <b>Pg 51</b>    |  |
| <b>GPA13</b>     | <b>Garden Arches .....</b>                       | <b>Pg 51</b>    |  |
| <b>GPA16</b>     | <b>Garden Stand .....</b>                        | <b>Pg 52</b>    |  |
| <b>GPA18</b>     | <b>Garden Flower Pot Stand .....</b>             | <b>Pg 52</b>    |  |
| <b>GPA21</b>     | <b>Garden Flower Pot Stand .....</b>             | <b>Pg 52</b>    |  |
| <b>GPA22</b>     | <b>Garden Flower Pot Stand .....</b>             | <b>Pg 52</b>    |  |
| <b>GPA25</b>     | <b>Garden Wheel Cannon Seat .....</b>            | <b>Pg 52</b>    |  |
| <b>GPA28</b>     | <b>Garden Corner Arch with Flower Pots .....</b> | <b>Pg 52</b>    |  |
| <b>Gs5</b>       | <b>Gun Safe - 5 Piece .....</b>                  | <b>PG 132</b>   |  |
| <b>Gs12</b>      | <b>Gun Safe - 12 Piece .....</b>                 | <b>Pg 132</b>   |  |
| <b>Hh1000</b>    | <b>Hired Hand .....</b>                          | <b>Pg 130</b>   |  |
| <b>HHASPD</b>    | <b>Starpost Air Picket Driver - H/D .....</b>    | <b>Pg 41</b>    |  |
|                  | <b>Accessories To Suit:</b>                      |                 |  |
| <b>1</b>         | <b>Steel Trelising Drive Kit .....</b>           | <b>Pg 41</b>    |  |
| <b>2</b>         | <b>Rammer .....</b>                              | <b>Pg 41</b>    |  |
| <b>3</b>         | <b>Point .....</b>                               | <b>Pg 41</b>    |  |
| <b>4</b>         | <b>Chisel .....</b>                              | <b>Pg 41</b>    |  |
| <b>5</b>         | <b>Angle Corner Strainer Drive Kit .....</b>     | <b>Pg 41</b>    |  |
| <b>6</b>         | <b>Round Dive Kit 2"-5" .....</b>                | <b>Pg 41</b>    |  |
| <b>7</b>         | <b>RHS Drive Kit .....</b>                       | <b>Pg 41</b>    |  |
| <b>HHPD24</b>    | <b>Post Driver - Manual .....</b>                | <b>Pg 40</b>    |  |
| <b>HHPD36</b>    | <b>Post Driver - Manual .....</b>                | <b>Pg 40</b>    |  |
| <b>HHPDHD</b>    | <b>Hired Hand - Extra Heavy Duty .....</b>       | <b>Pg 40</b>    |  |
| <b>HPOTR</b>     | <b>Post &amp; Tree Puller - Heavy Duty .....</b> | <b>Pg 40</b>    |  |
| <b>HS-8</b>      | <b>Hand Shear .....</b>                          | <b>Pg 80</b>    |  |
|                  | <b>HSS Blades for HS-8 .....</b>                 | <b>Pg 80</b>    |  |
| <b>HS-12</b>     | <b>Hand Shear .....</b>                          | <b>Pg 80</b>    |  |
|                  | <b>HSS Blades for HS-12 .....</b>                | <b>Pg 80</b>    |  |
| <b>HSKDX</b>     | <b>Holesaw Kit - Deluxe .....</b>                | <b>Pg 90</b>    |  |
| <b>HSKEL</b>     | <b>Holesaw Kit - Electrician's .....</b>         | <b>Pg 90</b>    |  |
| <b>HSKPL</b>     | <b>Holesaw Kit - Plumber's .....</b>             | <b>Pg 90</b>    |  |
| <b>HT10WH</b>    | <b>Pneumatic Wheels - 10" .....</b>              | <b>Pg 129</b>   |  |
| <b>HT13WH</b>    | <b>Pneumatic Wheels - 13" .....</b>              | <b>Pg 129</b>   |  |
| <b>HT16WH</b>    | <b>Pneumatic Wheels - 16" .....</b>              | <b>Pg 129</b>   |  |
| <b>HT16WH1</b>   | <b>Pneumatic Wheels - 1" .....</b>               | <b>Pg 129</b>   |  |
| <b>HT1000C</b>   | <b>Hand Truck .....</b>                          | <b>Pg 131</b>   |  |
| <b>HT1800</b>    | <b>Hand Trolley .....</b>                        | <b>Pg 129</b>   |  |
| <b>HT1805F</b>   | <b>Hand Trolley .....</b>                        | <b>Pg 129</b>   |  |
| <b>HT18SC</b>    | <b>Hand Trolley - Climbing .....</b>             | <b>Pg 129</b>   |  |
| <b>Ht2023</b>    | <b>Hand Trolley .....</b>                        | <b>Pg 129</b>   |  |

| <b>Model No.</b> | <b>ITEM</b>                                           | <b>Page No.</b> |  |
|------------------|-------------------------------------------------------|-----------------|--|
| HT2401           | Hand Trolley .....                                    | Pg 129          |  |
| INTSCA           | Interior Scaffolder .....                             | Pg 139          |  |
| J11001           | Car Rubber Wheel Chock .....                          | Pg 2            |  |
| J11002           | Truck Rubber Wheel Chock .....                        | Pg 2            |  |
| J11003           | Rubber Truck Wheel Chock .....                        | Pg 2            |  |
| J11004           | Orange Car Wheel Chock .....                          | Pg 2            |  |
| J11005           | 3 Hole Cable Protector .....                          | Pg 2            |  |
| J11006           | Reflective Carpark Marker .....                       | Pg 2            |  |
| J11009           | Tethered Wheel Chocks .....                           | Pg 2            |  |
| J11013           | Rubber Tie Down Strap 10" .....                       | Pg 2            |  |
| J11014           | Rubber Tie Down Strap 15" .....                       | Pg 2            |  |
| J11015           | Rubber Tie Down Strap 21" .....                       | Pg 2            |  |
| J11016           | Rubber Tie Down Strap 31" .....                       | Pg 2            |  |
| J11017           | Rubber Tie Down Strap 41" .....                       | Pg 2            |  |
| J11018           | Half Moon Solid Rubber .....                          | Pg 2            |  |
| J11019           | Rubber Wheel Chock .....                              | Pg 2            |  |
| J11020           | Jumbo Wheel Chock .....                               | Pg 2            |  |
| J11220           | Rubber Wheel Chock .....                              | Pg 2            |  |
| JACK6            | Jack to suit press - 6000kg .....                     | Pg 62           |  |
| JACK12           | Jack to suit press - 12 000kg .....                   | Pg 62           |  |
| JACK20           | Jack to suit press - 20 000kg .....                   | Pg 62           |  |
| JACK30           | Jack to suit press - 30 000kg .....                   | Pg 62           |  |
| JIG              | Bench Grinder JIG .....                               | Pg 82           |  |
| LC3550           | Comealong - 2000kg in blow moulded case .....         | Pg 135          |  |
| LC3650           | Comealong - 4000kg in blow moulded case .....         | Pg 135          |  |
| LEDHBL120        | High Bay Light - 120W .....                           | Pg 22,146       |  |
| LEDHBL150        | High Bay Light - 150W .....                           | Pg 22,146       |  |
| LEDHBL212        | High Bay Light - 20,000 Luminous .....                | Pg 22           |  |
| LEDTC            | Flourescent Tube - Clear Colour .....                 | Pg 22,146       |  |
| LEDTP            | Flourescent Tube - Pearl Colour .....                 | Pg 22,146       |  |
| LHJ12            | Air Hydraulic Jack - 12 000kg, 2 Return Springs ..... | Pg 73           |  |
| LHJ20            | Air Hydraulic Jack - 20 000kg, 2 Return Springs ..... | Pg 73           |  |
| LHJ32            | Air Hydraulic Jack - 32 000kg, 2 Return Springs ..... | Pg 73           |  |
| LHJ35            | Air Hydraulic Jack - 35 000kg, 4 Return Springs ..... | Pg 73           |  |
| LHJ50            | Air Hydraulic Jack - 50 000kg, 4 Return Springs ..... | Pg 73           |  |
| LHTJ22           | Air Hydraulic Jack - 22 000kg, Trolley Jack .....     | Pg 73           |  |
| LHTJ30           | Air Hydraulic Trolley Jack - 30 ton .....             | Pg 73           |  |
| LHTJ35           | Air Hydraulic Trolley Jack .....                      | Pg 73           |  |
| LHTJ50           | Air Hydraulic Trolley Jack .....                      | Pg 73           |  |
| LM510A           | Lawn Mower - Hand Push .....                          | Pg 140          |  |
| LMJL             | Lawn Mower Lift Jack .....                            | Pg 25           |  |
| LOCKMORT         | Lock mortising attachment .....                       | Pg 78           |  |
| LS9              | Log Splitter - 9 Ton .....                            | PG 128          |  |
| LS12AH           | Log Splitter - 12 Ton .....                           | PG 127          |  |

| <b>Model No.</b>  | <b>ITEM</b>                                                        | <b>Page No.</b> |  |
|-------------------|--------------------------------------------------------------------|-----------------|--|
| <b>LS14</b>       | <b>Log Splitter (3 Point Hitch) - 14 Ton .....</b>                 | <b>PG 40</b>    |  |
| <b>LS20</b>       | <b>Log Splitter - 20 ton .....</b>                                 | <b>Pg 34</b>    |  |
| <b>LS25</b>       | <b>Log Splitter - 25 ton .....</b>                                 | <b>Pg 34</b>    |  |
| <b>LS30</b>       | <b>Log Splitter - 30 ton .....</b>                                 | <b>Pg 127</b>   |  |
| <b>LS30ES</b>     | <b>Log Splitter - 30 ton - Electric Start .....</b>                | <b>Pg 127</b>   |  |
| <b>LS30KO6</b>    | <b>Log Splitter - With Kohler Engine - 6hp .....</b>               | <b>PG 127</b>   |  |
| <b>LS30KO7</b>    | <b>Log Splitter - With Kohler Engine - 7hp .....</b>               | <b>PG 127</b>   |  |
| <b>LS30KO9.5</b>  | <b>Log Splitter - With Kohler Engine - 9.5hp .....</b>             | <b>PG 127</b>   |  |
| <b>LS30WE</b>     | <b>Log Splitter - Without Engine .....</b>                         | <b>PG 127</b>   |  |
| <b>LS40</b>       | <b>Log Splitter - 40 ton 13 HP .....</b>                           | <b>PG 127</b>   |  |
| <b>LS40ESB</b>    | <b>Log Splitter - 40 ton - Electric Start 13 HP .....</b>          | <b>PG 127</b>   |  |
| <b>LS50</b>       | <b>Log Splitter - 50 ton .....</b>                                 | <b>Pg 34</b>    |  |
| <b>LSC</b>        | <b>Log Splitter Cover .....</b>                                    | <b>Pg 34</b>    |  |
| <b>M30060F</b>    | <b>Spade .....</b>                                                 | <b>Pg 89</b>    |  |
| <b>M-300137</b>   | <b>Points: Suit Hitachi PH65SA &amp; Ph65 - 375mm .....</b>        | <b>Pg 89</b>    |  |
| <b>M-300141</b>   | <b>Points: Suit Hitachi PH65SA &amp; Ph65 - 410mm .....</b>        | <b>Pg 89</b>    |  |
| <b>M-300146</b>   | <b>Points: Suit Hitachi PH65SA &amp; Ph65 - 460mm .....</b>        | <b>Pg 89</b>    |  |
| <b>M-300155</b>   | <b>Points: Suit Hitachi PH65SA &amp; Ph65 - 550mm .....</b>        | <b>Pg 89</b>    |  |
| <b>M-300237</b>   | <b>Chisel - Suit Hitachi PH65SA &amp; Ph65 - 375mm/30mm .....</b>  | <b>Pg 89</b>    |  |
| <b>M-300241</b>   | <b>Chisel - Wide Scaling - 410mm, 50mm .....</b>                   | <b>Pg 89</b>    |  |
| <b>M-300246</b>   | <b>Chisel - Suit Hitachi PH65SA &amp; Ph65 - 465mm /30mm .....</b> | <b>Pg 89</b>    |  |
| <b>M-300255</b>   | <b>Chisel - Wide Scaling - 410mm, 50mm .....</b>                   | <b>Pg 89</b>    |  |
| <b>M-300341</b>   | <b>Chisel - Wide Scaling - 410mm, 50mm .....</b>                   | <b>Pg 89</b>    |  |
| <b>M-300545</b>   | <b>Spades (Hitachi) .....</b>                                      | <b>Pg 89</b>    |  |
| <b>MBB30</b>      | <b>Sheet-Metal Bending Brake .....</b>                             | <b>Pg 79</b>    |  |
| <b>MC142500A</b>  | <b>Metal Cut Off Saw - 14" .....</b>                               | <b>Pg 81</b>    |  |
| <b>MC142500AW</b> | <b>Metal Cut Off Saw - 14" - With 10 extra wheels .....</b>        | <b>Pg 81</b>    |  |
| <b>MC16BD</b>     | <b>Cutting Saw .....</b>                                           | <b>Pg 22</b>    |  |
| <b>MC16BD3</b>    | <b>Cutting Saw - 3 Phase .....</b>                                 | <b>Pg 22</b>    |  |
| <b>MIX1600</b>    | <b>Stirrer- 1600W .....</b>                                        | <b>Pg 90</b>    |  |
| <b>MIXSCA16</b>   | <b>Stirrer- Chuck &amp; Arbor .....</b>                            | <b>Pg 90</b>    |  |
| <b>MIXST120</b>   | <b>Stirring blade - 120mm .....</b>                                | <b>Pg 90</b>    |  |
| <b>MIXST140</b>   | <b>Stirring blade - 140mm .....</b>                                | <b>Pg 90</b>    |  |
| <b>MIXST160</b>   | <b>Stirring blade - 160mm .....</b>                                | <b>Pg 90</b>    |  |
| <b>MIXSTLESS</b>  | <b>Stirring blade - Stainless Steel .....</b>                      | <b>Pg 90</b>    |  |
| <b>MSUALM</b>     | <b>Aluminium Universal Mitre Saw Stand .....</b>                   | <b>Pg 77</b>    |  |
| <b>P4P10A</b>     | <b>Angle Plug - 4 Pin 10 Amp .....</b>                             | <b>Pg 97</b>    |  |
| <b>P4P10ASP</b>   | <b>Straight Plug - 4 Pin 10 Amp .....</b>                          | <b>Pg 97</b>    |  |
| <b>P4P20A</b>     | <b>Angle Plug - 4 Pin 20 Amp .....</b>                             | <b>Pg 97</b>    |  |
| <b>P4P20ASP</b>   | <b>Straight Plug - 4 Pin 20 Amp .....</b>                          | <b>Pg 97</b>    |  |
| <b>P4P32A</b>     | <b>Angle Plug - 4 Pin 32 Amp .....</b>                             | <b>Pg 97</b>    |  |
| <b>P4P32ASP</b>   | <b>Straight Plug - 4 Pin 32 Amp .....</b>                          | <b>Pg 97</b>    |  |
| <b>P4P63A</b>     | <b>63 Amp Male Plug - 4 Pin .....</b>                              | <b>Pg 20</b>    |  |
| <b>P5P10A</b>     | <b>Angle Plug - 5 Pin 10 Amp .....</b>                             | <b>Pg 97</b>    |  |
| <b>P5P10ASP</b>   | <b>Straight Plug - 5 Pin 10 Amp .....</b>                          | <b>Pg 97</b>    |  |
| <b>P5P20A</b>     | <b>Angle Plug - 5 Pin 20 Amp .....</b>                             | <b>Pg 97</b>    |  |
| <b>P5P20ASP</b>   | <b>Straight Plug - 5 Pin 20 Amp .....</b>                          | <b>Pg 97</b>    |  |
| <b>P5P32A</b>     | <b>Angle Plug - 5 Pin 32 Amp .....</b>                             | <b>Pg 97</b>    |  |

| <b>Model No.</b> | <b>ITEM</b>                                         | <b>Page No.</b> |  |
|------------------|-----------------------------------------------------|-----------------|--|
| <b>P5P32ASP</b>  | <b>Straight Plug - 5 Pin 32 Amp .....</b>           | <b>Pg 97</b>    |  |
| <b>P5P63A</b>    | <b>63 Amp Male Plug - 5 Pin .....</b>               | <b>Pg 20</b>    |  |
| <b>PBSL150SB</b> | <b>Plaster Board Sheet Lifter .....</b>             | <b>Pg 139</b>   |  |
| <b>PDPT535</b>   | <b>Trolley Sprayer .....</b>                        | <b>Pg 108</b>   |  |
| <b>PDSP</b>      | <b>Petrol Driven General Purpose Sprayer .....</b>  | <b>Pg 108</b>   |  |
| <b>PFMW</b>      | <b>Penny Farthing Magic Wheel .....</b>             | <b>Pg 131</b>   |  |
| <b>PHD25</b>     | <b>Hydraulic Auger .....</b>                        | <b>Pg 50</b>    |  |
| <b>PHD50</b>     | <b>Hydraulic Auger .....</b>                        | <b>Pg 50</b>    |  |
| <b>PHD75HD</b>   | <b>Hydraulic Auger - Heavy Duty .....</b>           | <b>Pg 50</b>    |  |
| <b>PHD75M</b>    | <b>Hydraulic Auger - Super Heavy Duty .....</b>     | <b>Pg 50</b>    |  |
| <b>PHDA6</b>     | <b>150mm dia auger to suit PHD45 &amp; 75 .....</b> | <b>Pg 50</b>    |  |
| <b>PHDA9</b>     | <b>220mm dia auger to suit PHD45 &amp; 75 .....</b> | <b>Pg 50</b>    |  |
| <b>PHDA12</b>    | <b>300mm dia auger to suit PHD45 &amp; 75 .....</b> | <b>Pg 50</b>    |  |
| <b>PHDA14</b>    | <b>350mm dia auger to suit PHD45 &amp; 75 .....</b> | <b>Pg 50</b>    |  |
| <b>PHDA18</b>    | <b>450mm dia auger to suit PHD45 &amp; 75 .....</b> | <b>Pg 50</b>    |  |
| <b>PHDA20</b>    | <b>500mm dia auger to suit PHD45 &amp; 75 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD233A</b>   | <b>Earth Auger - 1 Man .....</b>                    | <b>Pg 50</b>    |  |
|                  | <b>Supplied with 3 augers:100, 150, 200 dia</b>     |                 |  |
|                  | <b>Also available separately:</b>                   |                 |  |
| <b>PHD233100</b> | <b>100mm dia auger .....</b>                        | <b>Pg 50</b>    |  |
| <b>PHD233150</b> | <b>150mm dia auger .....</b>                        | <b>Pg 50</b>    |  |
| <b>PHD233200</b> | <b>200mm dia auger .....</b>                        | <b>Pg 50</b>    |  |
| <b>PHD500</b>    | <b>Earth Auger - 2 Man .....</b>                    | <b>Pg 50</b>    |  |
| <b>PHD501A</b>   | <b>320mm dia x 500mm auger to suit PHD500 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD502A</b>   | <b>320mm dia x 250mm auger to suit PHD500 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD503A</b>   | <b>200mm dia x 300mm auger to suit PHD500 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD504A</b>   | <b>400mm dia x 740mm auger to suit PHD500 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD505A</b>   | <b>150mm dia x 780mm auger to suit PHD500 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD506A</b>   | <b>200mm dia x 600mm auger to suit PHD500 .....</b> | <b>Pg 50</b>    |  |
| <b>PHD1000A</b>  | <b>Earth Auger - With 5 Augers .....</b>            | <b>Pg 50</b>    |  |
| <b>PHD101A</b>   | <b>5" auger to suit PHD1000 .....</b>               | <b>Pg 50</b>    |  |
| <b>PHD102A</b>   | <b>6" auger to suit PHD1000 .....</b>               | <b>Pg 50</b>    |  |
| <b>PHD103A</b>   | <b>8" auger to suit PHD1000 .....</b>               | <b>Pg 50</b>    |  |
| <b>PHD104A</b>   | <b>10" auger to suit PHD1000 .....</b>              | <b>Pg 50</b>    |  |
| <b>PHD105A</b>   | <b>12" auger to suit PHD1000 .....</b>              | <b>Pg 50</b>    |  |
| <b>PIF1/2"</b>   | <b>Former - Imperial: 1/2" .....</b>                | <b>Pg 83</b>    |  |
| <b>PIF3/4"</b>   | <b>Former - Imperial:3/4" .....</b>                 | <b>Pg 83</b>    |  |
| <b>PIF1"</b>     | <b>Former - Imperial:1" .....</b>                   | <b>Pg 83</b>    |  |
| <b>PIF1-1/4"</b> | <b>Former - Imperial:1 1/4" .....</b>               | <b>Pg 83</b>    |  |
| <b>PIF1-1/2"</b> | <b>Former - Imperial:1 1/2 " .....</b>              | <b>Pg 83</b>    |  |
| <b>PIF2"</b>     | <b>Former - Imperial:2" .....</b>                   | <b>Pg 83</b>    |  |
| <b>PIF2-1/2"</b> | <b>Former - Imperial:2 1/2" .....</b>               | <b>Pg 83</b>    |  |
| <b>PIF3"</b>     | <b>Former - Imperial: 3" .....</b>                  | <b>Pg 83</b>    |  |
| <b>PIHM4C</b>    | <b>Hydraulic Pipe Bender .....</b>                  | <b>Pg 87</b>    |  |
| <b>PIPE12</b>    | <b>Pipe Bender - 12 000kg .....</b>                 | <b>Pg 83</b>    |  |
| <b>PIPE12AIR</b> | <b>Pipe Bender - 12 000kg Air Hydraulic .....</b>   | <b>Pg 83</b>    |  |
| <b>PIPE16</b>    | <b>Pipe Bender - 16 000kg .....</b>                 | <b>Pg 83</b>    |  |
| <b>PIPE16AIR</b> | <b>Pipe Bender - 16 000kg Air Hydraulic .....</b>   | <b>Pg 83</b>    |  |

| <b>Model No.</b>     | <b>ITEM</b>                                              | <b>Page No.</b>      |  |
|----------------------|----------------------------------------------------------|----------------------|--|
| <b>PIPEFORM12I</b>   | <b>6-piece Imperial formers - suits PIPE12/AIR .....</b> | <b>Pg 83</b>         |  |
| <b>PIPEFORM12M</b>   | <b>6-piece Metric formers - suits PIPE12/AIR .....</b>   | <b>Pg 83</b>         |  |
| <b>PIPEFORM12DT</b>  | <b>Deep throat formers to suit PIPE12 .....</b>          | <b>Pg 83</b>         |  |
| <b>PIPEFORM16I</b>   | <b>8-piece imperial formers - suits PIPE16/AIR .....</b> | <b>Pg 83</b>         |  |
| <b>PIPEFORM16M</b>   | <b>8-piece Metric formers - suits PIPE16/AIR .....</b>   | <b>Pg 83</b>         |  |
| <b>PIPEFORM16DT</b>  | <b>Deep throat formers to suit PIPE16 .....</b>          | <b>Pg 83</b>         |  |
| <b>PIPE12J</b>       | <b>Jack For Bipe Bender To Suit 12 000kg .....</b>       | <b>Pg 83</b>         |  |
| <b>PIPE16J</b>       | <b>Jack For Bipe Bender To Suit 16 000kg .....</b>       | <b>Pg 83</b>         |  |
| <b>PIPE1TS</b>       | <b>Square &amp; Round Tube Bender .....</b>              | <b>Pg 79</b>         |  |
| <b>PMF15mm</b>       | <b>Former - Metric: 15mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF20mm</b>       | <b>Former - Metric: 20mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF25mm</b>       | <b>Former - Metric: 25mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF32mm</b>       | <b>Former - Metric: 32mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF40mm</b>       | <b>Former - Metric: 40mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF50mm</b>       | <b>Former - Metric: 50mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF62mm</b>       | <b>Former - Metric: 62mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMF75mm</b>       | <b>Former - Metric: 75mm .....</b>                       | <b>Pg 83</b>         |  |
| <b>PMP100</b>        | <b>Pallet Mill Press Machine .....</b>                   | <b>Pg 32</b>         |  |
| <b>PP4PH</b>         | <b>Porta Power - pump &amp; hose .....</b>               | <b>Pg 61</b>         |  |
| <b>PP4R</b>          | <b>Porta Power - spare ram .....</b>                     | <b>Pg 61</b>         |  |
| <b>PP10PH</b>        | <b>Porta Power - pump &amp; hose .....</b>               | <b>Pg 61</b>         |  |
| <b>PP10R</b>         | <b>Porta Power - spare ram .....</b>                     | <b>Pg 61</b>         |  |
| <b>PPB</b>           | <b>Polishing Pad - blue light cut .....</b>              | <b>Pg 91</b>         |  |
| <b>PPBL</b>          | <b>Polishing Pad - black final finish .....</b>          | <b>Pg 91</b>         |  |
| <b>PPG</b>           | <b>Polishing Pad - green soft polish .....</b>           | <b>Pg 91</b>         |  |
| <b>PPO</b>           | <b>Polishing Pad - orange medium cut .....</b>           | <b>Pg 91</b>         |  |
| <b>PPOW4</b>         | <b>Porta Power - 4000kg .....</b>                        | <b>Pg 61</b>         |  |
| <b>PPOW10T</b>       | <b>Porta Power - 10 000kg in trolley case .....</b>      | <b>Pg 61</b>         |  |
| <b>PPOW15</b>        | <b>Porta Power - 15 ton .....</b>                        | <b>Pg 7</b>          |  |
| <b>PPOW20</b>        | <b>Porta Power - 20 ton .....</b>                        | <b>Pg 7</b>          |  |
| <b>PPOW20T</b>       | <b>Porta Power - 20 ton In Trolley .....</b>             | <b>Pg 7</b>          |  |
| <b>PPOW100</b>       | <b>Porta Power - 10 ton in standard case .....</b>       | <b>Pg 61</b>         |  |
| <b>PPR</b>           | <b>Polishing Pad - red heavy cut .....</b>               | <b>Pg 91</b>         |  |
| <b>PPV</b>           | <b>Polishing Pad - velcro base plate .....</b>           | <b>Pg 91</b>         |  |
| <b>PPW</b>           | <b>Polishing Pad - wool .....</b>                        | <b>Pg 91</b>         |  |
| <b>PPWDS</b>         | <b>Pol. Pad - Double sided Lamb wool .....</b>           | <b>Pg 91</b>         |  |
| <b>PRESS6T</b>       | <b>Shop Press - 6000kg H Frame .....</b>                 | <b>Pg 62, 64</b>     |  |
| <b>PRESS12T</b>      | <b>Shop Press - 12 000kg H Frame .....</b>               | <b>Pg 62, 64</b>     |  |
| <b>PRESS20T</b>      | <b>Shop Press - 20 000kg H Frame .....</b>               | <b>Pg 62, 64</b>     |  |
| <b>PRESS20TAIR</b>   | <b>Shop Press - Air Hydraulic .....</b>                  | <b>Pg 63, 62, 64</b> |  |
| <b>PRESS20HD</b>     | <b>Shop Press - 20 000kg H Frame (Heavy Duty) .....</b>  | <b>Pg 62, 64</b>     |  |
| <b>PRESS30T</b>      | <b>Shop Press - 30 000kg H Frame .....</b>               | <b>Pg 62, 63, 64</b> |  |
| <b>PRESS30THD</b>    | <b>Shop Press - 30 000kg H Frame (Heavy Duty) .....</b>  | <b>Pg 62, 64</b>     |  |
| <b>PRESS30THDA</b>   | <b>Shop Press - 30 000kg H Frame (HD) ...</b>            | <b>Pg 21, 64</b>     |  |
| <b>PRESS50THD</b>    | <b>Shop Press - 50 000kg H Frame(Heavy Duty) .....</b>   | <b>Pg 62, 64</b>     |  |
| <b>PRESS50THDELC</b> | <b>Shop Press - Electric Hydraulic .....</b>             | <b>Pg 63</b>         |  |
| <b>PRESS75THDAIR</b> | <b>Shop Press - 75 000kg Air Hydraulic (HD) .....</b>    | <b>Pg 63</b>         |  |

| <b>Model No.</b>     | <b>ITEM</b>                                                  | <b>Page No.</b>  |  |
|----------------------|--------------------------------------------------------------|------------------|--|
| <b>PRESS75THDELC</b> | <b>Shop Press - Electric Hydraulic .....</b>                 | <b>Pg 63</b>     |  |
| <b>PRESSA20QA</b>    | <b>Shop Press - Quick Action .....</b>                       | <b>Pg 65, 66</b> |  |
| <b>PRESSA30QA</b>    | <b>Shop Press - Quick Action .....</b>                       | <b>Pg 65, 66</b> |  |
| <b>PRESSA60QA</b>    | <b>Shop Press - Quick Action .....</b>                       | <b>Pg 65, 66</b> |  |
| <b>PSMB</b>          | <b>Portable Bending Machine .....</b>                        | <b>Pg 143</b>    |  |
| <b>PSMR</b>          | <b>Portable Rolling Machine .....</b>                        | <b>Pg 143</b>    |  |
| <b>PT10DSHD</b>      | <b>Blade Sharpener - Electric .....</b>                      | <b>Pg 93</b>     |  |
| <b>PT10GFG</b>       | <b>Gas Gun .....</b>                                         | <b>Pg 93</b>     |  |
| <b>PT10GP</b>        | <b>Gas Gun - Gas Pack .....</b>                              | <b>Pg 93</b>     |  |
| <b>PT10MKIT</b>      | <b>Uncle Bill's Drill Attach. ....</b>                       | <b>Pg 93</b>     |  |
| <b>PT10MS</b>        | <b>Multi Drill &amp; Blade Sharpener .....</b>               | <b>Pg 90</b>     |  |
| <b>PT1032</b>        | <b>Magnetic Drill Press - 1300W .....</b>                    | <b>Pg 88</b>     |  |
| <b>PT1049</b>        | <b>Magnetic Drill Press - 1350W .....</b>                    | <b>Pg 88</b>     |  |
| <b>PT10CA</b>        | <b>Chuck adaptor to suit Pt1032 &amp; Pt1049 .....</b>       | <b>Pg 88</b>     |  |
| <b>Pt1000</b>        | <b>Impact Wrench - 18 Volt .....</b>                         | <b>Pg 88</b>     |  |
| <b>PT1000A</b>       | <b>Battery To Suit PT1000 .....</b>                          | <b>Pg 88</b>     |  |
| <b>PT10SBS</b>       | <b>Saw Blade Sharpener .....</b>                             | <b>Pg 78</b>     |  |
| <b>PT2100</b>        | <b>Backpack Vacuum .....</b>                                 | <b>Pg 140</b>    |  |
| <b>PT2230</b>        | <b>Vacuum Cleaners - 2000W .....</b>                         | <b>Pg 140</b>    |  |
| <b>PT2250P</b>       | <b>Vacuum Cleaner - 240 Volt .....</b>                       | <b>Pg 140</b>    |  |
| <b>PT3000</b>        | <b>Metal-Cutting Electric Shear .....</b>                    | <b>Pg 92</b>     |  |
| <b>PT3025</b>        | <b>Nibbler .....</b>                                         | <b>Pg 88</b>     |  |
| <b>PT3040</b>        | <b>Nibbler .....</b>                                         | <b>Pg 88</b>     |  |
| <b>PT30NIB</b>       | <b>Nibbler Attachment .....</b>                              | <b>Pg 88</b>     |  |
| <b>PT3400D</b>       | <b>Petrol Powered Core Drill - 13HP .....</b>                | <b>Pg 23</b>     |  |
| <b>PT3450</b>        | <b>Large Core Drill .....</b>                                | <b>Pg 92</b>     |  |
| <b>PT3505</b>        | <b>Diamond Core Drill .....</b>                              | <b>Pg 92</b>     |  |
| <b>PT350A</b>        | <b>Universal Core Drill Adaptor .....</b>                    | <b>Pg 92</b>     |  |
| <b>PT350KIT</b>      | <b>Diamond Core Drill Kit .....</b>                          | <b>Pg 92</b>     |  |
| <b>PT350ST</b>       | <b>Core Drill Stand .....</b>                                | <b>Pg 92</b>     |  |
| <b>PT3816</b>        | <b>Petrol Chainsaw .....</b>                                 | <b>Pg 14</b>     |  |
| <b>Pt4100</b>        | <b>Variable Speed Polisher .....</b>                         | <b>Pg 91</b>     |  |
| <b>PT4200</b>        | <b>Miller's Falls Cordless Dry Wall Screwdriver .....</b>    | <b>Pg 91</b>     |  |
| <b>Pt4300</b>        | <b>Jack Hammer With Drilling .....</b>                       | <b>Pg 89</b>     |  |
| <b>PT4370</b>        | <b>Jack Hammer (HD) Demolition .....</b>                     | <b>Pg 89</b>     |  |
| <b>PT43SP</b>        | <b>Petrol Jack Hammer &amp; Star Picket .....</b>            | <b>Pg 15</b>     |  |
| <b>Pt4500</b>        | <b>5" Angle Grinder .....</b>                                | <b>Pg 91</b>     |  |
| <b>PT45VC</b>        | <b>5" Angle Grinder .....</b>                                | <b>Pg 91</b>     |  |
| <b>Pt4900</b>        | <b>Angle Grinder.....</b>                                    | <b>Pg 91</b>     |  |
| <b>PT4999</b>        | <b>Petrol Demolition Saw With Blade .....</b>                | <b>Pg 79</b>     |  |
| <b>PT4999DB</b>      | <b>Petrol Demolition Diamond blade .....</b>                 | <b>Pg 79</b>     |  |
| <b>PT4999WA</b>      | <b>Petrol Demolition Saw With blade &amp; Water Att.....</b> | <b>Pg 79</b>     |  |
| <b>PT5500</b>        | <b>Petrol Driven Powertool - 125mm Angle Grinder .....</b>   | <b>Pg 91</b>     |  |
| <b>PT5900</b>        | <b>Petrol Driven Angle Grinder .....</b>                     | <b>Pg 91</b>     |  |
| <b>PT6000</b>        | <b>Door Jamb Saw .....</b>                                   | <b>Pg 93</b>     |  |
| <b>PT60CSA</b>       | <b>Electric Chain Saw Sharpener .....</b>                    | <b>Pg 15</b>     |  |
| <b>PT60CSBL</b>      | <b>Electric Chain Saw Sharpener Blade .....</b>              | <b>Pg 15</b>     |  |
| <b>PT65CS12V</b>     | <b>12V Chain Saw Sharpener .....</b>                         | <b>Pg 93</b>     |  |
| <b>PT65CS12VBL</b>   | <b>12V Chain Saw Sharpener - Blade .....</b>                 | <b>Pg 93</b>     |  |

| <b>Model No.</b>  | <b>ITEM</b>                                                  | <b>Page No.</b>  |  |
|-------------------|--------------------------------------------------------------|------------------|--|
| <b>PT6913A</b>    | <b>Multi-task Sharpener .....</b>                            | <b>Pg 15,146</b> |  |
| <b>PT80015</b>    | <b>Rotary Hammer (Miller's Fall) .....</b>                   | <b>Pg 88</b>     |  |
| <b>PT9400</b>     | <b>Miller's Fall Dry Cutter .....</b>                        | <b>Pg 87</b>     |  |
| <b>PT9400B</b>    | <b>Blade to suit PT9400 .....</b>                            | <b>Pg 87</b>     |  |
| <b>PT9435A</b>    | <b>Jepson Super Dry Cutter .....</b>                         | <b>Pg 81</b>     |  |
| <b>PT9435ABLD</b> | <b>Blade to suit PT94035A .....</b>                          | <b>Pg 81</b>     |  |
| <b>PTA144</b>     | <b>Universal Drill Bit Set .....</b>                         | <b>Pg 89</b>     |  |
| <b>PUMP</b>       | <b>Parts Washer - Multi Circulative Pump .....</b>           | <b>Pg 71</b>     |  |
| <b>PW2HP</b>      | <b>Pressure Washer (small) .....</b>                         | <b>Pg 110</b>    |  |
| <b>PW13HP</b>     | <b>Pressure Washer - 13 HP .....</b>                         | <b>Pg 110</b>    |  |
| <b>PW65HP</b>     | <b>Pressure Washer .....</b>                                 | <b>Pg 110</b>    |  |
| <b>PW3.5</b>      | <b>Parts Washer - 3.5 Gallon .....</b>                       | <b>Pg 71</b>     |  |
| <b>PW20</b>       | <b>Parts Washer - 20 Gallon With Stand .....</b>             | <b>Pg 71</b>     |  |
| <b>PW40</b>       | <b>Parts Washer - 40 Gallon With Stand .....</b>             | <b>Pg 71</b>     |  |
| <b>PWBRUSH</b>    | <b>Parts Washer - Cleaning Brush .....</b>                   | <b>Pg 71</b>     |  |
| <b>QDE6ES</b>     | <b>Diesel Engine - 6HP .....</b>                             | <b>Pg 104</b>    |  |
| <b>QDE10ES</b>    | <b>Diesel Engine - 10HP .....</b>                            | <b>Pg 104</b>    |  |
| <b>QDE25HP</b>    | <b>Diesel Engine - 25HP .....</b>                            | <b>Pg 103</b>    |  |
| <b>QDE30HP</b>    | <b>Diesel Engine - 30HP .....</b>                            | <b>Pg 103</b>    |  |
| <b>QDE45</b>      | <b>Diesel Engine - 4.5HP .....</b>                           | <b>Pg 104</b>    |  |
| <b>QDE45HP</b>    | <b>Diesel Engine - 45HP .....</b>                            | <b>Pg 103</b>    |  |
| <b>QPE9</b>       | <b>Petrol Engine- 9HP .....</b>                              | <b>Pg 102</b>    |  |
| <b>QPE9ES</b>     | <b>Petrol Engine - 9 HP - Electric Start .....</b>           | <b>Pg 102</b>    |  |
| <b>QPE13</b>      | <b>Petrol Engine- 13HP .....</b>                             | <b>Pg 102</b>    |  |
| <b>QPE13ES</b>    | <b>Petrol Engine - 13HP - Electric Start .....</b>           | <b>Pg 102</b>    |  |
| <b>QPE16</b>      | <b>Petrol Engine - 16 HP .....</b>                           | <b>Pg 102</b>    |  |
| <b>QPE16ES</b>    | <b>Petrol Engine - 16 HP- Electric Start .....</b>           | <b>Pg 103</b>    |  |
| <b>QPE20ES</b>    | <b>Petrol Engine - 20 HP - Electric Start.....</b>           | <b>Pg 103</b>    |  |
| <b>QPE25ES</b>    | <b>Petrol Engine - 25 HP - Electric Start .....</b>          | <b>Pg 103</b>    |  |
| <b>QPE55</b>      | <b>Petrol Engine- 5.5 HP .....</b>                           | <b>Pg 102</b>    |  |
| <b>QPE5565R</b>   | <b>Centrifugal Reduction Box .....</b>                       | <b>Pg 103</b>    |  |
| <b>QPE55ES</b>    | <b>Petrol Engine - 5.5 HP Electric Start .....</b>           | <b>Pg 102</b>    |  |
| <b>QPE55R</b>     | <b>Petrol Engine - Reduction Box .....</b>                   | <b>Pg 103</b>    |  |
| <b>QPE65</b>      | <b>Petrol Engine- 6.5 HP .....</b>                           | <b>Pg 102</b>    |  |
| <b>QPE65ES</b>    | <b>Petrol Engine - 6.5 HP Electric Start .....</b>           | <b>Pg 102</b>    |  |
| <b>QPE65R</b>     | <b>Petrol Engine - Reduction Box .....</b>                   | <b>Pg 103</b>    |  |
| <b>QPE9R</b>      | <b>Petrol Engine - Reduction Box .....</b>                   | <b>Pg 103</b>    |  |
| <b>QPVS55</b>     | <b>Vertical Shaft Engine .....</b>                           | <b>Pg 111</b>    |  |
| <b>QPVS65</b>     | <b>Vertical Shaft Engine .....</b>                           | <b>Pg 111</b>    |  |
| <b>QPVS13ES</b>   | <b>13HP Vertical Shaft Engine -<br/>electric start .....</b> | <b>Pg 111</b>    |  |
| <b>QPVS16ES</b>   | <b>Vertical Shaft Engine - electric start .....</b>          | <b>Pg 111</b>    |  |
| <b>QPVS25ES</b>   | <b>Vertical Shaft Engine - electric start .....</b>          | <b>Pg 111</b>    |  |
| <b>QPW3000</b>    | <b>Petrol Engine Powered Winch .....</b>                     | <b>Pg 49</b>     |  |
| <b>QWCP552</b>    | <b>Petrol Driven Chemical Pump .....</b>                     | <b>Pg 106</b>    |  |
| <b>QWD452</b>     | <b>Water Pump (Diesel) - 2" .....</b>                        | <b>Pg 107</b>    |  |
| <b>QWD63ESA</b>   | <b>Water Pump (Diesel) - 3" .....</b>                        | <b>Pg 107</b>    |  |
| <b>QWD104ESA</b>  | <b>Water Pump (Diesel) - 4" .....</b>                        | <b>Pg 107</b>    |  |
| <b>QWE1HP</b>     | <b>Water Pump .....</b>                                      | <b>Pg 21</b>     |  |
| <b>QWE75</b>      | <b>Water Pump .....</b>                                      | <b>Pg 109</b>    |  |
| <b>QWE7570</b>    | <b>Water Pump With Control Valve .....</b>                   | <b>Pg 109</b>    |  |



| <b>Model No.</b> | <b>ITEM</b>                                          | <b>Page No.</b>   |  |
|------------------|------------------------------------------------------|-------------------|--|
| <b>QWEH160</b>   | <b>Electric Pump .....</b>                           | <b>Pg 109</b>     |  |
| <b>QWELP35</b>   | <b>Electric Pump .....</b>                           | <b>Pg 109</b>     |  |
| <b>QWELP40</b>   | <b>Electric Pump .....</b>                           | <b>Pg 109</b>     |  |
| <b>QWEO560</b>   | <b>Water Pump .....</b>                              | <b>Pg 109</b>     |  |
| <b>QWEPV10</b>   | <b>Pump Control Valve .....</b>                      | <b>Pg 109</b>     |  |
| <b>QWFK20M</b>   | <b>20 Mtrs 3/4" Firefighting Hose</b>                |                   |  |
|                  | <b>With Brass Fittings .....</b>                     | <b>Pg 106</b>     |  |
| <b>QWFK40M</b>   | <b>40 Mtrs 3/4" Firefighting Hose</b>                |                   |  |
|                  | <b>With Brass Fittings .....</b>                     | <b>Pg 106</b>     |  |
| <b>QWFKIT</b>    | <b>Firefighting Kit .....</b>                        | <b>Pg 104</b>     |  |
| <b>QWPE11</b>    | <b>Water Transfer Pump (Petrol) - 1" .....</b>       | <b>Pg 108</b>     |  |
| <b>QWPE84</b>    | <b>Water Pump (Petrol) - 4" 8HP .....</b>            | <b>Pg 107</b>     |  |
| <b>QWPE42</b>    | <b>Water Pump (Petrol) - 4HP .....</b>               | <b>Pg 107</b>     |  |
| <b>QWPE4S11</b>  | <b>Water Pump - 4 Stroke 1" .....</b>                | <b>Pg 106</b>     |  |
| <b>QWPE4S15</b>  | <b>Water Pump - 4 Stroke 1-1/2" .....</b>            | <b>Pg 106</b>     |  |
| <b>QWPE553</b>   | <b>Water Pump (Petrol) - 5.5HP .....</b>             | <b>Pg 107</b>     |  |
| <b>QWPE55FX</b>  | <b>Flexible Drive Water Pump .....</b>               | <b>Pg 106</b>     |  |
| <b>QWPE1515</b>  | <b>Water Pump - 1.5HP .....</b>                      | <b>Pg 108</b>     |  |
| <b>QWPF652</b>   | <b>Firefighting Pump .....</b>                       | <b>Pg 105</b>     |  |
| <b>QWPF65M</b>   | <b>Firefighting Pump On Trolley .....</b>            | <b>Pg 104</b>     |  |
| <b>QWPFT6515</b> | <b>Firefighting Pump - Twin Impeller .....</b>       | <b>Pg 105</b>     |  |
| <b>QWTP653</b>   | <b>Trash Pump .....</b>                              | <b>Pg 105</b>     |  |
| <b>RAM3SF</b>    | <b>Jack - 3000kg Flat &amp; swivel Base .....</b>    | <b>Pg 72</b>      |  |
| <b>RAM8SF</b>    | <b>Jack - 8000kg Flat &amp; swivel Base .....</b>    | <b>Pg 72</b>      |  |
| <b>RAM12SF</b>   | <b>Jack - 12 000kg Flat &amp; swivel Base .....</b>  | <b>Pg 72</b>      |  |
| <b>RAMAIR8</b>   | <b>Long Ram to suit 8 Ton to suit CR2TFAIR .....</b> | <b>Pg 67, 72</b>  |  |
| <b>RAMIS</b>     | <b>Engine Crane Ram to suit CRANE1000 .....</b>      | <b>Pg 68</b>      |  |
| <b>RAMP4500</b>  | <b>Container Ramp cap. 4500kgs .....</b>             | <b>Pg 126</b>     |  |
| <b>RAMPS6060</b> | <b>Steel Loading Ramp .....</b>                      | <b>Pg 126</b>     |  |
| <b>RAMPS7248</b> | <b>Steel Loading Ramp .....</b>                      | <b>Pg 126</b>     |  |
| <b>RAMPS7260</b> | <b>Steel Loading Ramp .....</b>                      | <b>Pg 126</b>     |  |
| <b>RAMP82010</b> | <b>Truck Ramp .....</b>                              | <b>Pg 53</b>      |  |
| <b>RAMP82016</b> | <b>Truck Ramp .....</b>                              | <b>Pg 53</b>      |  |
| <b>RBCB16</b>    | <b>Reinforcing Bar Cutter &amp; Bender .....</b>     | <b>Pg 135</b>     |  |
| <b>RBCB25</b>    | <b>Rebar Cutter &amp; Bender .....</b>               | <b>Pg 134</b>     |  |
| <b>RS1000</b>    | <b>Stand - Rolling &amp; Sliding .....</b>           | <b>Pg 78</b>      |  |
| <b>RR1000</b>    | <b>Car Rotisserie .....</b>                          | <b>Pg 6</b>       |  |
| <b>S4P10A</b>    | <b>Socket - 4 Pin 10 Amp .....</b>                   | <b>Pg 97</b>      |  |
| <b>S4P20A</b>    | <b>Socket - 4 Pin 20 Amp .....</b>                   | <b>Pg 97</b>      |  |
| <b>S4P32A</b>    | <b>Socket - 4 Pin 32 Amp .....</b>                   | <b>Pg 97</b>      |  |
| <b>S4P63A</b>    | <b>63 Amp Wall Mounted Socket - 4 Pin .....</b>      | <b>Pg 20</b>      |  |
| <b>S5P10A</b>    | <b>Socket - 5 Pin 10 Amp .....</b>                   | <b>Pg 97</b>      |  |
| <b>S5P20A</b>    | <b>Socket - 5 Pin 20 Amp .....</b>                   | <b>Pg 97</b>      |  |
| <b>S5P32A</b>    | <b>Socket - 5 Pin 32 Amp .....</b>                   | <b>Pg 97</b>      |  |
| <b>S5P63A</b>    | <b>63 Amp Wall Mounted Socket - 5 Pin .....</b>      | <b>Pg 20</b>      |  |
| <b>SAWMOB</b>    | <b>Saw Bench - Portable Roller Top .....</b>         | <b>Pg 128</b>     |  |
| <b>SB28V</b>     | <b>Vacuum Cleaner R2D2 .....</b>                     | <b>Pg 20, 122</b> |  |
| <b>SB5</b>       | <b>Sandblast Unit .....</b>                          | <b>Pg 122</b>     |  |
| <b>SB5GB</b>     | <b>Sandblast Unit - With Glass Beads .....</b>       | <b>Pg 122</b>     |  |
| <b>SB250</b>     | <b>Sandblast Unit .....</b>                          | <b>Pg 122</b>     |  |

| <b>Model No.</b>  | <b>ITEM</b>                                               | <b>Page No.</b> |  |
|-------------------|-----------------------------------------------------------|-----------------|--|
| <b>SB250GB</b>    | <b>Sandblast Unit - Includes Glass Beads .....</b>        | <b>Pg 122</b>   |  |
| <b>SB5000HD</b>   | <b>Sandblast Unit .....</b>                               | <b>Pg 122</b>   |  |
| <b>SB5000HDGB</b> | <b>Sandblast Unit - Includes Glass Beads .....</b>        | <b>Pg 122</b>   |  |
| <b>SBBGB4</b>     | <b>Sandblast Glass beads .....</b>                        | <b>Pg 122</b>   |  |
| <b>SBBGB6</b>     | <b>Sandblast Glass beads .....</b>                        | <b>Pg 122</b>   |  |
| <b>SBGRIT</b>     | <b>Sandblast Garnet grit .....</b>                        | <b>Pg 122</b>   |  |
| <b>SCLC13PA</b>   | <b>Wood Cutter - Swing Type - Petrol</b>                  |                 |  |
|                   | <b>With tungsten tip blade .....</b>                      | <b>Pg 1, 35</b> |  |
| <b>SCLC13PAES</b> | <b>Wood Saw - Electric Start .....</b>                    | <b>Pg 35</b>    |  |
| <b>SCLC13BLA</b>  | <b>Blade to Suit SCLC709P .....</b>                       | <b>Pg 35</b>    |  |
| <b>SCLC13TOW</b>  | <b>Wood Saw - Tow Behind .....</b>                        | <b>Pg 35</b>    |  |
| <b>SLE700</b>     | <b>Ladder Bracket .....</b>                               | <b>Pg 134</b>   |  |
| <b>SLE800</b>     | <b>Ladder Bracket .....</b>                               | <b>Pg 134</b>   |  |
| <b>SM120A</b>     | <b>Slasher .....</b>                                      | <b>Pg 42</b>    |  |
| <b>SM135A</b>     | <b>Slasher .....</b>                                      | <b>Pg 42</b>    |  |
| <b>SM150A</b>     | <b>Slasher .....</b>                                      | <b>Pg 42</b>    |  |
| <b>SM1300</b>     | <b>Slasher .....</b>                                      | <b>Pg 42</b>    |  |
| <b>SM1500-40</b>  | <b>Slasher .....</b>                                      | <b>Pg 42</b>    |  |
| <b>SM1500-65</b>  | <b>Slasher .....</b>                                      | <b>Pg 42</b>    |  |
| <b>SM1500-75</b>  | <b>Off-Set Slasher - Extra Heavy Duty</b>                 |                 |  |
|                   | <b>With Rear Wheel .....</b>                              | <b>Pg 42</b>    |  |
| <b>SM1800-75</b>  | <b>Off-Set Slasher - Extra Heavy Duty</b>                 |                 |  |
|                   | <b>With Rear Wheel .....</b>                              | <b>Pg 42</b>    |  |
| <b>SMP16</b>      | <b>Slasher/Mower .....</b>                                | <b>Pg 43</b>    |  |
| <b>SMP25</b>      | <b>Slasher/Mower .....</b>                                | <b>Pg 43</b>    |  |
| <b>SP4252</b>     | <b>Platform Scale .....</b>                               | <b>Pg 142</b>   |  |
| <b>SP5262</b>     | <b>Platform Scale .....</b>                               | <b>Pg 142</b>   |  |
| <b>SPF2T</b>      | <b>Floor Scale .....</b>                                  | <b>Pg 142</b>   |  |
| <b>SPF3T</b>      | <b>Floor Scale - 3 ton .....</b>                          | <b>Pg 142</b>   |  |
| <b>SPF5T</b>      | <b>Floor Scale - 5 ton .....</b>                          | <b>Pg 142</b>   |  |
| <b>SPXC5T</b>     | <b>Crane Scale - General .....</b>                        | <b>Pg 142</b>   |  |
| <b>SPXC10T</b>    | <b>Crane Scale - General .....</b>                        | <b>Pg 142</b>   |  |
| <b>SPXC15T</b>    | <b>Crane Scale - General .....</b>                        | <b>Pg 142</b>   |  |
| <b>SPXC20T</b>    | <b>Crane Scale - General .....</b>                        | <b>Pg 142</b>   |  |
| <b>SPXC200</b>    | <b>Crane Scale - Portable .....</b>                       | <b>Pg 142</b>   |  |
| <b>SPXC500</b>    | <b>Crane Scale - Portable .....</b>                       | <b>Pg 142</b>   |  |
| <b>SPXC1000</b>   | <b>Crane Scale - Portable .....</b>                       | <b>Pg 142</b>   |  |
| <b>SS4P10</b>     | <b>Wall Switches &amp; Socket Combo - 4pin 10 amp ...</b> | <b>Pg 97</b>    |  |
| <b>SS4P20</b>     | <b>Wall Switches &amp; Socket Combo - 4pin 20 amp ...</b> | <b>Pg 97</b>    |  |
| <b>SS4P32</b>     | <b>Wall Switches &amp; Socket Combo - 4pin 32 amp ...</b> | <b>Pg 97</b>    |  |
| <b>SS5P10</b>     | <b>Wall Switches &amp; Socket Combo - 5pin 10 amp ...</b> | <b>Pg 97</b>    |  |
| <b>SS5P20</b>     | <b>Wall Switches &amp; Socket Combo - 5pin 20 amp ...</b> | <b>Pg 97</b>    |  |
| <b>SS5P32</b>     | <b>Wall Switches &amp; Socket Combo - 5pin 32 amp ...</b> | <b>Pg 97</b>    |  |
| <b>SSI6J</b>      | <b>6 Piece Imperial Jumbo Set .....</b>                   | <b>Pg 75</b>    |  |
| <b>SSM6J</b>      | <b>6 Piece Metric Jumbo Set .....</b>                     | <b>Pg 75</b>    |  |
| <b>SSI10J</b>     | <b>10 Piece Imperial Jumbo Set .....</b>                  | <b>Pg 75</b>    |  |
| <b>SSM10J</b>     | <b>10 Piece Metric Jumbo Set .....</b>                    | <b>Pg 75</b>    |  |
| <b>SSI4JJ</b>     | <b>4 Piece Imperial Jumbo Jumbo Set .....</b>             | <b>Pg 75</b>    |  |
| <b>SSM4JJ</b>     | <b>4 Piece Metric Jumbo Jumbo Set .....</b>               | <b>Pg 75</b>    |  |
| <b>SS13AF</b>     | <b>13 Piece Combination AF Set .....</b>                  | <b>Pg 75</b>    |  |
| <b>SS14MM</b>     | <b>14 Piece Metric Combination Set .....</b>              | <b>Pg 75</b>    |  |
| <b>SS15MM</b>     | <b>15 Piece Metric Combination Set .....</b>              | <b>Pg 75</b>    |  |

| <b>Model No.</b> | <b>ITEM</b>                                    | <b>Page No.</b> |  |
|------------------|------------------------------------------------|-----------------|--|
| SS17AF           | 17 Piece Combination AF Set .....              | Pg 75           |  |
| ST13HD           | Stump Grinder - 13 HP .....                    | Pg 38           |  |
| ST13PB           | Stump Grinder - Replacement Cutting Head ..... | Pg 38           |  |
| ST13PRO          | Stump Grinder - Portable .....                 | Pg 38           |  |
| STOBX            | 24 Bin Storage Rack .....                      | Pg 143          |  |
| STOBX24          | Storage Rack .....                             | Pg 11           |  |
| STOBX78          | Storage Rack .....                             | Pg 11           |  |
| SW550            | Lawn Sweeper .....                             | Pg 18           |  |
| SW750            | Lawn Sweeper .....                             | Pg 18           |  |
| SW920            | Lawn Sweeper .....                             | Pg 18           |  |
| SWDISP           | Hand Shrink Wrap Dispenser .....               | Pg 144          |  |
| SWRAPBL          | Shrink Wrap - Black .....                      | Pg 139          |  |
| TADI60           | Tap & Die Set - 60 piece .....                 | Pg 133          |  |
| TADI110          | Tap & Die Set - 110 piece .....                | Pg 133          |  |
| TBALT1200        | Tool Box - Low-Profile .....                   | Pg 116          |  |
| TBALT1450        | Tool Box - Low-Profile .....                   | Pg 116          |  |
| TBT4AL           | Tool Box - aluminium .....                     | Pg 112          |  |
| TBT6AL           | Tool Box - aluminium .....                     | Pg 112          |  |
| TBT9AL           | Tool Box - aluminium .....                     | Pg 112          |  |
| TBTSETAL         | Tool Box - aluminium set .....                 | Pg 112          |  |
| TBT50ST          | Tool Box - steel .....                         | Pg 112          |  |
| TBT60ST          | Tool Box - steel .....                         | Pg 112          |  |
| TBT70ST          | Tool Box - steel .....                         | Pg 112          |  |
| TBT70STSWL       | Toolbox .....                                  | Pg 14           |  |
| TBTSETST         | Tool Box - steel set .....                     | Pg 112          |  |
| TBT765           | Tool Box - Steel Truck Box .....               | Pg 117          |  |
| TBT1200          | Tool Box - Steel Truck Box .....               | Pg 115, 117     |  |
| TBT1210B         | Tool Box - Steel Ute Box in black .....        | Pg 113          |  |
| TBT1210W         | Tool Box - Steel Ute Box in white .....        | Pg 113          |  |
| TBT12ST          | Tool Box - Steel Tool Box .....                | Pg 115          |  |
| TBT1500          | Tool Box - Steel Ute Box .....                 | Pg 113          |  |
| TBT3012BX        | Tool Box - 3 Drawers .....                     | Pg 116          |  |
| TBT4003X         | Tool Box - 3 Drawers .....                     | Pg 116          |  |
| TBT4006X         | Tool Box - 6 Drawers .....                     | Pg 116          |  |
| TBT4007X         | Tool Box - 7 Drawers .....                     | Pg 116,145      |  |
| TBT4408X         | Toolbox - 8 Drawers .....                      | Pg 145          |  |
| TBT4009X         | Tool Box - 9 Drawers .....                     | Pg 116          |  |
| TBT4407X         | Toolbox - 7 Drawers, 1 cabinet .....           | Pg 145          |  |
| TBT4410X         | Toolbox - 10 Drawers .....                     | Pg 145          |  |
| TBT4411X         | Toolbox - 11 Drawers .....                     | Pg 145          |  |
| TBTAL10          | Aluminium Truck Toolbox .....                  | Pg 113          |  |
| TBTAL20          | Aluminium Truck Toolbox .....                  | Pg 113          |  |
| TBTAL30          | Aluminium Truck Toolbox .....                  | Pg 113          |  |
| TBTALBX          | Tool Box - Trailer Tongue .....                | Pg 114          |  |
| TBTALD           | Tool Box - Dog Aluminium Carrier .....         | Pg 116          |  |
| TBTAL75L         | Tool Box .....                                 | Pg 114          |  |
| TBTAL75R         | Tool Box .....                                 | Pg 114          |  |
| TBTAL140         | Tool Box .....                                 | Pg 114          |  |
| TBTALUTE         | Tool Box .....                                 | Pg 114          |  |

| <b>Model No.</b> | <b>ITEM</b>                                    | <b>Page No.</b>   |  |
|------------------|------------------------------------------------|-------------------|--|
| <b>TBTS60L</b>   | <b>Steel Tyre Mate Underbody Box .....</b>     | <b>Pg 13</b>      |  |
| <b>TBTS60R</b>   | <b>Steel Tyre Mate Underbody Box .....</b>     | <b>Pg 13</b>      |  |
| <b>TBTS65L</b>   | <b>Steel Tyre Mate Underbody Box .....</b>     | <b>Pg 13</b>      |  |
| <b>TBTS65R</b>   | <b>Steel Tyre Mate Underbody Box .....</b>     | <b>Pg 13</b>      |  |
| <b>TBTSTB20</b>  | <b>Steel Underbody Truck Box .....</b>         | <b>Pg 13</b>      |  |
| <b>TBTSTB24</b>  | <b>Steel Underbody Truck Box .....</b>         | <b>Pg 13</b>      |  |
| <b>TBTSTB30</b>  | <b>Steel Underbody Truck Box .....</b>         | <b>Pg 13</b>      |  |
| <b>TBTSTB36</b>  | <b>Steel Underbody Truck Box .....</b>         | <b>Pg 13</b>      |  |
| <b>TBTSTB48</b>  | <b>Steel Underbody Truck Box .....</b>         | <b>Pg 13</b>      |  |
| <b>TBTSTB60</b>  | <b>Steel Underbody Truck Box .....</b>         | <b>Pg 13</b>      |  |
| <b>TBTALUTD</b>  | <b>Ute Toolbox .....</b>                       | <b>Pg 14</b>      |  |
| <b>TBTSTUTE</b>  | <b>Tool Box - Steel Ute Box .....</b>          | <b>Pg 115</b>     |  |
| <b>TC180A</b>    | <b>Tile Cutter .....</b>                       | <b>Pg 133</b>     |  |
| <b>TCHD250A</b>  | <b>Tile Cutting Saw .....</b>                  | <b>Pg 133</b>     |  |
| <b>TS3D</b>      | <b>Tool Set Trolley Mobile - 306 pcs .....</b> | <b>Pg 12</b>      |  |
| <b>TSTM</b>      | <b>Tool Set Trolley Mobile - 188 pcs .....</b> | <b>Pg 12</b>      |  |
| <b>UB-70</b>     | <b>Universal Bender .....</b>                  | <b>Pg 80</b>      |  |
| <b>UB-100</b>    | <b>Universal Bender .....</b>                  | <b>Pg 80</b>      |  |
| <b>VEN8</b>      | <b>Ventilator - 200W .....</b>                 | <b>Pg 17, 146</b> |  |
| <b>VEN85M</b>    | <b>5 metre hose to suit VEN8 .....</b>         | <b>Pg 17, 146</b> |  |
| <b>VEN12</b>     | <b>Ventilator - 550W .....</b>                 | <b>Pg 17, 146</b> |  |
| <b>VEN125M</b>   | <b>5 metre hose to suit VEN12 .....</b>        | <b>Pg 17, 146</b> |  |
| <b>VEN1210M</b>  | <b>10 metre hose to suit VEN12 .....</b>       | <b>Pg 17, 146</b> |  |
| <b>VEN16</b>     | <b>Ventilator - 1550W .....</b>                | <b>Pg 17, 146</b> |  |
| <b>VEN165M</b>   | <b>5 metre hose to suit VEN16 .....</b>        | <b>Pg 17, 146</b> |  |
| <b>VEN1610M</b>  | <b>10 metre hose to suit VEN16 .....</b>       | <b>Pg 17, 146</b> |  |
| <b>VICOF5</b>    | <b>Off-Set Vice - 5" .....</b>                 | <b>PG 133</b>     |  |
| <b>VICOF6</b>    | <b>Off-Set Vice - 6" .....</b>                 | <b>PG 133</b>     |  |
| <b>VP1012</b>    | <b>1/2" Nut Cracker .....</b>                  | <b>Pg 72</b>      |  |
| <b>VP1111-I</b>  | <b>1" Nut Cracker - Industrial .....</b>       | <b>Pg 72</b>      |  |
| <b>VP1111-IS</b> | <b>Sockets to suit VP1111I .....</b>           | <b>Pg 72</b>      |  |
| <b>VP1121HD</b>  | <b>1" Nut Cracker - Heavy Duty .....</b>       | <b>Pg 72</b>      |  |
| <b>VP1121HDS</b> | <b>Sockets to suit VP1121HD .....</b>          | <b>Pg 72</b>      |  |
| <b>VP73000</b>   | <b>Truckie's Mate .....</b>                    | <b>Pg 61</b>      |  |
| <b>VP8000</b>    | <b>Creeper - Excalibur .....</b>               | <b>Pg 58</b>      |  |
| <b>VP8004</b>    | <b>Creeper - Plastic - Short Version .....</b> | <b>Pg 58</b>      |  |
| <b>VP8005</b>    | <b>Creeper - Plastic .....</b>                 | <b>Pg 58</b>      |  |
| <b>VP8010</b>    | <b>36" Wheel Creeper .....</b>                 | <b>Pg 58</b>      |  |
| <b>VP801CC</b>   | <b>CC Chopper Creeper .....</b>                | <b>Pg 8</b>       |  |
| <b>VP8025</b>    | <b>Creeper Combo Set .....</b>                 | <b>Pg 58</b>      |  |
| <b>VP8030</b>    | <b>Creeper Seat With Padded Back .....</b>     | <b>Pg 58</b>      |  |
| <b>VP8035</b>    | <b>Low Profile Padded Work Shop Seat .....</b> | <b>Pg 56</b>      |  |
| <b>VP8040</b>    | <b>Air Lift Work Seat .....</b>                | <b>Pg 58</b>      |  |
| <b>VP8051</b>    | <b>Oil Filter Crusher .....</b>                | <b>Pg 8</b>       |  |
| <b>VP8100</b>    | <b>Car &amp; Truck Tyre Dolly .....</b>        | <b>Pg 74</b>      |  |
| <b>VP8136MT</b>  | <b>Magnetic parts tray .....</b>               | <b>Pg 58</b>      |  |
| <b>VP8155</b>    | <b>Battery Tester .....</b>                    | <b>Pg 60</b>      |  |

| <b>Model No.</b> | <b>ITEM</b>                                          | <b>Page No.</b> |  |
|------------------|------------------------------------------------------|-----------------|--|
| VP81FC           | Fender Cover .....                                   | Pg 54           |  |
| VP81TD           | Truck Wheel Dolly .....                              | Pg 74           |  |
| VP8160           | Heavy Duty Battery Charger - 20 amp .....            | Pg 60           |  |
| VP8163           | Heavy Duty Battery Charger - 30 amp .....            | Pg 60           |  |
| VP8165           | Heavy Duty Battery Charger - 40 amp .....            | Pg 60           |  |
| <b>VP8210</b>    | <b>Aluminium Roller Stand .....</b>                  | <b>Pg 8</b>     |  |
| <b>VP8212</b>    | <b>Aluminium Motorcycle Lift .....</b>               | <b>Pg 6</b>     |  |
| VP8218           | Motorcycle lift - scissor .....                      | Pg 55           |  |
| VP8227AH         | Motorcycle Lift - Air Hydraulic 363 kg .....         | Pg 55           |  |
| VP8235           | Motorcycle Lift 454 kg .....                         | Pg 55           |  |
| VP8237AH         | Motorcycle Lift - Air Hydraulic 454 kg .....         | Pg 55           |  |
| VP8240           | Transmission Jack - Tall .....                       | Pg 61           |  |
| VP8245           | Low Profile Transmission Jack .....                  | Pg 57           |  |
| <b>VP8248</b>    | <b>Transmission Jack .....</b>                       | <b>Pg 9</b>     |  |
| VP8250           | Transmission Jack - 2-Stage .....                    | Pg 61           |  |
| VP8270           | Motorcar Tyre Changer .....                          | Pg 60           |  |
| VP8270MB         | Motorcar Tyre Changer .....                          | Pg 60           |  |
| VP8275           | Multi Tyre Changer .....                             | Pg 60           |  |
| VP8280           | Service Trolley .....                                | Pg 56           |  |
| VP8290           | Deluxe Mechanic's Cart .....                         | Pg 56           |  |
| VP8295SL         | Super Low ATV Lift .....                             | Pg 55           |  |
| VP8298           | ATV Lift .....                                       | Pg 55           |  |
| VP8299NU         | ATV Lift .....                                       | Pg 55           |  |
| VP8370H9         | Vehicle Positioning Jack .....                       | Pg 74           |  |
| VP8377H12        | Vehicle Positioning jack .....                       | Pg 74           |  |
| VP8410           | Poly Dump Cart & Wheelbarrow - 10 cubic foot .....   | Pg 131          |  |
| <b>VP8420</b>    | <b>Poly Dump Cart - 650lb .....</b>                  | <b>Pg 7</b>     |  |
| <b>VP8435</b>    | <b>Poly Dump Cart - 1500lb .....</b>                 | <b>Pg 7</b>     |  |
| VP8450           | Trailer Dump Cart - 245kg .....                      | Pg 131          |  |
| <b>VP8460</b>    | <b>Poly Dump Cart - 14cuft .....</b>                 | <b>Pg 7</b>     |  |
| VP8470           | Trailer Dump Cart - 680kg .....                      | Pg 131          |  |
| VP8502           | Parking Mat .....                                    | Pg 54           |  |
| VP85HW           | Hand Winch .....                                     | Pg 57           |  |
| VP8520           | Electric Winch .....                                 | Pg 57           |  |
| VP8540           | Remote Control 12V Winch -<br>Extra Heavy Duty ..... | Pg 57           |  |
| VP8545           | Remote Control 24V Winch -<br>Extra Heavy Duty ..... | Pg 57           |  |
| VP8550           | Portable Winch .....                                 | Pg 57           |  |
| VP8559           | Winch - Heavy Duty .....                             | Pg 57           |  |
| VP8595A          | Truck Trolley Jack - 5000kg .....                    | Pg 57           |  |
| <b>VP8597A</b>   | <b>Truck Trolley Jack - HD .....</b>                 | <b>Pg 36</b>    |  |
| <b>VP8599A</b>   | <b>Truck Trolley Jack - HD .....</b>                 | <b>Pg 36</b>    |  |
| VP8700           | Jockey Wheel - 6" Solid .....                        | Pg 54           |  |
| VP8710           | Jockey Wheel - Swing-Up 6" Solid .....               | Pg 54           |  |
| VP8720           | Jockey Wheel - Swing-Up 8" Solid .....               | Pg 54           |  |
| VP8730           | Jockey Wheel - Swing-Up 10" .....                    | Pg 54           |  |
| <b>VP8740J</b>   | <b>Trailer Jack .....</b>                            | <b>Pg 6</b>     |  |
| VP8750R          | Ratchet Jockey Wheel .....                           | Pg 54           |  |
| <b>VP87RCPW</b>  | <b>Jockey Wheel - Motorised .....</b>                | <b>Pg 9</b>     |  |

| <b>Model No.</b> | <b>ITEM</b>                                        | <b>Page No.</b>   |  |
|------------------|----------------------------------------------------|-------------------|--|
| <b>VP87RCSW</b>  | <b>Jockey Wheel - Motorised .....</b>              | <b>Pg 9</b>       |  |
| <b>Vp8815</b>    | <b>Trailer Dolly (272kg) .....</b>                 | <b>Pg 56</b>      |  |
| <b>Vp8899</b>    | <b>Jump Starter - With Air Compressor .....</b>    | <b>Pg 59</b>      |  |
| <b>Vp8900</b>    | <b>Jump Starter - 900 amp .....</b>                | <b>Pg 59</b>      |  |
| <b>Vp8920</b>    | <b>Jump Starter - 1200 amp .....</b>               | <b>Pg 59</b>      |  |
| <b>VP8930</b>    | <b>Jump Starter - 1500 amp .....</b>               | <b>Pg 59</b>      |  |
| <b>Vp8940</b>    | <b>Jump Start 12 &amp; 24 Volt.....</b>            | <b>Pg 59</b>      |  |
| <b>Vp8955</b>    | <b>Smart Cable .....</b>                           | <b>Pg 60</b>      |  |
| <b>Vp8965</b>    | <b>Jump Leads (H/D) .....</b>                      | <b>Pg 60</b>      |  |
| <b>VP8975</b>    | <b>Jump Leads (H/D) .....</b>                      | <b>Pg 60</b>      |  |
| <b>VP8985</b>    | <b>Jump Leads (H/D) .....</b>                      | <b>Pg 60</b>      |  |
| <b>VPJC10</b>    | <b>Jerry Can - 10 litres .....</b>                 | <b>Pg 9</b>       |  |
| <b>VPJC20</b>    | <b>Jerry Can - 20 litres .....</b>                 | <b>Pg 9</b>       |  |
| <b>W145</b>      | <b>Safety Bollard .....</b>                        | <b>Pg 123</b>     |  |
| <b>W170</b>      | <b>Safety Bollard .....</b>                        | <b>Pg 123</b>     |  |
| <b>W178</b>      | <b>Safety Bollard .....</b>                        | <b>Pg 123</b>     |  |
| <b>W804</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W805</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W806</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W807</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W808</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W809</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W810</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>W811</b>      | <b>Safety Rail .....</b>                           | <b>Pg 123</b>     |  |
| <b>WBHD</b>      | <b>Tradesmen Wheelbarrow .....</b>                 | <b>Pg 19</b>      |  |
| <b>WBWHEEL</b>   | <b>Wheel to suit WBHD .....</b>                    | <b>Pg 19</b>      |  |
| <b>WEDGE1</b>    | <b>Wedge - Forklift Use .....</b>                  | <b>Pg 144</b>     |  |
| <b>WEDGE2</b>    | <b>Wedge - Hammer Use .....</b>                    | <b>Pg 144</b>     |  |
| <b>WH7090</b>    | <b>Foldup Workbench .....</b>                      | <b>Pg 1, 18</b>   |  |
| <b>WH7100</b>    | <b>Steel Work Bench - 110kg .....</b>              | <b>Pg 125</b>     |  |
| <b>WH7200</b>    | <b>Steel Tear Down Bench .....</b>                 | <b>PG 56, 125</b> |  |
| <b>WH7400</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>Wh7405</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>WH7410</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>Wh7412</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>Wh7413</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>Wh7415</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>Wh7418</b>    | <b>Pallet Truck .....</b>                          | <b>Pg 119</b>     |  |
| <b>Wh7419</b>    | <b>Pallet Truck - Hand .....</b>                   | <b>Pg 117</b>     |  |
| <b>Wh7420</b>    | <b>Pallet Truck - Side Roller .....</b>            | <b>Pg 118</b>     |  |
| <b>WH7440A</b>   | <b>Pallet Truck - With Scale .....</b>             | <b>Pg 118</b>     |  |
| <b>Wh7458</b>    | <b>Pallet Truck - Galvanised .....</b>             | <b>Pg 118</b>     |  |
| <b>Wh7459</b>    | <b>Pallet Truck - Galvanised .....</b>             | <b>Pg 118</b>     |  |
| <b>Wh7460</b>    | <b>Pallet Truck - Super Low .....</b>              | <b>Pg 118</b>     |  |
| <b>WH74QL</b>    | <b>Quick Lift Pallet Truck .....</b>               | <b>Pg 118</b>     |  |
| <b>WH750SL</b>   | <b>Straddle Leg Stacker .....</b>                  | <b>Pg 120</b>     |  |
| <b>Wh7500</b>    | <b>Platform Trolley - 150 Kg .....</b>             | <b>Pg 121</b>     |  |
| <b>Wh7509</b>    | <b>Platform Trolley - 300 Kg .....</b>             | <b>Pg 121</b>     |  |
| <b>WH7511HD</b>  | <b>Platform Trolley - Heavy Duty .....</b>         | <b>Pg 117</b>     |  |
| <b>Wh7530</b>    | <b>Hydraulic Table Cart - 1.3 Metre Lift .....</b> | <b>Pg 121</b>     |  |
| <b>Wh7535</b>    | <b>Hydraulic Table Cart .....</b>                  | <b>Pg 121</b>     |  |

| <b>Model No.</b>   | <b>ITEM</b>                                 | <b>Page No.</b> |  |
|--------------------|---------------------------------------------|-----------------|--|
| <b>Wh7540</b>      | <b>Hydraulic Table Cart .....</b>           | <b>Pg 121</b>   |  |
| <b>WH7545</b>      | <b>High Lift Hydraulic Table Cart .....</b> | <b>Pg 121</b>   |  |
| <b>WH7550</b>      | <b>Hydraulic Table Cart .....</b>           | <b>Pg 121</b>   |  |
| <b>WH7555</b>      | <b>Hydraulic Table Cart .....</b>           | <b>Pg 121</b>   |  |
| <b>WH7580</b>      | <b>Hydraulic Table Cart .....</b>           | <b>Pg 121</b>   |  |
| <b>WH7600</b>      | <b>Stacker .....</b>                        | <b>Pg 120</b>   |  |
| <b>WH7630</b>      | <b>High Lift Pallet Truck .....</b>         | <b>Pg 119</b>   |  |
| <b>WH768L</b>      | <b>Stacker .....</b>                        | <b>Pg 120</b>   |  |
| <b>WH7800SL</b>    | <b>Straddle Leg Stacker .....</b>           | <b>Pg 120</b>   |  |
| <b>WH9509</b>      | <b>Drum Stand.....</b>                      | <b>Pg 132</b>   |  |
| <b>WHALTE</b>      | <b>All Terrain Pallet Truck .....</b>       | <b>Pg 119</b>   |  |
| <b>WHPA200</b>     | <b>Electric Hoist - 200kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA250</b>     | <b>Electric Hoist - 250kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA300</b>     | <b>Electric Hoist - 300kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA400</b>     | <b>Electric Hoist - 400kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA500</b>     | <b>Electric Hoist - 500kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA600</b>     | <b>Electric Hoist - 600kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA700</b>     | <b>Electric Hoist - 700kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA800</b>     | <b>Electric Hoist - 800kg .....</b>         | <b>Pg 125</b>   |  |
| <b>WHPA1000</b>    | <b>Electric Hoist - 1000kg .....</b>        | <b>Pg 125</b>   |  |
| <b>WHPA1200</b>    | <b>Electric Hoist - 1200kg .....</b>        | <b>Pg 125</b>   |  |
| <b>WMPB4</b>       | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPB6</b>       | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPB8</b>       | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPB10</b>      | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPBP20</b>     | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPBP20C</b>    | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPBP20E</b>    | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPBP42D</b>    | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPBP42C</b>    | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WMPBP42E</b>    | <b>Collapsible Safety Barrier .....</b>     | <b>Pg 124</b>   |  |
| <b>WS1</b>         | <b>Wire Spinner .....</b>                   | <b>Pg 33</b>    |  |
| <b>WS2</b>         | <b>Wire Spinner .....</b>                   | <b>Pg 33</b>    |  |
| <b>WSJENNY</b>     | <b>Wire Spinner .....</b>                   | <b>Pg 33</b>    |  |
| <b>WSR40P-3214</b> | <b>Storage Rack .....</b>                   | <b>Pg 11</b>    |  |
| <b>WSR40P-4214</b> | <b>Storage Rack .....</b>                   | <b>Pg 11</b>    |  |
| <b>WSR40P-5214</b> | <b>Storage Rack .....</b>                   | <b>Pg 11</b>    |  |
| <b>WSR40P-6214</b> | <b>Storage Rack .....</b>                   | <b>Pg 11</b>    |  |
| <b>WSR60P-003</b>  | <b>Storage Rack .....</b>                   | <b>Pg 11</b>    |  |
| <b>WST16P-003</b>  | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |
| <b>WST16P-004</b>  | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |
| <b>WST16P-008</b>  | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |
| <b>WST28P-3209</b> | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |
| <b>WST28P-4209</b> | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |
| <b>WST28P-5209</b> | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |
| <b>WST28P-6209</b> | <b>Storage Rack .....</b>                   | <b>Pg 10</b>    |  |

# 2012



PTY LTD  
ACN.061735699  
ABN.21061735699

**Phone: (03) 9314 8588**  
**Fax: (03) 9314 8255**

## Stone Burrier

#FISB125  
#FISB145  
#FISB165



FOR MORE INFORMATION REFER TO PAGE 31

## Foldup Workbench

#WH7090



Folded



FOR MORE INFORMATION REFER TO PAGE 18

**New Products on Front & Back Pages & Pages 2, 6-36 & 145**

## Flail Collector



#FIEFFC120  
#FIEFFC160

FOR MORE INFORMATION REFER TO PAGE 30

## Wood Saw



#SCLC13PA



FOR MORE INFORMATION REFER TO PAGE 35

Please ring or email Greg for  
all spare parts enquiries  
[greg@twm.com.au](mailto:greg@twm.com.au)

**No Returns Accepted After 7 Days**  
**A Restocking Fee Will Apply After 7 Days**

**Pickups Wed & Fridays only**  
**Need 24 hours notice**

*Any warranty, repairs & credits  
that need to be returned to TWM  
must have authorisation from TWM*



# Rubber Products



**#J11001**

Car Rubber Wheel Chock  
175 x 100 x 150mm



**#J11002**

Truck Rubber Wheel Chock  
240 x 195 x 150mm



**#J11003**

Rubber Truck Wheel Chock  
245x 165 x 185mm



**#J11004**

Orange Car Wheel Chock PP  
140 x 80 x 100mm



**#J11005**

3 Hole Cable Protector  
1x40 2x20mm Holes



**#J11006**

Reflective Carpark Marker  
500 x 135 x 1150mm Car Block



**#J11009**

Tethered Wheel Chocks  
450 x 150 x 140 Nylon Rope



**#J11013** Rubber Tie Down Straps 10 Inch 254mm

**#J11014** Rubber Tie Down Straps 15 Inch 381mm

**#J11015** Rubber Tie Down Straps 21 Inch 533mm

**#J11016** Rubber Tie Down Straps 31 Inch 787mm

**#J11017** Rubber Tie Down Straps 41 Inch 1025mm



**Rubber Tie Down Straps:**  
Our price is for 10 pieces in a pack

**#J11018**

Half Moon Solid Rubber  
200 x 250mm 10701 Solid Rubber



**#J11019**

Rubber Wheel Chock  
200 x 120 x 100 With Eye Bolt



**#J11020**

Jumbo Wheel Chock  
195 x 195 x 100 Metal Hand



**#J11220**

Rubber Wheel Chock  
195 x 195 x 100 Metal Hand



# INDEX

| Item                                | Page No.            |
|-------------------------------------|---------------------|
| 3 phase plugs & sockets .....       | 96, 97              |
| 3 phase switches .....              | 97                  |
| Abrasive blast units .....          | 20, 122             |
| <b>Air compressors &amp; acc ..</b> | <b>16, 99-100</b>   |
| Air hydraulic jacks .....           | 73                  |
| Air lift seat .....                 | 58                  |
| Angle grinders .....                | 91                  |
| Animal cages .....                  | 21, 141             |
| ATV lifts.....                      | 55                  |
| Augers - Earth .....                | 50                  |
| <b>Automotive products .....</b>    | <b>53-74</b>        |
| Bale spears .....                   | 26, 46              |
| Ballast roller .....                | 48                  |
| Balers - mini round .....           | 141                 |
| Bandsaws: metal & wood .....        | 77                  |
| : meat cutting .....                | 19, 130             |
| Barrows - powered .....             | 132                 |
| Battery chargers .....              | 60                  |
| Battery tester .....                | 60                  |
| Bearing pullers: Separators .....   | 135                 |
| Bender .....                        | 79, 80, 134, 135    |
| Bending machine .....               | 79, 143             |
| Bilycarts & Accessories .....       | 53                  |
| Bin racks .....                     | 10-11, 143          |
| Blade sharpener .....               | 15, 78, 90, 93, 146 |
| Body frame repair kit .....         | 61                  |
| Box blade .....                     | 28, 44              |
| Bridges - cast iron .....           | 17                  |
| Bucket fork extensions .....        | 47, 124             |
| Bush cutters .....                  | 28                  |
| Carry-alls .....                    | 24, 30, 46          |
| Car Rotisserie .....                | 6                   |
| Carts: Dump .....                   | 7, 131              |
| Folding utility .....               | 23                  |
| Mechanic's .....                    | 56                  |
| Service .....                       | 121                 |
| Wheelbarrow .....                   | 131                 |
| Cattle loading ramp .....           | 36                  |
| Cement mixer .....                  | 19, 39, 143         |
| Chain saw & accessories .....       | 14, 15, 93, 128     |
| Chemical pump .....                 | 106                 |
| Chipper/Shredder .....              | 32, 36, 39          |
| Chisels/points/spades .....         | 89                  |
| Chisel sharpener .....              | 15, 90, 146         |
| Compressors .....                   | 16, 98-100          |
| Concrete vibrator .....             | 49                  |
| <b>Contracting Equip .....</b>      | <b>49-50</b>        |
| Cordless tools & accessories .....  | 91                  |
| Core drills & accessories .....     | 23, 92              |
| Cranes: Lifting .....               | 68                  |
| Fork lift attach .....              | 36                  |
| ute .....                           | 68, 69              |

| Item                                 | Page No.        |
|--------------------------------------|-----------------|
| Creepers .....                       | 8, 58           |
| Cultivators .....                    | 46              |
| Cut-off saws: Metal .....            | 81              |
| Jepson .....                         | 81              |
| Dry cutter .....                     | 87              |
| Demolition saws: Petrol .....        | 79              |
| Diesel engines .....                 | 103-104         |
| Diesel water pumps.....              | 107             |
| Disc harrow .....                    | 45              |
| Ditchers .....                       | 25              |
| Ditching machine .....               | 26              |
| Dog carrier .....                    | 116             |
| Dollies: Trailer .....               | 56              |
| Truck & car .....                    | 74              |
| Door jamb saw .....                  | 93              |
| Drag harrows .....                   | 37              |
| Drills & accessories .....           | 89              |
| Drill presses & attachments .....    | 84-86, 88, 93   |
| Drill sharpener .....                | 15, 90, 93, 146 |
| Drum trolleys .....                  | 132             |
| Dry Cutter .....                     | 81, 87          |
| Dump carts .....                     | 7, 131          |
| Engine cranes .....                  | 67, 69          |
| Engine levelers .....                | 67              |
| Engine stands .....                  | 70              |
| Engine supports .....                | 70              |
| <b>Extension leads:</b>              | <b>94-98</b>    |
| 10 & 15 & 20 amp.....                | 94-95           |
| 3 phase .....                        | 96              |
| Heavy duty cable .....               | 98              |
| Repair leads .....                   | 94              |
| Piggyback .....                      | 98              |
| Plugs & sockets .....                | 20, 94, 97      |
| Powerboards .....                    | 96              |
| Wall switches .....                  | 97              |
| Waterproof plugs .....               | 97              |
| Fans: floor/pedestal/wall/water .... | 136-137         |
| <b>Farming Implements:</b>           | <b>37-48</b>    |
| Box blade .....                      | 28, 44          |
| Fender cover .....                   | 54              |
| Firefighting hoses .....             | 104-106         |
| Firefighting pumps .....             | 104             |
| Flail collector .....                | 1, 30           |
| Flail mowers .....                   | 29-30           |
| Fork Lifts accessories .....         | 47, 123, 124    |
| Fork lift attachment .....           | 36              |
| <b>Garden products .....</b>         | <b>51-52</b>    |
| Gas Gun .....                        | 93              |
| Generators .....                     | 16, 23, 101     |

# INDEX

| Item                             | Page No.                |
|----------------------------------|-------------------------|
| Grader blade .....               | 31, 45, 48              |
| Grinders: Bench .....            | 82                      |
| High speed .....                 | 87                      |
| Stump .....                      | 38                      |
| Gunsafe .....                    | 132                     |
| Hammerdrills .....               | 88                      |
| Hand trolleys .....              | 129, 131                |
| Hay spears .....                 | 26, 46                  |
| Hired hand .....                 | 130                     |
| Hoists - electric .....          | 125                     |
| Holesaw kits .....               | 90                      |
| Hoses - hydraulic .....          | 20                      |
| Impact Wrench .....              | 88                      |
| Jack hammers .....               | 15, 89                  |
| Jacks: .....                     | 57, 62, 72, 83          |
| Air hydraulic .....              | 73                      |
| Trailer .....                    | 6                       |
| Transmission .....               | 9, 57, 61               |
| Trolley .....                    | 36, 57                  |
| Vehicle positioning .....        | 74                      |
| Jerry Cans .....                 | 9                       |
| Jockey wheels: ratchet .....     | 54                      |
| Remote control .....             | 9                       |
| Solid .....                      | 54                      |
| Jump leads .....                 | 60                      |
| Jump Starts.....                 | 59                      |
| Ladder brackets .....            | 134                     |
| Landscaper rake .....            | 45                      |
| Lawn Mowers .....                | 140                     |
| Lawn mower jack lifter .....     | 25                      |
| Levelling bars .....             | 34, 48                  |
| Lights .....                     | 22, 146                 |
| Lock mortiser attachment .....   | 78                      |
| <b>Log Splitters .....</b>       | <b>34, 40, 127-128</b>  |
| Log splitter cover .....         | 34                      |
| Magic wheel .....                | 131                     |
| Magnetic parts tray .....        | 58                      |
| Mechanic's cart .....            | 56                      |
| Metal Cutters: Electric .....    | 81                      |
| <b>Metal working equip .....</b> | <b>79-87</b>            |
| Mitre saws & accessories .....   | 77                      |
| Motorcycle lifts.....            | 6, 55                   |
| Motorcycle roller stand .....    | 8                       |
| Mowers: .....                    | 43                      |
| Rotary .....                     | 44                      |
| Finish .....                     | 44                      |
| <b>New products .....</b>        | <b>1,2,6-36,145,146</b> |
| Nibblers & accessories.....      | 88                      |

| Item                                  | Page No.        |
|---------------------------------------|-----------------|
| Nutcrackers .....                     | 72              |
| <b>Oddbods .....</b>                  | <b>129-144</b>  |
| Oil filter crusher .....              | 8               |
| Pallet mill press machine .....       | 32              |
| Pallet trucks .....                   | 117-119         |
| Parking mat .....                     | 54              |
| Parts Washers .....                   | 71              |
| Petrol driven powertools .....        | 91              |
| <b>Petrol &amp; Diesel Engines ..</b> | <b>101-111</b>  |
| Petrol Engines:                       | 102-103         |
| Vertical shaft .....                  | 111             |
| Petrol power tiller .....             | 43              |
| Pipe benders & accessories .....      | 83, 87          |
| Plaster board sheet lifter .....      | 139             |
| Platform trolleys .....               | 117, 121        |
| Plugs & Sockets & switches:           | 20              |
| 10 & 15 & 20 amp .....                | 94, 95          |
| 3 phase .....                         | 96              |
| Portable power board .....            | 96              |
| Wall mounted .....                    | 20              |
| Polisher & accessories .....          | 91              |
| Portable: toolbox .....               | 113             |
| Saw bench .....                       | 128             |
| Porta powers .....                    | 7, 61           |
| Post drivers & tree puller .....      | 40, 41          |
| <b>Powertools:</b>                    | <b>88-93</b>    |
| Angle grinders .....                  | 91              |
| Core drills .....                     | 23, 92          |
| Dry cutter .....                      | 81, 87          |
| Impact wrench .....                   | 88              |
| Nibblers .....                        | 88              |
| Jack hammers .....                    | 15, 89          |
| Petrol driven .....                   | 91              |
| Pressure washers .....                | 110             |
| Pullers - Ratchet:                    | 135             |
| Comealongs .....                      | 135             |
| Pumps: Chemical .....                 | 106             |
| Water .....                           | 21, 49, 106-109 |
| Petrol .....                          | 106             |
| Diesel .....                          | 107             |
| Transfer .....                        | 107             |
| Firefighting .....                    | 104, 105        |
| Trash .....                           | 105             |
| Electric .....                        | 109             |
| Multi circulative .....               | 71              |
| Rake .....                            | 31              |
| Rams/Jacks .....                      | 72              |
| Ramps .....                           | 53, 126         |

# INDEX

| <b>Item</b>                         | <b>Page No.</b> |
|-------------------------------------|-----------------|
| Rebar cutters .....                 | 134             |
| Reduction box .....                 | 103             |
| Repair leads .....                  | 94              |
| Rippers .....                       | 28, 45, 48      |
| Roller stand - motorcycle .....     | 8               |
| Rolling machine .....               | 143             |
| Rotary hammer drill .....           | 88              |
| Rotary tiller .....                 | 27, 43          |
| Rubber products .....               | 2               |
| Safety barriers - collapsable ..... | 124             |
| Safety bollards .....               | 123             |
| Safety brackets .....               | 134             |
| Safety rails .....                  | 123             |
| Sanders & accessories .....         | 77              |
| Saws .....                          | 22, 81          |
| Petrol .....                        | 79              |
| Swing type .....                    | 35              |
| Wood .....                          | 1, 35           |
| Saw Bench .....                     | 77, 128         |
| Saw blade sharpener .....           | 15, 78, 146     |
| Scaffolding .....                   | 138-139         |
| Scales/Weighing .....               | 142             |
| Scraper blade .....                 | 37              |
| Scoop .....                         | 39              |
| Service trolleys .....              | 56, 121         |
| Sewerage cleaners accessories ..... | 144             |
| Sharpener - multi-task .....        | 15, 146         |
| Shears: Hand .....                  | 80              |
| Electric .....                      | 92              |
| Sheet Metal Bending brake .....     | 79              |
| Shop cranes .....                   | 67, 69          |
| Shop Presses .....                  | 21, 62-66       |
| Shredder/Chipper .....              | 32, 36, 39      |
| Shrink Wrap .....                   | 139             |
| Shrink wrap holder .....            | 144             |
| Slashers .....                      | 42, 43          |
| Socket sets & spanners .....        | 61, 76          |
| Spade .....                         | 89              |
| <b>Spanners .....</b>               | <b>75-76</b>    |
| Sprayers: Petrol & electric .....   | 108             |
| Trolley .....                       | 108             |
| Spreaders .....                     | 25, 38          |
| Square tube bender .....            | 79              |
| Stackers .....                      | 120             |
| Stand - roller .....                | 78              |
| Stirrers - Electric/hand held ..... | 90              |
| Stone burrier .....                 | 1, 31           |
| Storage racks .....                 | 10-11, 143      |
| Stump grinder .....                 | 38              |
| Subsoiler .....                     | 47              |
| Sweepers: Lawn .....                | 18, 37          |
| Tap & die sets .....                | 133             |
| Tile cutters .....                  | 133             |

| <b>Item</b>                           | <b>Page No.</b>                |
|---------------------------------------|--------------------------------|
| Tillers: Power .....                  | 43                             |
| Rotary .....                          | 27, 43                         |
| Hand .....                            | 43                             |
| Toolboxes .....                       | 13, 14, 112-117, 145           |
| Steel .....                           | 14, 112-113, 115-117           |
| Aluminium .....                       | 14, 112-114                    |
| Low-profile .....                     | 116                            |
| Underbody .....                       | 13                             |
| Toolset - trolley mobile .....        | 12                             |
| Torque Multipliers .....              | 72                             |
| Tractor - trays .....                 | 24, 30, 46                     |
| Buckets .....                         | 33                             |
| Trailer .....                         | 24                             |
| Trailer jack .....                    | 6                              |
| Transmission jacks .....              | 9, 57, 61                      |
| Trash pump .....                      | 105                            |
| Trays - tractor .....                 | 24, 30, 46                     |
| Tree puller .....                     | 40                             |
| Trolleys: climbing .....              | 129                            |
| Hand .....                            | 129, 131                       |
| Trolley jacks .....                   | 36, 57                         |
| Tyre changers .....                   | 60                             |
| Ute toolbox .....                     | 14, 113-114                    |
| Vacuum Cleaners:                      |                                |
| Backpack .....                        | 140                            |
| Industrial .....                      | 140                            |
| Heavy Duty .....                      | 140                            |
| Vehicle positioning jacks .....       | 74                             |
| Ventilators .....                     | 17, 146                        |
| Vertical shaft petrol engines .....   | 111                            |
| Vibrating plate .....                 | 108                            |
| Vibrators .....                       | 49                             |
| Vices - off-set .....                 | 133                            |
| <b>Warehouse Equip. ....</b>          | <b>117-126</b>                 |
| Washers - pressure .....              | 110                            |
| Water fans .....                      | 136-137                        |
| Water pumps .....                     | 21, 49, 106-109                |
| Wedges .....                          | 144                            |
| Wheelbarrow .....                     | 19                             |
| Wheels - pneumatic .....              | 129                            |
| Winches: .....                        | 49, 57                         |
| Hand .....                            | 57                             |
| Petrol engine .....                   | 49                             |
| Electric .....                        | 57                             |
| Hand .....                            | 57                             |
| 12-24 Volt .....                      | 57                             |
| Portable .....                        | 57                             |
| Wire spinners .....                   | 33                             |
| Wood saws .....                       | 1, 35                          |
| <b>Woodworking Equip .....</b>        | <b>77-78</b>                   |
| <b>Work benches &amp; stations ..</b> | <b>1, 18, 56, 112-117, 125</b> |
| Workshop seat - low profile .....     | 56                             |

# Aluminium Motorcycle Lift



## #VP8212

Capacity: 1000lbs

N.W.: 80kg

Max height: 27.95"

Platform size: 81"x21.65"

Operation: Manual

Steel parts: Front wheels, Rear swivel castors

Wheel axle, Pump, Safety pin,

Foot pedal, Hook, All Hardwares,

Hand wheel

All other parts are aluminium



# Trailer Jack

## #VP8740J

Loading capacity: 5000lbs

Travel height: 15"

Total length: 560mm

N.W.: 6.5kg

Material: Steel



# Car Rotisserie

## #RR1000

Working dimensions:

Min H: 480mm; Max H: 1100mm, Min L: 6000mm; Max L: 5200mm

Capacity: 1000kgs

Rotate any vehicle a complete 360 degrees with a slight push of the hand

Adaptable with almost any car

Reinforced phenolic castors, centre bars & centre support that extends 18'

Gussets & braces are fully welded for extra strength & stability

Adjustable for length, width & balancing

Powder coated finish resists rust & corrosion

No assembly required

Self-standing ends allow for uncomplicated vehicle attachment

Easily stored when not in use





# Heavy Duty 15 & 20 Ton Porta Powers



## #PPOW15

Double Pump Quick Lift  
Capacity: 15 ton  
Min height: 330mm  
Ram stroke: 135mm  
N.W.: 30kgs  
Comes in blow case with wheels



## #PPOW20T

Double Pump Quick Lift  
Capacity: 20 ton  
Min height: 280mm  
Ram stroke: 135mm  
N.W.: 62kgs  
Comes in brown box & trolley cart



## #PPOW20

Double Pump Quick Lift  
Capacity: 20 ton  
Min height: 280mm  
Ram stroke: 135mm  
N.W.: 64kgs  
Comes in steel box



## Dump Carts

### #VP8420

650lb Dump Cart  
Capacity: 650lb  
Easy assembly design  
Foot pedal release mechanism for easy dumping  
Heavy duty rustproof of poly hopper  
Undercarriage with rust resistant E-coating & powder coating finish with UV protection  
Comfortable T-handle  
Pneumatic tyre: 406 x 109mm  
Bed size: 112.3 x 84.1 x 26.9cm  
N.W.: 30.5kg



### #VP8435

1500lb Dump Cart  
Capacity: 1500lb  
Foot pedal release mechanism for easy dumping  
Inner size of bed: 1067L x 763W x 406Hmm  
Hitch pin is easy for towing behind ATV & tractors  
Pneumatic tyre: 457 x 229mm DOT tyre, 30mph  
Foot release for easy dumping  
Package size: 1# 1219 x 610 x 100mm  
2# 1050 x 550 x 250  
N.W.: 30.5kg



### #VP8460

14cuft Dump Cart  
Foot release pedal  
Removable tailgate for easy loading & unloading  
Easy for tipping, just touch the foot pedal & lift the side rail, tip over the cart bed  
With 16" pneumatic wheels  
Cart size bed: 1219L x 774W x 470Hmm  
Overall size: 1676 x 631 x 914mm  
N.W.: 52.4kg



# OCC Chopper Creeper

#VP801CC

Length: 36"  
6 Wheels




## Oil Filter Crusher

#VP8051

This oil filter crusher is a huge money saver, spacesaver & environment saver all in one. With up to 10 ton of pressure, this powerhouse crushes oil filters to 25% of their original size in seconds while squeezing up to 95% of sludge & oil into a storage drum.


Air pump operation  
Saves on disposal costs & storage space  
Crushes oil filters to 25% of their original size in seconds  
Removes up to 95% of sludge and oil  
Oil drain tray for used filters  
Stroke: 300mm  
Diameter: 240mm  
Pressure: 10 ton  
NW: 64kg  
Packing size: 58 x 58 x 56cm



## Aluminium Roller Stand

#VP8210

Helps you clean front or rear wheels  
Great for polishing & chain maintenance  
Low profile - easy on, easy off  
Powder coated, sealed bearings, non-slip backing  
Mechanics use for valve-chain adjustment  
For belt-driven or bikes 500 lbs  
Working length: 165mm  
N.W.: 18.5kg



# Transmission Jack



## #VP8248

450kg transmission jack  
Max capacity: 450kg  
Min lifting height: 200mm  
Max lifting height: 560mm  
Heavy duty 2" swivel castors  
Package size: 80x46x21cm  
NW: 34.5kg



# Jerry Cans

## #VPJC10

10 Litres



## #VPJC20

20 Litres



Made of steel

# Remote Control Jockey Wheel

## #VP87RCPW

Single pneumatic wheel  
Speed ratio: 153:1  
Towing cap: 1800 kgs  
Rate of travel: 18 ft/min  
Power of travel motor: 500W  
Working voltage: 12V (Battery not included)  
Remote control



## #VP87RCSWA

Single solid wheel  
Speed ratio: 153:1  
Towing cap: 1800 kgs  
Rate of travel: 18 ft/min  
Power of travel motor: 500W  
Working voltage: 12V (Battery not included)  
Remote control



# Storage Racks



## #WST16P-003

Wire shelving trolley with bin unit  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 4+1  
Shelf dimension: 900W x350D x1150H mm  
Bin dimension: 200W x340D x155H mm (16pcs)  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg



## #WST16P-004

Wire shelving trolley with bin unit  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 4+1  
Shelf dimension: 900W x450D x1150H mm  
Bin dimension: 200W x450D x177H mm (16pcs)  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg

## #WST16P-008

Wire shelving trolley with bin unit  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 4+1  
Shelf dimension: 900W x350D x1150H mm  
Bin dimension: 214W x370D x175H mm (16pcs)  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg

## #WST28P-3209

Wire shelving trolley with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 7+1  
With 28 pcs bins  
Shelf dimension: 1050W x270D x1150H mm  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg



## #WST28P-5209

Wire shelving trolley with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 7+1  
With 28 pcs bins  
Shelf dimension: 1050W x470D x1150H mm  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg

## #WST28P-4209

Wire shelving trolley with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 7+1  
With 28 pcs bins  
Shelf dimension: 1050W x370D x1150H mm  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg

## #WST28P-6209


Wire shelving trolley with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 7+1  
With 28 pcs bins  
Shelf dimension: 1050W x570D x1150H mm  
With 2pcs swivelling & 2pcs swivelling with break  
Loading capacity: 500kg

# Storage Rack



## #WSR60P-003

Wire shelving with shelf unit  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 10+1  
Shelf dimension: 1300W x350D x1950H mm  
Bin dimension: 200W x340D x155H mm (60pcs)  
Loading capacity: 800kg



## #WSR40P-3214

Wire shelving with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 10+1  
With 40 pcs bins  
Shelf dimension: 1050W x570D x1950H mm  
Loading capacity: 800kg



## #WSR40P-5214

Wire shelving with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 10+1  
With 40 pcs bins  
Shelf dimension: 1050W x570D x1950H mm  
Loading capacity: 800kg

## #WSR40P-4214


Wire shelving with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 10+1  
With 40 pcs bins  
Shelf dimension: 1050W x570D x1950H mm  
Loading capacity: 800kg

## #WSR40P-6214

Wire shelving with shelf bin  
Material: PP&PE bins & steel tube shelves  
Surface treatment: chrome plated  
Number of shelves: 10+1  
With 40 pcs bins  
Shelf dimension: 1050W x570D x1950H mm  
Loading capacity: 800kg

## #STOBX78

Big Bin Sizes:  
24 x 15 x 12.5cm  
Small Bin Sizes:  
16.5 x 10.5 x 7.5cm



## #STOBX24

Big Bin Sizes:  
24 x 15 x 12.5cm  
Small Bin Sizes:  
16.5 x 10.5 x 7.5cm



# Tool Set Trolley Mobile



**#TSTM** 188 pieces

6pcs-precision s/d carbon steel, heated  
 9pcs-hex key Cr-v, heated  
 24pcs-bits Cr-v, heated  
 1pc-bit handle carbon steel, heated  
 1pc-bit holder Cr-v, heated  
 14pcs-screwdriver Cr-v, heated  
 1pc-7.5"diagonal plier Cr-v, heated  
 1pc-8"adjustable wrench Cr-v, heated  
 1pc-9"pump plier Cr-v, heated  
 1pc-elec.tester 100-250v  
 1pc-8"longnose plier Cr-v, heated  
 1pc-6"combination plier Cr-v, heated  
 10pcs-combination wrench 6-8-10-11-12-13-14-15-17-19 Cr-v, heated  
 12pcs-1/4dr\*4-4.5-5-5.5-6-7-8-9-10-11-12-13 Cr-v, heated  
 17pcs-1/2dr\*10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30 Cr-v, heated  
 2pcs-1/2dr\*16&21mm plug sockets Cr-v, heated  
 1pc-1/2universal joint Cr-v, heated  
 1pc-Y bits Cr-v, heated  
 1pc-1/2 sliding T bar Cr-v, heated  
 1pc-1/4 universal joint Cr-v, heated  
 1pc-1/4\*2" extension bar Cr-v, heated  
 1pc-1/4 sliding T bar Cr-v, heated  
 1pc-1/4\*4" extension bar Cr-v, heated  
 1pc-1/2dr\*5" extension bar Cr-v, heated  
 1pc-1/4 ratchet handle carbon steel, heated  
 1pc-1/2 ratchet handle carbon steel, heated  
 1pc-flexible extension 6" Cr-v, heated  
 1pc-spinner handle Cr-v, heated  
 2pcs-nylon clamp 3.5"



60pcs-fastener  
 1pc-12OZ claw hammer carbon steel, heated  
 1pc-7"lock plier carbon steel, heated  
 1pc-8"crimping plier carbon steel, heated  
 1pc-measuring tape 5m  
 1pc-blue gun  
 2pc glue sticks  
 1pc 10"level  
 1pc elec.tape 10Y  
 1pc utility knife  
 1set/aluminum box+color label+shrink

**#TS3D** 306 pieces

TRAY1;  
 30pcs- 25mmbits in plastics box - 3 4 5 5.5 6 7 ;+ 0 1 1 2 2 3 ;PZ 0 1 1 2 2 3; T10 T15 T20 T25 T27 T30 ;HEX: 2 3 4 5 5.5 6  
 1PC-bits holder in plastics box with 32pcs bit  
 9pc-spanners 6 8 10 11 13 14 15 17 19  
 6pcs screwdrivers - 6x38mm 5x75mm 6x100mm;  
 PH 2x38mm 1x75mm 2x100mm  
 1pc-250 water pump pliers  
 1pc-150mm diagonal pliers  
 1pc-200mm long nose pliers  
 1pc-175mm lines man pliers  
 1pc- utility knife 18mm  
 2pcs- 18mm blades  
 1pc-200mm adjustable wrench  
 1pc-tester 100V-250V  
 1pc-300g hammer  
 1pc- 5m measuring tape  
 8pcs-needle file 3x140mm  
 1pc-scissors  
 Tray 2  
 13PCS-1/2 sockets 10 11 13 14 15 16 17 18 19 20 21 23 24mm  
 12pcs-1/4dr sockets 4 4.5 5 5.5 6 7 8 9 10 11 12 13mm  
 1pc-1/4dr ratchet handle with quick down  
 1pc-1/2dr ratchet handle with quick down  
 1pc-3way adapter 9pcs hex key wrench 1.5 2 2.5 3 4 5 6 8 10mm  
 1pc-1/4x100 sliding bar  
 1pc-1/2dr x 16mm spark plug wrench  
 1pc-1/2drx21mm spark plug wrench



1pc-1/4dr universal joint  
 1pc-1/2dr universal joint  
 1pc- spinner handle  
 1pc-1/4dr driver coupler  
 Tray 3  
 6pcs- masonry drills 3 4 5 6 8 10mm  
 6pcs- wood drills 3 4 5 6 8 10mm  
 6pcs hss drills 3 4 5 6 8 10mm  
 3pcs flat wood drills 13 16 19 mm  
 9pcs nut drivers 5 6 7 8 9 10 11 12 13mm  
 24pc-25mm bits T 8 10 15 20 25 27 30 40 45 :  
 HEX 1.5 2 2.5 3 4 5 5.5 6 8 pz 0 1 2 2 2 3  
 18PCS-50MM BITS - 3 4  
 5 6 7 8 ;PH 0 1 2 2 2 3 ;PZ 0 1 2 2 2 3  
 1pcs-18V cordless drills  
 1pc-18V LED light  
 1pc-18V battery  
 1pc- charger  
 1pc-aluminium cabinet



# Steel Tyre Mate Underbody Box

SS tyre-mate underbody boxes provide an additional storage compartment for tools & equipment

Constructed of 1.5mm cool rolled steel

- Rotary action rivet-on T locks
- Continuous piano hinge
- Rubber seal for weather resistant
- Electric welding for max durability
- Finished with powder coating



## #TBTS60L

Left underbody box

Dimensions: 600Top x 440 base x 400 Height x 260 Width mm

NW: 15kgs

## #TBTS60R

Right underbody box

Dimensions: 600Top x 440 base x 400 Height x 260 Width mm

NW: 15kgs



## #TBTS65L

Left underbody box

Dimensions: 660Top x 508 base x 410 Height x 260 Width mm

NW: 11.4kgs

## #TBTS65R

Right underbody box

Dimensions: 660Top x 508 base x 410 Height x 260 Width mm

NW: 11.4kgs



# Steel Underbody Truck Box

SS sturdy steel underbody boxes provide an additional storage compartment for tools & equipment.

All underboxes are 18" high and 18" deep, and range in lengths from 20" to 60"

Constructed of 14 gauge steel construction

- Rotary action rivet-on locks
- Concealed full length hinge pin
- Rubber seal for weather resistant
- Electric welding for max durability
- Finished with powder coating

## #TBTSTB20

Dimensions:

20" x 18" x 18"

NW: 57.5kg

## #TBTSTB24

Dimensions:

24" x 18" x 18"

NW: 65kg

## #TBTSTB30

Dimensions:

30" x 18" x 18"

NW: 75kg



## #TBTSTB36

Dimensions:

36" x 18" x 18"

NW: 85kg

## #TBTSTB48

Dimensions:

48" x 18" x 18"

NW: 104.5kg

## #TBTSTB60

Dimensions:

60" x 18" x 18"

NW: 125.5kg

# Toolbox

## #TBT70STSWL

1219mm Steel Truck Tool Box With  
4 Heavy Duty Wheel Castors With Locks  
Overall dimensions:  
1200 x 620 x 710mm



Open

# Ute Toolbox

## #TBTALUTD

Aluminium ute box with 4 drawers  
Size: 140 x 50 70cm  
Material: 2mm aluminium checkerplate  
High quality t-bar swivel locks  
Full length stainless steel piano hinge  
Rubber seals  
Dust & water resistant  
2 supporting gas struts  
Fixed or adjustable internal shelf  
4 drawers for individual storage



# Petrol Chainsaw

## #PT3816

Power type: 2 stroke, air-cooling petrol engine  
Displacement: 38cc  
Bar size: 16"  
Rated output power & relevant speed: 1.5k/7000rpm  
Power output way: automatic centrifugal meshing  
Loading speed: 3000rpm  
Chain oil feeding system: adjusting mechanical pump  
Fuel mixture: 25:1  
Chain oil: Motor oil SAE#10W-30  
Fuel tank capacity: 310ml  
Ignition system: C.D.I.  
Starting system: automatic recoil hand starter  
Chain pitch: 3/8"  
Chain gauge: 0.058"  
N.W.: 4.85kg  
Safety Brake



# Chainsaw Sharpener

## #PT60CSA

Motor: 240V, 85Watt.  
Rpm's: 4800  
Vice capacity: 0.80" to 0.50"  
Table/vice angles: 35 degrees right to left  
Wheel dimensions: 4-1/4" dia x 1/8" thick  
Now with an automatic chain clamping device

## #PT60CSBL

Grinding wheel blade  
to suit PT60CSA



# Petrol Jack Hammer & Star Picket Driver

## #PT43SP

Engine type: 2-stroke, forced, air cooled, single cylinder  
Displacement: 52cc  
Fuel mixture ratio: 25:1  
Fuel tank capacity: 1.3L  
Fuel consumption rate: 0.6L/h  
Impact frequency: 770-1500 min-1  
Accessories: drill (tampering head), chisel  
Outside packing dimension: 730 x 390 x 315mm/1pc  
NW: 23kg



# Multi Task Sharpener

## #PT6913A

Used to sharpen different tools



### Accessories to Suit

Diamond dressing tool



Grinding Jig 6:  
Used for knives etc.



Grinding Jig 4:  
Used for windmill type  
blades eg: meat mincer



Grinding Jig 5:  
Used for flat chisels



Grinding Jig 3:  
Used for scoring  
blades etc.



Grinding Jig 7:  
Used for planer blades  
40-280mm



Sliding guide for jigs



Grinding Jig 2:  
Used for chisel  
gouging



Mounting bracket:  
Base frame



Grinding Jig 1:  
Used for axes &  
tomohawks etc.



# Air Compressors



## #ACB3070

3 HP motor  
70L tank  
Displacement: 16cfm  
3 cylinders  
8" solid wheels  
15 amp plug



## #ACB30100

3 HP motor  
100L tank  
Displacement: 16cfm  
3 cylinders  
8" solid wheels  
15 amp plug

## #ACB13100P

Belt driven air compressor with engine  
13HP  
100L tank  
16cfm  
Pump displacement: 454L/min  
8 bar operating pressure



## #ACD30100V

Speed: 2800rpm  
Power: 3HP  
Displacement: 14.8cfm  
Voltage: 240V  
FAD: L/min cfm  
Current: 12.4amp  
115 psi  
Tank capacity: 100L



# Generator

## #GEN2500A

Max power: 2500W  
Continuous power: 220w  
5.5hp 4-stroke engine  
Low operation noise: 93db  
Fitted with circuit breaker  
Dual 240V AC outlets  
12V DC outlet  
DC amperage: 8.3A  
Displacement: 163cc  
Fuel tank capacity: 12L  
Oil capacity: 0.6L  
Packing dimensions: 600x450x470mm  
NW/GW: 42/43





# Portable Ventilators



**#VEN8**

Dia: 200mm  
Power: 200W  
Capacity: 35 m<sup>3</sup>/min  
Rotation speed: 3300rpm

**#VEN85M**

5 metre hose to suit VEN8

**#VEN12**

Dia: 300mm  
Power: 550W  
Capacity: 62 m<sup>3</sup>/min  
Rotation speed: 3300rpm

**#VEN1210M** 10 metre hose to suit VEN12

**#VEN125M** 5 metre hose to suit VEN12

**#VEN16**

Dia: 400mm  
Power: 1500W  
Capacity: 130 m<sup>3</sup>/min  
Rotation speed: 3300rpm

**#VEN1610M** 10 metre hose to suit VEN16

**#VEN165M** 5 metre hose to suit VEN16



## Cast Iron Bridges

### Steel Garden Bridges

These durable garden bridge are the perfect accessory for any garden or patio setting. It can be used as a decorative accessory or an actual bridge. The all-steel construction will provide years of enjoyment.

**#GABG01A**

Assembly size:  
180 x 80 x 105cm

**#GABG04A**

Assembly size:  
200 x 80 x 105cm

**#GABG06A**

Assembly size:  
250 x 80 x 110cm



**STYLE A**



**STYLE B**

**#GABG03B**

Assembly size:  
180 x 80 x 105cm

**#GABG05B**

Assembly size:  
200 x 80 x 105cm

**#GABG07B**

Assembly size:  
250 x 80 x 110cm



# Lawn Sweepers



## #SW920

Two front side brushes  
One centre main brush  
Sweeps all kinds of large & fine sand  
both wet & dry  
Distinguishing feature: fine sand, granule  
Capacity: 40L  
Weight: 30kg  
Sweeping width: 920mm/36"  
Performance: 3680m2



## #SW750

Two front rotating brushes  
Sweeps all kinds of large & small debris  
both wet & dry  
Distinguishing feature: large debris,  
wet ground  
Capacity: 50L  
Weight: 13.5kg  
Sweeping width: 750mm/30"  
Performance: 3000m2



## #SW550

Two front rotating brushes  
Sweeps all kinds of large & small debris  
both wet & dry  
Distinguishing feature: personal use  
in small area  
Capacity: 25L  
Weight: 6g  
Sweeping width: 550mm/36"  
Performance: 2200m2



# Fold Up Steel Workbench Heavy Duty

## #WH7090

Bench top capacity: 250kg  
Heavy gauge steel construction for heavy duty application  
Tear down structure and easy to assemble  
Superior red powder coating  
Unfold size: 1198L x 645W x 1380Wmm  
Folded size: 1198L x 1380Wmm



Folded



# Meat Cutting Bandsaw

## #BSMC300

All Stainless Steel Meat Cutting Bandsaw (Bone Saw)  
Length of blade: 2390mm  
1-1/2" HP motor  
Depth of throat: 300mm  
Table size: 712 x 662mm  
Cutting thickness: 30-250mm  
Voltage: 240V  
Frequency: 50Hz  
Power: 1500W  
Blade wheel dia: 300mm  
Blade speed: 15m/s  
Dimensions: 78 x 71 x 169cm  
Weight: 98Kgs



# Cement Mixer

## #CM190

190L  
750W  
Colour: yellow  
1 HP  
3.2cfm



# Heavy Duty Tradesmen 7 cu.ft Wheelbarrow

## #WBHD

Heavy Duty Construction  
Tradesman Style  
Wheelbarrow



Spare Wheel Part No:  
**#WBWHEEL**

Extra Heavy Duty Pneumatic wheel  
Ply rating: 4PR  
Tyre size: 16" x 6.5-8"  
Bore dia: 1"  
Load cap: 400lbs  
Heavy duty plastic rim



# 63 Amp Plugs & Wall Mounted Sockets



## #P4P63A

Male Plug  
4 pin  
63 amp



## #P5P63A

Male Plug  
5 pin  
63 amp

## #S4P63A

Wall mounted socket  
4 pin  
63 amp

## #S5P63A

Wall mounted socket  
5 pin  
63 amp

# R2D2

## Abrasive Unit with Vacuum Cleaner

### #SB28V

Abrasive blasting unit with vacuum  
28 Gallons  
Motor power: 240V  
Air compressor delivery: 115psi@6-22.5cfm  
Overall dimensions: 46x38x102cm



# High Pressure Hydraulic Hoses

| MODEL        | WORKING PRESSURE | SIZE |
|--------------|------------------|------|
| #100R2AT1/4" | 5800psi          | 1/4" |
| #100R2AT3/8" | 4800psi          | 3/8" |
| #100R2AT1/2" | 4000psi          | 1/2" |
| #100R2AT5/8" | 3625psi          | 5/8" |
| #100R2AT3/4" | 3120psi          | 3/4" |
| #100R2AT1"   | 2400psi          | 1"   |



Available in 50 metre rolls

# Shop Press



## #PRESS30THDA

30 Ton Shop Press  
Working range: 0-1070mm  
Width: 460mm  
N.W.: 158kgs  
Package size: 190x78x34cm



# Animal Cages

## #AT3PCSET

Pre-assembled  
Safe to use  
Easy to bait, set & release  
Effective  
Humane  
Sure catch  
Built to last

### Small

Size: 61 x 18.5 x 18.5cm  
Ideal for catching rats, rabbits,  
& feral cats .

### Medium

Size: 81.5 x 26.5 x 32cm  
Ideal for catching possums,  
small wild dog & feral cats.

### Large

Size: 117 x 39 x 38.5cm  
Ideal for catching foxes, possums  
& feral cats.



# Water Pump

## #QWE1HP

1HP  
240 Volt  
1-1/2 inlet  
1-1/2 outlet  
2850 r/min  
Suction: 9 m  
Max delivery height: 16m





# Lights



## High Bay Lights

**#LEDHBL120** Pure white colour  
High Bay Light 120W  
Dia: 410x220mm  
Power consumption: 120W  
Colour Temperature: 6000-6500k  
Luminous Flux: 122000-12500lm

**#LEDHBL150** Pure white colour  
High Bay Light 150W  
Dia: 410x220mm  
Power consumption: 150W  
Colour Temperature: 6000-6500k  
Luminous Flux: 15000-15500lm




**#LEDHBL212** Pure white colour  
20,000 Luminous LED High Bay Light  
Dimensions: 410x610mm  
Power consumption: 212W  
Colour temperature: 6000-6500K  
Luminous flux: 20,000lm  
GW/NW: 12/10.5kg



## Flourescent Tubes

T8 LED Tube Light  
1200mm  
Dia: 26x1200mm  
Power consumption: 18W  
LED Quantity: 6000-65000k  
Luminous Flux: 2000-2200lm  
Colour: Pearl

**#LEDTC** Clear colour  
**#LEDTP** Pearl colour



## Cutting Saw

### #MC16BD

Rated voltage: 380/220v  
Rated Frequency: 50Hz  
Rated Input Power: 2.2kw  
No-load speed: 2890rpm  
Blade dia: 400mm  
Weight: 110kg



### #MC16DB3

3 Phase  
Rated voltage: 380/220v  
Rated Frequency: 50Hz  
Rated Input Power: 2.2kw  
No-load speed: 2890rpm  
Blade dia: 400mm  
Weight: 110kg

# Petrol Powered 13HP Core Drill



#PT3400D

13HP electric start engine  
Prepare for concrete core samples  
Max dia of core drilling sample 200mm  
Max core drilling depth: 400mm  
Power: petrol engine  
Main shaft's speed: 200-1000rpm  
Dimension: 980 x 780 x 1160mm



## PTO Generator 10, 16 or 20 kva

#GEN3PT010 10 kva

#GEN3PT016 16 kva

#GEN3PT020 20 kva

3 phase, 50 Hz  
540rpm, PTO input  
1.38" splined shaft  
Wired ready to go with 5 pin 3 phase 140amp plug  
or 3 pin single phase plug  
2.77:1 ratio gearbox  
Voltage/current frequency metres with fuse & breaker  
brushless 50Hz alternator  
With AVR



## Folding Utility Cart

#FUC1000

Frame material: powder coated round steel tube  
Cart hopper: 1mm PVC  
Size: 89 x 58 x 61cm  
Loading capacity: 75kg  
Wheels: 10", 2 x 2 ply pneumatic



Folded



# Carry-All Box

## #FITB120HD

Dimensions: 926 x 1220 x 630mm  
Weight: 95kg  
Max angle of rotation: 52 degrees  
Tractor power: 18-20HP  
Loading: 500kg



## #FITB150HD

Dimensions: 926 x 1500 x 630mm  
Weight: 130kg  
Max angle of rotation: 52 degrees  
Tractor power: 25-30HP  
Loading: 650kg

## #FITB130HD

Dimensions: 926 x 1300 x 630mm  
Weight: 105kg  
Max angle of rotation: 52 degrees  
Tractor power: 20-25HP  
Loading: 550kg

---

# Trailer

## #FITT1500

Tractor power: 15-35HP  
Compartment length: 2000mm  
Carriage width: 1250mm  
Compartment height of: 350mm  
Weight: 310kg  
Max load: 1500kg  
Dump angle: 40 degrees  
Tyre specifications: 23 x 8.5-12 6 ply



---

# Steel Plated Carry-Alls

## #FICAS1220

Steel diamond plate carry-all  
1200 x 900 x 750mm  
For Cat 1, tractor 18-35hp

## #FICAS1520

Steel diamond plate carry-all  
1500 x 900 x 750mm  
For Cat 1, tractor 20-45hp



## #FICAS1820

Steel diamond plate carry-all  
1800 x 900 x 750mm  
For Cat 1 or 2, tractor 25-45hp

## #FICAS2500

Steel diamond plate carry-all  
2400 x 900 x 750mm  
For Cat 1 or 2, tractor 30-55hp



# Ditchers

The ditcher is mainly composed of a 3 point hatch & working accessories,  
the working power comes from the tractor.  
It is convenient to execute the following operations:  
Ditching, cleaning the existing ditch to make water flow fluency



| ITEMS                      | #FIAD300 | #FIAD400 | #FIAD500 |
|----------------------------|----------|----------|----------|
| Cutter Head Diameter (mm)  | 400      | 600      | 800      |
| Input Rotation Speed (rpm) | 540      | 540      | 540      |
| Tractor Power (hp)         | 40       | 60       | 80       |
| Left/Right Offsets (mm)    | 600      | 600      | 600      |
| Max Working Width (mm)     | 400      | 600      | 800      |
| Max Working Depth (mm)     | 300      | 400      | 500      |
| N.W. (Kgs)                 | 205      | 230      | 340      |



# Lawn Mower Lift Jack

#LMJL

Capacity: 300kgs  
Adjustable to 45 degree angle  
Package size: 1390 x 475 x 260mm  
NW: 27kg



# Spreaders

#FI300S

Single spindle spreader  
Suit for granular fertilizer  
300L one pc PVC hopper  
Production efficiency: 6.7-10h  
Working radius: 8-10m  
Operating speed: 5-8km/h  
Tractor power: 12-30hp



#FI1000S

Twin spindle spreader  
Suit for granular fertilizer  
One pc PVC hopper  
Capacity: 1000L  
No. of openings fertilizer flows: 2 x 2  
Diffuser blade: 2  
Working width: 16-24m  
Adjustable speed: 10.7m/h  
Tractor power: above 70hp



# Bale Spears




## #FIBS2200FA

1000 kg Adjustable Feed Out Fork  
Adjustable model feeds out bales with widths ranging from 4-6'  
Easily adjusted with a single pin  
Bales can be carried on fork for transport  
Tines straddle the bale & lock in pins are inserted into the centre of the bale to allow it to roll  
Cat 1 linkage with Cat 2 bushes  
Lift capacity of 1000kg




## #FIBS3300

1500 kg Bale Handling Fork  
Three 2" high tensile main spike  
Ideal for lifting big square bales  
Cat 1 linkage with Cat 2 bushes  
Lift capacity of 1500kg evenly loaded




## #FIBS2200F

1000 kg Fixed Feed Out Fork  
Fixed tines accommodate 4' bales  
Bales can be carried on fork for transport  
Tines straddle the bale & lock in pins are inserted into the centre of the bale to allow it to roll  
Cat 1 linkage with Cat 2 bushes  
Lift capacity of 1000kg




## #FIBS2200

1000 kg Bale Fork  
Two 2" high tensile main spike  
32" centres make is ideal for transporting round bales or lifting pallets etc.  
Cat 1 linkage with Cat 2 bushes  
Lift capacity of 1000kg evenly loaded



## #FIBS3500

Square Bale Spike  
The 3-point linkage square bale spike is designed to handle large square bales  
The attachment is fitted with 4 tines as standard & these are driven into the long side of the bale to give max support to the bale while being handled  
Can be fitted with a number of tine configurations to suit your individual needs  
All tines fit into a tapered sleeve & are removeable



# Bucket Chain Ditching Machine

## #FIABC

Suitable for planting yam, herbs & other plants, & underground pipes, underground cables  
Working width: 100-300mm  
Ditch depth: 100-1200mm  
Tractor power: over 50HP  
Working speed: 80-300m/hour  
3-point hitched, easy to match & remove  
Need tractors with PTO, hydraulic output




# Rotary Tiller



## #FIRT150HD

Dimensions: 1700 x 800 x 700mm  
Weight: 320kg  
Working width: 1495mm  
Working depth: 120mm  
PTO speed: 540r/min  
Tractor power: 30-50HP



## #FIRT180HD

Dimensions: 2000 x 800 x 700mm  
Weight: 350kg  
Working width: 1795mm  
Working depth: 120mm  
PTO speed: 540r/min  
Tractor power: 40-75HP

---

# Rotary Tiller

## #FIRTL105

Dimensions: 1250 x 800 x 750mm  
Weight: 185kg  
Tilling width: 1.0m  
Tilling depth: 90mm  
PTO turning speed: 540r/min  
Tractor power: 15-22HP



## #FIRTL125

Dimensions: 1450 x 800 x 750mm  
Weight: 240kg  
Tilling width: 1.2m  
Tilling depth: 90mm  
PTO turning speed: 540r/min  
Tractor power: 18-22HP

## #FIRTL115

Dimensions: 1350 x 800 x 750mm  
Weight: 200kg  
Tilling width: 1.1m  
Tilling depth: 90mm  
PTO turning speed: 540r/min  
Tractor power: 15-22HP

## #FIRTL135

Dimensions: 1550 x 800 x 750mm  
Weight: 240kg  
Tilling width: 1.3m  
Tilling depth: 90mm  
PTO turning speed: 540r/min  
Tractor power: 18-22HP

# Bush Cutters



## #FIEFAGA140

Dimensions: 1800 x 2225 x 1020mm  
Weight: 490kg  
Working width: 1.38m  
PTO speed: 540r/min  
Tractor power: 40-85HP



## #FIEFAGAL145

Dimensions: 1570 x 1610 x 605mm  
Weight: 285kg  
Working width: 1.38m  
PTO speed: 540r/min  
Tractor power: 30-45HP



---

# Three Tine Ripper

## #FISH15500

Tractor power: 25-35HP  
3-point suspension: Cat 1  
Length: 550mm  
Width: 1140mm  
Height: 1270mm  
Weight: 142kg  
Plowshare number: 3  
Working width: 65mm  
Working depth: 320-500mm



---

# Rear Box Blade

## #FIBB5HD

Dimensions: 1525 x 642 x 975mm  
Weight: 250kg  
Working width: 1.5m  
Tractor power: 18-35HP



## #FIBB6HD

Dimensions: 1825 x 642 x 975mm  
Weight: 310kg  
Working width: 1.8m  
Tractor power: 25-50HP



# Flail Mowers



## #FIEF95

Dimensions: 1050 x 687 x 722mm  
Weight: 115kg  
Working width: 929mm  
PTO speed: 540r/min  
Tractor power: 16-20HP



## #FIEF145

Dimensions: 1550 x 687 x 722mm  
Weight: 190kg  
Working width: 1429mm  
PTO speed: 540r/min  
Tractor power: 25-35HP

## #FIEF125

Dimensions: 1350 x 687 x 722mm  
Weight: 160kg  
Working width: 1229mm  
PTO speed: 540r/min  
Tractor power: 25-35HP

## #FIEF175

Dimensions: 1850 x 687 x 722mm  
Weight: 255kg  
Working width: 1729mm  
PTO speed: 540r/min  
Tractor power: 30-40HP

---

## #FIEFGC115

Dimensions: 1265 x 790 x 850mm  
Weight: 238kg  
Working width: 1.12m  
PTO speed: 540r/min  
Tractor power: 18-25HP



## #FIEFGC165

Dimensions: 1765 x 790 x 850mm  
Weight: 315kg  
Working width: 1.62m  
PTO speed: 540r/min  
Tractor power: 35-45HP

## #FIEFGC185

Dimensions: 1965 x 925 x 1035mm  
Weight: 346kg  
Working width: 1.82m  
PTO speed: 540r/min  
Tractor power: 45-55HP

---

## #FIEFGCH135

Dimensions: 1465 x 925 x 1035mm  
Weight: 302kg  
Working width: 1.32m  
PTO speed: 540r/min  
Tractor power: 20-30HP



## #FIEFGCH175

Dimensions: 1865 x 925 x 1035mm  
Weight: 369kg  
Working width: 1.72m  
PTO speed: 540r/min  
Tractor power: 40-50HP

## #FIEFGCH155

Dimensions: 1665 x 925 x 1035mm  
Weight: 342kg  
Working width: 1.52m  
PTO speed: 540r/min  
Tractor power: 30-40HP

## #FIEFGCH185

Dimensions: 1965 x 925 x 1035mm  
Weight: 384kg  
Working width: 1.82m  
PTO speed: 540r/min  
Tractor power: 45-55HP

# Flail Mowers



## #FIEFAG140

Dimensions: 1540 x 985 x 1005mm  
Weight: 320kg  
Working width: 1.38m  
PTO speed: 540r/min  
Tractor power: 35-45HP

## #FIEFAG175

Dimensions: 1840 x 985 x 1005mm  
Weight: 370kg  
Working width: 1.68m  
PTO speed: 540r/min  
Tractor power: 40-50HP



## #FIEFAG200

Dimensions: 2140 x 985 x 1005mm  
Weight: 410kg  
Working width: 1.98m  
PTO speed: 540r/min  
Tractor power: 45-60HP

## #FIEFAG220

Dimensions: 2340 x 985 x 1005mm  
Weight: 460kg  
Working width: 2.18m  
PTO speed: 540r/min  
Tractor power: 55-85HP

---

# Flail Collector

## #FIEFFC120

Dimensions: 1345 x 1435 x 1035mm  
Weight: 323kg  
Working width: 1.15m  
PTO flower key: 0.55m3  
Tractor power: 20-40HP



## #FIEFFC160

Dimensions: 1745 x 1435 x 1035mm  
Weight: 367kg  
Working width: 1.55m  
PTO flower key: 0.7m3  
Tractor power: 28-50HP

---

# Heavy Duty Carry-All

## #FICA210HD

Dimensions: 2100 x 1130 x 920mm  
Weight: 150kg  
Working width: 500kg





# Rake



## #FILR5HD

Dimensions: 1150 x 1550 x 1050mm  
Weight: 135kg  
Working depth: 1.45m  
Tractor power: 18-35HP



## #FILR6HD

Dimensions: 1450 x 1550 x 1050mm  
Weight: 170kg  
Working depth: 1.75m  
Tractor power: 25-50HP

---

# Rear Grader Blade

## #FIGB4HD

Dimensions: 1200 x 1370 x 1050mm  
Weight: 135kg  
Working width: 1.2m  
Tractor power: 15-22HP



## #FIGB6HD

Dimensions: 1800 x 1370 x 1050mm  
Weight: 190kg  
Working width: 1.8m  
Tractor power: 25-50HP

## #FIGB5HD

Dimensions: 1500 x 1370 x 1050mm  
Weight: 155kg  
Working width: 1.5m  
Tractor power: 18-35HP

---

# Stone Burrier

## #FISB125

Dimensions: 1360 x 1330 x 920mm  
Weight: 355kg  
Working width: 1150mm  
Working depth: 120mm  
PTO speed: 540r/min  
Tractor power: 25-30HP



## #FISB165

Dimensions: 1760 x 1330 x 920mm  
Weight: 405kg  
Working width: 1550mm  
Working depth: 120mm  
PTO speed: 540r/min  
Tractor power: 35-45HP

## #FISB145

Dimensions: 1560 x 1330 x 920mm  
Weight: 380kg  
Working width: 1350mm  
Working depth: 120mm  
PTO speed: 540r/min  
Tractor power: 28-40HP

# Shredder Chipper



## #FI55SC

Shredder Chipper  
Engine: 5.5hp  
Rato engine: manual start  
Max big hopper cap: 9.5mm dia  
Max chipper cap for side hopper: 31.7mm dia  
Blade rotation: 1440-3660rpm  
One shredding plate & 4 chipper blades  
Wheel: 8" x 2" (20.3 x 5cm) plastic



## 3 Point Linkage Chippers

### #FI6TPL

Wood chipper Europe-style  
Removeable long safety kit with EC approval  
Rotary output device for waste  
Dimension: 1600L x 1020W x 1400Hmm  
Radius of blade disc: 302mm  
Chipping dia: 150mm  
Working efficiency: 7-8m<sup>3</sup>/h  
PTO turning speed: 540r/min  
Power request: 18-45hp



### #FI8TPL

With longer and swivel chute  
Removeable long safety kit with EC approval  
Rotary output device for waste  
Dimension: 1600L x 1020W x 1400Hmm  
Radius of blade disc: 302mm  
Chipping dia: 200mm  
Working efficiency: 8-9m<sup>3</sup>/h  
PTO turning speed: 540r/min  
Power request: 25-45hp



## Pallet Mill Press Machine

### #PMP100

Compresses saw dust for burning & stockfeed for feeding cattle  
Capacity: 75-100kgs/per hour  
Pallet size: 6mmWx19mmL  
Motor: 2.2kw (3hp), 240V, 50hz, 1-phase  
Comes with 4mm die and roller set  
Weight: 100kgs



# Tractor Buckets



Made from Robust and steel construction  
Heavy duty nose blade for extra strength  
Combines power & strength to withstand the toughest of work loads through a rugged construction  
Heavy duty hydraulic ram used to eliminate stress caused by uneven loading  
Scraper blade fitted as standard levelling work  
Suitable for both 2WD and 4WD high hp tractors



## #FITB4H

Width: 1260mm  
Height: 510mm  
Depth: 640mm  
Capacity: 0.34cu.m  
Max hp: 50HP  
Body material: 3mm  
Left arm pins: Cat. 1  
N.W.: 152kg  
Packing size:  
130x68x55cm

## #FITB5H

Width: 1510mm  
Height: 510mm  
Depth: 640mm  
Capacity: 0.34cu.m  
Max hp: 55HP  
Body material: 3mm  
Left arm pins: Cat. 1  
N.W.: 175kg  
Packing size:  
155x68x55cm

## #FITB5HX

Width: 1510mm  
Height: 610mm  
Depth: 930mm  
Capacity: 0.64cu.m  
Max hp: 80HP  
Body material: 3mm  
Left arm pins: Cat. 2  
N.W.: 296kg  
Packing size:  
155x96x65cm

## #FITB6H

Width: 1830mm  
Height: 610mm  
Depth: 930mm  
Capacity: 0.76cu.m  
Max hp: 100HP  
Body material: 3mm  
Left arm pins: Cat. 2  
N.W.: 328kg  
Packing size:  
185x96x65cm

## #FITB6HX

Width: 2000mm  
Height: 610mm  
Depth: 930mm  
Capacity: 0.80cu.m  
Max hp: 100HP  
Body material: 3mm  
Left arm pins: Cat. 2  
N.W.: 345kg  
Packing size:  
205x96x65cm

## #FITB7H

Width: 2170mm  
Height: 610mm  
Depth: 930mm  
Capacity: 0.85cu.m  
Max hp: 130HP  
Body material: 3mm  
Left arm pins: Cat. 2  
N.W.: 415kg  
Packing size:  
220x96x65cm

# Wire Spinners

## #WS1

Easy to hold the wire rolls; for the wire rolls  
Powder coated or hot dipped galvanised  
Round diameter: 850mm  
N.W.: 21kg




## #WS2

Easy to hold the wire rolls; for the wire rolls  
Powder coated or hot dipped galvanised  
Round diameter: adjustable 3 sizes  
N.W.: 32kg



## #WSJENNY

Equipped with fully adjustable brake to prevent over running  
Large angle iron base permits truck bed mounting  
Adjusts to fit 17 inch to 24 inch ID coil  
N.W.: 32kg



# Levelling Bars

## #FILLB53P

Levelling bar - 5 foot - 3 pt linkage  
1500L x 900W

## #FILLB83P

Levelling bar - 8 foot - 3 pt linkage  
2500L x 1600W

## #FILLB103P

Levelling bar - 10 foot - 3 pt linkage  
3000L x 1600W



FILLB83P



# Log Splitters

## #LS25

25Ton Heavy Duty  
6.5HP TWM Engine  
Operation at either vertical & horizontal position  
Engine: 6.5HP, 8gpm, 2-stage gear pump  
Cylinder: 4"x23"  
Splits up to 24" long and 12" diameter  
Hard steel wedge: 8"  
Cycle time: 18 secs  
Auto return valve  
Pneumatic wheel: 16x6.5" DOT for highway hauling  
Coupler size: 2" ball for easy towing  
Oil cap: 12L  
Max towing speed: 30mph  
Heavy duty steel construction  
N.W.: 202kg



## #LSC

**Log Splitter Cover**  
Covers range of log splitters  
Weatherproof



## #LS20

Convenient horizontal use  
6.5HP engine  
Log cradle included  
HD I-beam frame  
2.56 GPM flow rate for faster splitting  
3000psi pump  
Hydraulic cylinder 3.5" bore x 19" stroke



## #LS50

Max capacity: 50 ton  
Max cap of lifting table: 50kgs  
Engine: 6.5HP Manual start  
Horizontal use only  
Max log length: 500mm  
Max log dia: 350mm  
Wedge: 200mm H  
Max pressure: 3600psi  
Oil tank cap: 3L  
Max towing speed: 45mph  
Pneumatic wheel: 16" DOT  
Package size: 174 x 64.5 x 71cm  
NW: 340kg





# Wood Saws



## #SCLC13PA

Gasoline engine: 13hp  
 Idle speed N: 1440rpm  
 Saw blade: 700x30mm  
 Number of teeth: 64  
 Max cutting capacity (reversing out): 270mm  
 Min cutting capacity: 100mm  
 Max material length: 1000mm  
 Min material length: 300mm  
 Weight: 83kg



Log fix device on log saw

## #SCLC13TOW

Tow Behind 13HP Log Saw  
 With manual start 13HP petrol engine  
 With electric start 13HP petrol engine optional  
 13HP petrol engine  
 Saw blade: 70x3cm  
 Number of teeth: 64  
 Idle speed of blade: 1440r/min  
 Min dia of wood: 50mm  
 Max dia of wood: 270mm  
 Another model w/o tow bar, w/small wheel is optional



Stable belt tension  
for ease of start



Log carriage lock  
To easily move around



Available soon with  
Electric Start

Log clamping device

## #SCLC13PAES

Electric Start  
 Gasoline engine: 13hp  
 Idle speed N: 1440rpm  
 Saw blade: 700x30mm  
 Number of teeth: 64  
 Max cutting capacity (reversing out): 270mm  
 Min cutting capacity: 100mm  
 Max material length: 1000mm  
 Min material length: 300mm  
 Weight: 83kg



# Shredder Chipper With Saw

**#FI13SCSAW**

Shredder Chipper With Saw  
Power: 13HP electric start engine  
Saw blade: 400mm  
Max dia of log for the saw: 15cm  
Chipper blades: 3pc  
Max dia of brances for the chipper: 8cm



## Cattle Loading Ramps



**#FICLRF**  
Fixed



**#FICLRA**  
Adjustable

## Heavy Duty Truck Trolley Jacks

**#VP8597A**

10 Ton  
160kg  
Min height: 160mm  
Max height: 560mm



**#VP8599A**

20 Ton  
230kg  
Min height: 220mm  
Max height: 680mm

## 3-Point Linkage Forklift Attachment

**#FIFATT**

|                        |                  |
|------------------------|------------------|
| HP: 16-40              | 25-80            |
| Fork length: 90        | 100cm            |
| Load capacity: 300     | 700kg            |
| Structure weight: 55   | 120kg            |
| Linkage: 3 Point Cat I | 3 Point Cat I-II |





# Farm Implements

## New TPL Drag Harrows

### #FI2DH

TPL Heavy Duty Drag Harrow  
Working width: 1100mm  
Tractor: 17-30hp  
Length: 1100mm  
Width: 1600mm  
Height: 120mm  
Working depth: 20mm  
No of links: 14

### #FI3DH

TPL Heavy Duty Drag Harrow  
Working width: 1250mm  
Tractor: 17-46hp  
Length: 2900mm  
Width: 1500mm  
Height: 120mm  
Working depth: 20mm  
No of links: 28

Both models are  
modular cast iron  
sections



NEW



NEW


## Drag Harrows

### #FI4DH


4 foot Heavy Duty Drag Harrow  
Dimensions: 1.25W x 1.75L metres  
N.W.: 47kg

### #FI6DH

6 foot Heavy Duty Drag Harrow  
Dimensions: 1.8W x 2L metres  
N.W.: 112.5kg



Available in 7 sizes



### #FI8DH

\* 8 foot Heavy Duty Drag Harrow  
\* Dimensions: 2.5 x 2.5metres  
\* N.W.: 143.5kg

### #FI10DH

10 foot Heavy Duty Drag Harrow  
Dimensions: 3.05W x 3.05L metres  
N.W.: 200kg

### #FI12DH

12 foot Heavy Duty Drag Harrow  
Dimensions: 3.65W x 3.65L metres  
N.W.: 240kg

## Lawn Sweepers

### #FI38LS

\* 38" lawn sweeper  
\* 12 cubic feet of capacity and 38" of width for quick clearing  
\* Brush diameter: 10"  
\* Semi-pneumatic tyre: 10" x 13/4"  
\* N.W.: 31kg

### #FI42LS

\* 42" lawn sweeper  
\* 12.9 cubic feet of capacity and 42" of width for quick clearing  
\* Brush diameter: 10"  
\* Semi-pneumatic tyre: 10 1/2" x 23/8"  
\* N.W.: 35kg



### #FI48LS

\* 48" lawn sweeper  
\* 14.6 cubic feet of capacity and 48" of width for quick clearing  
\* Brush diameter: 10"  
\* Semi-pneumatic tyre: 10 1/2" x 23/8"  
\* N.W.: 39kg

## Spreaders


### #FI160S

- \* Spreads seed, fertilizer, sand & salt etc.
- \* Steel square hopper capacity: 159kg
- \* Adjustable towbar with 2" ball hitch
- \* Two 14-1/4" tyres
- \* Heavy Duty cast iron, oil bath gearbox
- \* Spreading width: 7-9m
- \* N.W.: 63kg



### #FI115S

- \* Capacity: 113kg
- \* 40,000 sq ft coverage
- \* Spreader width: 4.72 metres to 5.66 metres
- \* Pneumatic tyre: 14-1/4"
- \* Raised flow control handle accessible from ATV seat
- \* Pull pin for free wheeling speed transport
- \* Long lasting plastic closure plate insures proper operation & resists corrosion
- \* G.W.: 34kg



## Stump Grinder

### #ST13HD

- 13 HP TWM engine
- Cutter depth below ground 229mm
- Cutter height above ground 533mm
- Number of teeth on cutter wheel: 8
- Cutter wheel: 356mm diameter with teeth, 13mm thickness
- Fuel tank capacity: 1.59 gallons
- Tyre size: 5.3/4.50-6.4PR



**PRICED TO CLEAR**

## Portable Stump Grinder

### #ST13PRO

- 13 HP engine
- Grinds a 3ft dia stump down to 12" below ground level
- HD commercial clutch drive system
- Easy-lift handles on each side of the machine makes for easy loading without ramps
- 12 cutters with tungsten carbide tips
- Dimension: 182L x 75W x 112H cm



### #ST13PB

- Replacement cutting head

# Shredder Chipper

## Farm Implements

### #FI13SCA

Makes quick work of chipping & shredding branches, clippings etc.  
Feed material into large steel hopper & side chipper chute  
13HP gasoline engine  
76mm chipping capacity  
75mm cutting head  
2 way feed for easy & versatile use



## Shredder Chipper 4 Wheel

### #FI13SC4W

Makes quick work of chipping & shredding branches, leaves & clippings  
Ideal for cleanup, gardening & landscaping  
Move by hand or tow behind a lawn & garden tractor or a mower  
13HP petrol engine  
3.5" cutting capacity  
3" cutting diameter  
18" x 17" hopper opening  
Hardened steel knife on HD flywheel  
4 pneumatic tyre 10"



## 3 Point Scoop

Ideal to move sand, soil, gravel etc using the tractor linkages.  
Allows some earthworks without the expense of a front end loader.  
Reinforced tubular steel frame  
Carbon steel cutting edge  
Centre-mounted frame bushing  
Spring loaded latch locks, lifts, dumps & resets all from the tractor seat  
Suits most compact tractors 20-45hp



| Model      | Bucket width | Approx. Capacity | Recommend Tractor | Approx. Weight |
|------------|--------------|------------------|-------------------|----------------|
| #FISCOOP24 | 24"          | 9 cuft           | 20-40HP           | 60/73kgs       |
| #FISCOOP30 | 30"          | 12 cuft          | 25-45HP           | 81/95kgs       |

## 3 Point Cement Mixer

Internal paddles for uniform mixing  
17.5" drum opening  
32" overall drum length  
11-gauge steel drum  
540rpm PTO speed  
5 cu. Ft. Capacity



| Model  | Drive ratio | Capacity | Recommend Tractor | Approx. Weight |
|--------|-------------|----------|-------------------|----------------|
| #FICM5 | 8.77:1      | 5 cuft   | 25HP & above      | 107/143kgs     |



# Post Drivers

**Farm  
Implements**

## Manual Post Drivers

Rugged, portable, user-friendly & built tough for multiple or single post installations  
Ideal for your fencing procedures  
Works in a variety of soil types  
Capable of driving all posts up to 60mm dia quickly & safely  
No assembly required

### #HHPD24

Min height of post: 580mm  
N.W.: 8kg



### #HHPD36

Min height of post: 880mm  
N.W.: 10.5kg

## Extra Heavy Duty Post Driver

### #HHPDHD



N.W.: 20kg

## Heavy Duty Post & Tree Puller

### #HPOTR

Fits most solid forks  
Heavy duty construction  
Unique hinged blades  
Grips posts & small trees  
Fits forks up to 1.5" to 6"  
Works on wood & steel posts  
Rips out fence post 12" dia & small trees up to 5" dia  
Do not use more than 750lbs of pulling force




**PRICED TO CLEAR**

## 3 Point Hitch 14 Ton Log Splitter

### #LS14

- \* Capacity: 14 ton
- \* Splits in horizontal position
- \* Max length of log: 610mm
- \* Max weight of log: 45.4kg
- \* Recommended 11GPM from tractor
- \* Cylinder size: 102x584mm
- \* Pressure relief setting: 2500psi
- \* Ram stroke: 600mm
- N.W.: 114kgs



# Star Picket Driver

## Farm Implements

Rugged, portable & user-friendly  
Is built tough for multiple or single post installations  
Works in a variety of soil types  
Supplied with spare striking dolly  
Cushion style handles  
Air pressure: 80-100psi  
Compressor capacity required: 20cfm & above  
Eyebolt for attaching to support or counter-weight apparatus

#HHASPD

Heavy Duty  
Weight: 24kg



4 Handles

### ACCESSORIES ALSO AVAILABLE

To order, please refer to corresponding number



Steel  
Trelising  
Drive  
Kit



Rammer



Point



Chisel



Angle  
Corner  
Strainer  
Drive  
Kit



Round Drive Kit  
2"-5"



RHS  
Drive  
Kits  
2"-5"

# Slashers

## Farm Implements

**#SM120A** Cutting width: 1.15m  
Cutting height (with adjust skids): 25-100mm  
Tractor HP: 20-35HP  
Tractor connection 3 point linkage  
Gearbox/PTO speed: 540rpm  
Control depth by skids  
Overall dimension: 1.42L x 1.46W x 0.47Hm

**#SM1300** Tractor HP: 20-40HP  
Tractor connection 3 point linkage  
Gearbox/PTO speed: 540rpm  
2 blades for grass cutting  
Control depth by skids  
Front rubber protector

**#SM135A** Cutting width: 1.35m  
Cutting height (with adjust skids): 25-100mm  
Tractor HP: 25-45HP  
Tractor connection 3 point linkage  
Gearbox/PTO speed: 540rpm  
Control depth by skids  
Overall dimension: 1.42L x 1.46W x 0.47Hm



**#SM1500-40** Tractor HP: 40HP  
Tractor connection 3 point linkage  
Gearbox/PTO speed: 540rpm  
2 blades for grass cutting  
Control depth by skids  
Front rubber protector

**#SM150A** Cutting width: 1.45m  
Cutting height (with adjust skids): 25-100mm  
Tractor HP: 25-50HP  
Tractor connection 3 point linkage  
Gearbox/PTO speed: 540rpm  
Control depth by skids  
Overall dimension: 1.53L x 1.56W x 0.47Hm

**#SM1500-65** Tractor HP: 65HP  
Tractor connection 3 point linkage  
Gearbox/PTO speed: 540rpm  
2 blades for grass cutting  
Control depth by skids  
Front rubber protector

## Off-Set Slashers

### SLASHERS BELOW ARE NOW OFF-SET

**#SM1500-75**  
Matched tractor up to 80-120hp  
65hp gear box  
4 position height adjustable skids  
Floating headstock  
Clevis hitch  
5mm body plate  
Adjustable 8" two plate slip clutch & comes with series 6PTO shaft  
Unique hinged gearbox safety cover  
2pc chain stays connected by compensating plate  
Depth wheel  
Width: 1455mm



**#SM 1800-75**  
Matched tractor up to 130hp  
75hp gear box  
4 position height adjustable skids  
Floating headstock  
Clevis hitch  
5mm body plate  
Adjustable 8" two plate slip clutch & comes with series 6PTO shaft  
Unique hinged gearbox safety cover  
2pc chain stays connected by compensating plate  
Depth wheel  
Width: 1755mm



# Tillers

## Farm Implements

### Mini Tiller

#### #FIMT

- \* 2 stroke petrol engine, 49cc
- \* Ideal for preparing soil for vegepatches, or digging soil around shrubs before mulching
- \* Digs to around 10cm depth
- \* Lightweight & easy to handle
- \* Electric start



### Tiller

#### #FI65T

- \* Dimension: 1400 x 480 x 600mm
- \* Mainframe weight: 74kg
- \* Power: 6.5HP
- \* Starter: recoil handle starter
- \* Tilling width: 400-600mm
- \* Tilling depth: 100-150mm
- \* Engine: 4 stroke
- \* Clutch belt/tension pulley
- \* Forward & reverse



### Power Tiller


#### #FIPT65

6.5HP petrol engine  
12" pneumatic tyre  
Working width: 36"  
24 pcs of tines

Tow-behind ATVs, riding mowers & tractors

Breaks ground & till soil faster & much easier than a walk-behind tiller

Powered depth control from your towing vehicle



### Rotary Tiller

All models feature curved or "L" blades

Depth adjustment on skids

A rear deflector keeps soil & debris beneath the tiller for thorough pulverization

Supplied complete with drive shaft, pins & all safety covers

Suits most tractors



### Heavy Duty Mower/Slasher

Heavy duty slasher with vertical shaft engine

Triple blade cutting system

Quick adjustable height control

Rear grass discharge

Detachable side discharge

Engine: electric start 16hp

Shaft output: vertical engine  
3600rpm

Battery: 12V DC/17AH

Fuel capacity: 13L

Fuel tank size: 15L

Hitch coupler: 50mm cast steel

Tyre size: 4.80/4.00-8

Cutting width: 1170mm

Cutting height: 38-100mm

Max mowing/cutting speed: 8kph

Max towing/travel speed: 15kph

N.W.: 183kg



#### #SMP16

16HP motor

#### #SMP25

25HP motor

| Model                     | #FIRT105L  | #FIRT125L |
|---------------------------|------------|-----------|
| Speed of PTO              | 540rpm     |           |
| Working width             | 1050mm     | 1250mm    |
| Working depth             | 80-120mm   |           |
| Speed of cultivator shaft | 210rpm     |           |
| Blades                    | 20pcs      | 28pcs     |
| Recommended Tractor HP    | 20-25hp    | 25-30hp   |
| Approx. Weight            | 118/152kgs | 138/172kg |

# Rotary Mower

## Farm Implements

These economical machines are ideal for the owner to handle their land maintenance requirements

The rotary cutters are designed for dependable service & easy operation

Protection by incorporating a "stump-jumper" as standard

equipment & shear pin PTO driveline

Rear mounted chain-guard as standard equipment & front mounted chain-guard for option.

| Model No.              | FIRM4         | FIRM5         | FIRM6         |
|------------------------|---------------|---------------|---------------|
| Cutting Width          | 1200mm        | 1500mm        | 1800mm        |
| Cutting Height         | 40-250mm      | 40-250mm      | 40-250mm      |
| PTO speed              | 540rpm        |               |               |
| Gearbox                | 1:1.93        | 1:1.93        | 1:1.46        |
| Recommended Tractor HP | 15hp to 30hp  | 25hp to 45hp  | 40hp to 75hp  |
| 3PT Hitch              | Cat I         | Cat I         | Cat I         |
| Deck Thickness         | 2.5mm         | 2.5mm         | 3.0mm         |
| Approx. weight         | 164 / 187 kgs | 195 / 241 kgs | 264 / 316 kgs |



# Finish Mower

The wide rear discharge throat for clipping discharge

Greaseable blade spindle

Quick coupler PTO

Four solid wheels for easy height adjustment, & allow the deck to float with the ground contour

The solid wheels are not affected by punctures, ensuring level cut every time

| Model No.              | FIFM4                  | FIFM5                  | FIFM6                  |
|------------------------|------------------------|------------------------|------------------------|
| Cutting Width          | 1180mm                 | 1500mm                 | 1800mm                 |
| Cutting Height         | 35-115mm               | 35-115mm               | 35-115mm               |
| Transmission           | Twin V belt            | twin V belt            | twin V belt            |
| Gearbox                | 1:2.83                 | 1:2.83                 | 1:2.83                 |
| Recommended Tractor HP | 15-35hp                | 20-50hp                | 22-50hp                |
| 3PT Hitch              | Flotation style, Cat I | Flotation Style, Cat I | Flotation Style, Cat I |
| Deck Thickness         | 3.0mm                  | 3.0mm                  | 4.0mm                  |
| Approx. weight         | 130/169kgs             | 144 / 190 kgs          | 198 / 250 kgs          |



# Box Blade

Ideal to level undulating ground. The rippers breaking up the soil & the following behind blade to level off


Reversible high-carbon steel edge

Height adjustable rippers

3 point, Cat 1 hitch

Recommended for tractors with less than 50hp

| Model No.         | FIBB5     | FIBB6         |
|-------------------|-----------|---------------|
| Number of Rippers | 5pcs      | 6pcs          |
| Working Height    | 25-100mm  | 25-100mm      |
| Approx. weight    | 169 / 196 | 196 / 225 kgs |



# Grader Blade

Ideal to maintain dirt or gravel road  
 Replaceable high-carbon steel ½" x 6" cutting edge  
 Blade rotate 360 degrees on a king pin, moldboard has adjustable reverse & forward positions  
 3 point, Cat 1 hitch  
 Recommended for tractors with less than 45HP

| Model No.      | FIGB5       | FIGB6       |
|----------------|-------------|-------------|
| Working Width  | 5ft         | 6ft         |
| Approx. weight | 69 / 84 kgs | 80 / 96 kgs |



## Farm Implements

# Landscaper Rake

Ideal to level undulating ground  
 The rippers breaking up the soil & the following behind blade to level off  
 Reversible high-carbon steel edge  
 Height adjustable rippers  
 3 point, Cat 1 hitch  
 Recommended for tractors with less than 50HP

| Model No.      | FILR5     | FILR6      | FILR7      | FILR8      |
|----------------|-----------|------------|------------|------------|
| Tines          | 30pcs     | 36pcs      | 42pcs      | 48pcs      |
| Working Width  | 5ft       | 6ft        | 7ft        | 8ft        |
| Approx. weight | 93/108kgs | 103/118kgs | 117/134kgs | 127/146kgs |



# Disc Harrow

16" disc blades for superior penetration  
 8 greasable bearings  
 3 point, Cat 1 hitch  
 Recommended for tractors 15-35HP

| Model No.      | FIDH5        | FIDH5HD      |
|----------------|--------------|--------------|
| Serrated Discs | 12pcs x 16"  | 16pcs x 16"  |
| Working Width  | 4ft          | 5ft          |
| Approx. weight | 189 / 208kgs | 225 / 242kgs |



# Rippers

SS ripper enables you to do a lot of hard work with minimum effort.  
 Ideal for breaking up hard ground, ripping up stumps or rocks,  
 planting trees, laying polythene pipe or removing rabbit warrens  
 Reversible point 225x75x16mm  
 FIRP350: 100x25 billet  
 FIRP500: 150x32 billet  
 FIRP700: 150x50 billet  
 3 point hitch

| Model No. | Max Working | Hitch          | Recommend Tractor | Approx. weight |
|-----------|-------------|----------------|-------------------|----------------|
| FIRP350   | 350mm       | Cat 0 / Cat I  | upto 40hp         | 40kgs          |
| FIRP500   | 500mm       | Cat I / Cat II | 25-70hp           | 72kgs          |
| FIRP700   | 700mm       | Cat II         | 60hp above        | 100kgs         |



Height adjustable ripper  
 3 point, Cat 1 hitch  
 Recommended for tractors with less than 50HP



## Ripper - Pipelaying Attachment

| Model No  | Pipe hole dia | Pipe dia |
|-----------|---------------|----------|
| FIRP350PL | 65mm          | 52-60Mm  |
| FIRP500PL | 85mm          | 65-73Mm  |
| FIRP700PL | 90mm          | 81-89Mm  |

| Item Number | WORKING WIDTH (mm) | RIPPING DEPTH (mm) |
|-------------|--------------------|--------------------|
| FIRP4       | 1200               | 200                |
| FIRP5       | 1520               | 200                |
| FIRP6       | 1830               | 200                |



# Cultivators

SS single row "C" tine cultivator is the perfect cultivation tool for the small farm or backyard garden

Heat-treated spring steel rigid shanks wont twist or turn

Working width: 57"

Heavy duty angle frame

Hitch type: 3 point

Category: 0&1

Tractor HP: 18-30HP



| Model No. | Number of Shank | Recommend Tractor | Approx. weight |
|-----------|-----------------|-------------------|----------------|
| FICULT    | 6pcs            | 15-45hp           | 47 / 49kgs     |

## Farm Implements

### S Cultivator

The 2" square frames are reinforced & equipped with heavy S-tines for reliable performance

Point hitch

Reversible points

6 1/2" spacing

S-tines 3/8" x 1-1/4" x 16" clearance

| Item Number | HP Rating | Width |
|-------------|-----------|-------|
| FISC4       | 15 to 25  | 1.2m  |
| FISC5       | 15 to 32  | 1.5m  |
| FISC6       | 17 to 40  | 1.8m  |



## Bale Spears

Features tapered heat treated steel spears designed for hard centre bales allowing easy penetration & withdrawal

Main spear length 965mm, two short spears 317mm

Cat I & II 3 point hitch

Recommended tractor 25HP above



| Model No. | Capacity | Approx. weight |
|-----------|----------|----------------|
| FIBS1500E | 675kgs   | 46 / 54kgs     |

Features tapered heat treated steel spears designed for hard centre bales allowing easy penetration & withdrawal

Main spear length 965mm, two short spears 317mm

Cat I & II 3 point hitch

Recommended tractor 25HP above




| Model No.  | Capacity | Approx. weight |
|------------|----------|----------------|
| FIBS1500HD | 675kgs   | 50 / 54kgs     |

Features tapered heat treated steel spears designed for hard centre bales allowing easy penetration & withdrawal

Main spear length 965mm, two short spears 317mm

Cat I & II 3 point hitch

Recommended tractor 25HP above



| Model No. | Capacity | Approx. weight |
|-----------|----------|----------------|
| FIBS1100  | 800 kgs  | 54 / 60kgs     |

## Carry-Alls

Carry all platform for rear of tractor

Suits most compact tractors generally up to 35HP

Category 1-3 point linkage

760mm high, 600mm wide, forks are 940mm long

| Model No. | Capacity | Approx. weight |
|-----------|----------|----------------|
| FICA500   | 225kgs   | 26 / 28kgs     |



Carry all platform for rear of tractor

Suits most compact tractors generally up to 45HP

Category 1-3 point linkage

Load cap: 360kg

| Model No. | Capacity | Approx. weight |
|-----------|----------|----------------|
| FICA800   | 360kgs   | 45 / 50kgs     |



Carry all platform for rear of tractor

Suits most compact tractors generally up to 50HP

Category 1-3 point linkage

Hardwood Not Included

| Model No.        | FICA1200     | FICA1500     | FICA1800     |
|------------------|--------------|--------------|--------------|
| Plate Size       | 1200 x 929mm | 1500 x 929mm | 1800 x 929mm |
| Loading Capacity | 1000kgs      | 1000kgs      | 1000kgs      |
| Approx. weight   | 68kgs        | 75kgs        | 82 kgs       |



# Front End Bucket Loader Clamp On Fork Extensions

## Farm Implements

Allows you to quickly & easily add pallet lifting cap to your loader bucket without swapping out the bucket.



### #BF450

Clamp on bucket fork: 450kgs  
GW/NW: 50/58kgs

### #BF900

Clamp on bucket fork: 900kgs  
GW/NW: 54/63kgs

### #BF1350

Clamp on bucket fork: 1350kgs  
GW/NW: 71/83kgs

### #BF1800

Clamp on bucket fork: 1800kgs  
GW/NW: 71/83kgs

### #BF2700

Clamp on bucket fork: 2700kgs  
GW/NW: 93/109kgs

## Subsoiler

### Single Shank

#### #FISH100

Ideal for ripping terrain  
Equipped with one fixed shank, fuse bolt is standard spaced shanks  
Hassle-free replacement of wearable points  
Shank width: 32mm  
Max penetration: 457mm  
Work depthness: 355mm  
Hitch: 3 point cat I & II  
Min tractor hp required: 40hp





# Grader Blade With Ripper

## Farm Implements

The grader blades are heavy duty and reliable for grading a road, leveling soil or cleaning paths. Rotate the ripper grader blade 180 degrees and now you have a multi-tyne ripper for loosening top soil for easier grading



### #FIGB5RB

Size: L1550xW1500xH1050  
Suited to: 30HP - 55HP Cat. I

### #FIGB6RB

Size: L1550xW1800xH1050  
Suited to: 30HP - 55HP Cat. I

## Ballast Roller With Spikes



### #FIBR15

Sand filled 800kg  
Cat 1. 3-point linkage mounted  
(Quick link 20hp, 25hp, 30hp, 35hp,  
40hp, 45hp, 50hp, 55hp)  
Weight: 288kg  
Size: L990xW1950xH1000  
Suited to: 20hp-55hp Cat. 1

### #FIBR18

Sand filled 670kg  
Cat 1. 3-point linkage mounted  
(Quick link 20hp, 25hp, 30hp, 35hp,  
40hp, 45hp, 50hp, 55hp)  
Weight: 240kg  
Size: L990xW1650xH1000  
Suited to: 20hp-55hp Cat. 1

## Levelling Bars

### #FILLB5


5 foot Levelling bar  
Size: 1500Lx1100Wx160Hmm

### #FILLB6

6 foot Levelling bar  
Size: 1800Lx1300Wx160Hmm

### #FILLB8

8 foot Levelling bar  
Size: 2400Lx1500Wx160Hmm



Recommended tractor up to 50hp  
Easy attached to 4-in-1 bucket,  
large front end loaders  
Ideal to spread out & level  
uneven loose surfaces



# Contracting Equipment

## Petrol Engine Powered Winch

### #QPW3000

Strong pulling capacity  
Free-spooling with slip clutch  
Vertical cylinder & horizontal shaft  
Easy to mount & operate  
Low noise & less shake  
With built-in hawse fairlead to protect the wire rope  
Power: 2.5HP, 4-stroke engine, single cylinder,  
EPA certificate, CARB  
Max pulling cap:L 3000lbs  
Cable size: 4.76mmx15m  
Drum size: 34mmx72mm  
Gear ratio: 153:1  
Line speed: 2m/min

**PRICED TO CLEAR**



## Flexible Drive Water Pump

### #QWPE55FX

- \* Widely used to drain the water in construction field
- \* Pump lift: 12m
- \* Discharging dia: 80mm
- \* Flow: 40 m3/H
- \* Water pipe length: 10m

Engine: 5.5HP  
\*With frame & coupling



## Concrete Vibrator

### #CONVIB

Max vibrating area: 1.2m  
Vibrating needle head dia: 50mm  
Hose length: 4m  
HP: 5.5  
Gross weight: 22kgs



# Earth Auger

## #PHD1000A

9HP gasoline engine  
Comes with 5 augers:  
5", 6", 8", 10" 12"

Augers available to suit **PHD1000**:

- #PHD101A 5": 125mm dia x 800mm depth  
Shaft size: 25 x 1048mm
- #PHD102A 6": 152mm dia x 800mm depth  
Shaft size: 30 x 1048mm
- #PHD103A 8": 200mm dia x 800mm depth  
Shaft size: 48 x 833mm
- #PHD104A 10": 254mm dia x 800mm depth  
Shaft size: 50 x 843mm
- #PHD105A 12": 305mm dia x 800mm depth  
Shaft size: 50 x 843mm



# AUGERS

## 1 Man Earth Auger

### #PHD233A

Supplied with 3 augers: 100, 150, 200mm dia  
Motor size: 1.5HP, 4.9cc, 125:1 fuel mixture  
Weight: 8.6kg  
170-200rpm  
Drilling depth: 600mm  
Also available separately:  
#PHD233100 100mm dia auger  
#PHD233150 150mm dia auger  
#PHD233200 200mm dia auger



## Hydraulic Auger

Sturdy construction made by weldless steel pipe for added strength  
#PHD25 & PHD50 made by 2.5" weldless steel pipe  
#PHD75 made by 3.0" weldless steel pipe  
Oil filled gearbox has tapered bearing for extended life  
Fits conventional category 1 tractor linkages  
Cutting bits can be easily replaced when worn out  
Fitted with safety covers on both shaft & auger  
With 2"/50mm output shaft  
PTO shaft with shear pin protection for overload  
Not supplied with augers




| Model    | Gearbox Ratio | Auger Diameter | Tractor HP  |
|----------|---------------|----------------|-------------|
| #PHD25   | 2.92:1        | 6"-12"         | Up to 50HP  |
| #PHD50   | 3:1           | 6"-12"         | Up to 50HP  |
| #PHD75M  | 3.5:1         | 6"-24"         | Up to 100HP |
| #PHD75HD | 4:1           | 6"-24"         | Up to 84HP  |

**NEW**  
**PHD75M**  
Super Heavy Duty  
Much quicker drilling



| Model   | Auger Diameter | Auger Depth |
|---------|----------------|-------------|
| #PHDA6  | 150mm          | 600mm       |
| #PHDA9  | 220mm          | 600mm       |
| #PHDA12 | 300mm          | 600mm       |
| #PHDA14 | 350mm          | 600mm       |
| #PHDA18 | 450mm          | 600mm       |
| #PHDA20 | 500mm          | 600mm       |

## 2 Man Earth Auger



### #PHD500

**Engine**  
Max power: 2.9kw/5500rpm  
4HP  
Fuel tank: 1.1L  
Two-gear reduction: 16:1  
Proportion of retardment: 16.6:1  
Supplied with auger size:  
320mm dia x 500mm depth

Optional augers available to suit **PHD500**:

- #PHD501A 320mm dia x 500mm depth
- #PHD502A 320mm dia x 250mm depth
- #PHD503A 200mm dia x 300mm depth
- #PHD504A 400mm dia x 740mm depth
- #PHD505A 150mm dia x 780mm depth
- #PHD506A 200mm dia x 600mm depth

# Garden Products



**#GPA1**  
Gable Arch With  
Flower Boxes  
107 x 40 x 245H



**#GPA2**  
Flat Arch With  
Flower Boxes  
146 x 43.5 x 198H




**#GPA3**  
Semi Arch With Seat



**#GPA4**  
Semi-Circular Arch  
With Columns

210 x 75 x 223H



**#GPA9**  
Roman Arch With  
Flower Pots  
179 x 42 x 208H



**#GPA10**  
Chinese Arch  
137 x 43 x 220H



**#GPA11**  
Flat Arch With Trellis  
190 x 94.5 x 205H



**#GPA12**  
Semi-Circular Arch  
With Trellis  
70 x 50 x 180H



**#GPA13**  
Semi-Circular Arch  
With Wings  
260 x 72 x 216.5H

**PRICED TO CLEAR**



# Garden Products



#GPA18  
2-Tier Flower Pot Stand



#GPA16  
3-Tier Corner  
Stand



#GPA19  
3 Piece Folding Decorative Trellis



#GPA21  
Tall 2-Tier Flower  
Pot Stand



#GPA22  
Tall 3-Tier Flower  
Pot Stand



#GPA28  
Twin Seats Corner Arch  
With Flower Pots Stands



# Heavy Duty Billycarts

**#BCHDN**

**Available in  
red, black, yellow  
or blue**

Engine: EPA, 4-stroke, single cylinder, aircooled  
Displacement: 163cc/196cc  
Power: 6.5HP  
Starting system: Recoil pull start  
Clutch type: Centrifugal dry  
Tyres: 6" racing tyres/knobbly tyres  
Pay load: 110kg max  
Brake system: Rear disc brake  
Fuel tank capacity: 3.6 Litres  
Drive system: Direct drive axle  
Fuel type: Unleaded petrol  
Max speed: 35 kmph  
N.W.: 75kg  
G.W.: 85 kg

**Not to be ridden on  
roads, footpaths,  
or in public areas**



## Heavy Duty Billycart With Hydraulic Brakes

**#BCHDHB**

Engine: EPA, 4-stroke, single cylinder, aircooled  
Displacement: 163cc/196cc  
Power: 6.5HP  
Starting system: Recoil pull start  
Clutch type: Centrifugal dry  
Tyres: 6" racing tyres/knobbly tyres  
Pay load: 110kg max  
Brake system: Rear disc brake  
Fuel tank capacity: 3.6 Litres  
Drive system: Direct drive axle  
Fuel type: Unleaded petrol  
Max speed: 35 kmph  
N.W.: 75kg  
G.W.: 85 kg



Hydraulic brake

## Truck Ramps

**#RAMP82016**

20 ton rated per pair for heavy-duty trucks  
Handles tyres with up to 16" tread widths  
Telescopic T-handle extends & lifts up to expose wheels for easy manoeuvrability. T-handle retracts for easy storage  
Wheel diameter: 132mm  
Product size: 1160x463x242mm  
Non-skid rubber matting enhances safe operation

**#RAMP82010**

20 ton rated per pair for heavy-duty trucks  
Handles tyres with up to 10" tread widths  
Telescopic T-handle extends & lifts up to expose wheels for easy manoeuvrability. T-handle retracts for easy storage  
Wheel diameter: 132mm  
Product size: 1160x343x242mm  
Non-skid rubber matting enhances safe operation



**REFER TO PRICELIST -  
Part Nos. In Alphabetical order**


# Jockey Wheels

**Automotive  
Products**

## 6" Jockey Wheel Solid Clamp Type

#VP8700

Capacity: 750lbs



Swing-Up 6" Solid #VP8710 Capacity: 750lbs


Swing-Up 8" Solid #VP8720 Capacity: 500lbs



Swing-Up 10" Pneumatic Jockey Wheel

#VP8730

Capacity: 500lbs




## Ratchet Jockey Wheel

#VP8750R

**Makes moving a caravan  
child's play**

To move caravan, simply move ratchet lever to and fro  
Capacity: 350kgs



## Parking Mat



#VP8502

Park perfectly every time

The flat tongue uses vehicle weight  
to keep mat from moving

## Fender Cover

#VP81FC



Acid & grease resistant vinyl material with  
a non-skid backing; wipes clean easily  
Sewn in magnetic strip

**PRICED TO CLEAR**

## Automotive Products

**Now Available In  
Air Hydraulic**  
#VP8237AH: **454kg**

# Motorcycle Lifts



#VP8235


**Model No: #VP8235**  
**Overall Length: 2.6 metres**  
**Overall Height: 800mm**  
**Overall Width: 600mm**  
**Lifting capacity: 454 Kgs**

**Model No: #VP8227AH**  
**Air Hydraulic**  
**Overall Length: 2.2 metres**  
**Overall Height: 800mm**  
**Overall Width: 500mm**  
**Lifting capacity: 363 Kgs**

## Scissor Motorcycle Lift



\* Work Bench Height  
Adj. From  
120mm to 360mm



\* Table Height Adj. From  
130mm to 408mm

#VP8218

\* Capacity: 450kg  
\* N.W.: 16.5kg

## Super Low ATV Lift

#VP8295SL

\* Capacity: 685kg  
\* Min Height: 100mm  
\* Max Height: 420mm  
\* N.W.: 35kg



#VP8299NU

\* Capacity: 680kg  
\* Min Height: 140mm  
\* Max Height: 445mm  
\* N.W.: 35kg



## ATV Lift

#VP8298

Perfect for garage, service station,  
farm & industrial use  
Lifts from 3-9/16"H to 28-1/2"H  
Support area: 28-1/3"L x 21-13/32"W  
Base: 54-11/16"L x 27-11/16"W  
Capacity: 2000lbs  
Material: Steel



**PRICED TO CLEAR**

**REFER TO PRICELIST -  
Part Nos. In Alphabetical order**



## Automotive Products

### 272 Kgs Trailer Dolly

#VP8815

Capacity: 272 Kgs

Package Size: 106x33x14cm

G.W.: 14Kgs



### Low Profile Padded Work Shop Seat

#VP8035



On swivel castors

**PRICED TO CLEAR**

## Work Benches, Service Trolleys & Carts

### Steel Tear Down Bench

#WH7200

Capacity: 136kg

N.W.: 75.5kg

Clean, organised way to work on mowers, snowblowers, small engines & transmissions

48" x 28" steel tabletop holds up to 300lbs

3/4" rim & grooves channel oil & fluids into removable 20" x 6" plastic drain pan

Table adjusts from 37" to 41" high; has locking tool drawer 24" x 18" x 5 1/2"

2 rigid & 2 swivel casters with brakes



### Service Trolley

#VP8280

3 tier

Capacity: 100kg

Tray dimensions: 700 x 450 mm

Length: 730mm

Width: 380mm

Height: 790mm



### Deluxe Mechanic's Cart

#VP8290

Capacity: 113 Kgs

Overall Size: 740x400x790mm

Package Size: 82x56x35cm




# Winches

## Automotive Products

### Electric Winch #VP8520 With Power In/Power Out

Capacity: 906kg  
Cable length: 15m  
Cable dia: 5.4mm  
0.9HP at 12 Volts



### Portable Winch

#### #VP8550

12 Volt 2721 kg  
Cable length: 10 metres  
Cable dia: 5mm



## Winches

### Heavy Duty Winch

#### #VP8559

Max capacity of winch: 2700kg  
Gear reduction ratio: 294:1  
Cable size: 8mm x 4m  
Motor: permanent magnet DC12V  
with 1.34HP output



**PRICED TO CLEAR**

Capacity: Rolling: 2724kg  
Marine: 2279kg  
Pulling: 908kg

Max boat size: 5m  
Max boat loading: 2270kg  
Line speed: Loading 6Ft/Min 0.6m/min  
Cable length: 30Ft 5.6mm\*9m  
Hook size: 3/4 opening 3-3/4"L  
Power cord: 2mm x 3m  
Remote control  
Control switch: 1mm x 2.8m  
Mounting plate: 224mm x 124mm x 4mm  
Overall dimensions: 386x254x186mm  
N.W.: 12.5kg

#### #VP8540

12 Volt

#### #VP8545

24 Volt



**PRICED TO CLEAR**

### Hand Winch

#### #VP85HW

Cable size: 4.22mm x 8m  
350Kg



## Trolley Jacks

### Low Profile Transmission Jack

#### #VP8245

Capacity: 570kg  
Min height: 165mm  
Max height: 600mm



### Heavy Duty Truck Trolley Jack

| Model No. | Weight | Min Height | Max Height | Capacity |
|-----------|--------|------------|------------|----------|
| #VP8595A  | 100kgs | 160mm      | 560mm      | 5 tonne  |

**REFER TO PRICELIST -  
Part Nos. In Alphabetical order**



## Magnetic Tray

#VP8136MT

- \* Polished heavy-gauge stainless steel tray
- \* Strong magnet with rubber protective cover




## Automotive Products

### CREEPER SEAT With Padded Back



SEAT  
POSITION



CREEPER  
POSITION

#VP8030

**PRICED TO CLEAR**

#VP8004

Overall size: 900 x 400 x 100mm  
Length: 92cm  
N.W.: 3kg



**PRICED TO CLEAR**

## Plastic Creeper


#VP8005

- \* Creeper is moulded in one piece high impact polymer
- \* Low profile gives you greater clearance under vehicles
- \* Six swivel casters for smooth maneuverability
- \* Foam padded headrest for maximum comfort
- \* Oil and solvent resistant
- \* Weight: 4.8kg
- \* Overall size: 1010 x 475 x 130mm
- \* Length: 1.1 metre



AIR LIFT  
WORK SEAT  
& Tool Trolley

### 6 Wheel Creeper



1 Metre

#VP8010



#VP8040

#VP8025



**PRICED TO CLEAR**

### Excalibur Creeper



#VP8000

Folds into a seat  
and tool tray

**REPLACEMENT CREEPER WHEELS**  
SPECIFY MODEL NUMBER

# Jump Starts

## Automotive Products

### #VP8900



Front

Heavy duty 12V portable jumpstart system, material: PP plastic  
 - Built-in 12V 17Ah sealed-lead-acid rechargeable battery,  
 Heavy duty CU booster cable, 60cm length  
 900A peak current, 400A starting current,  
 Built-in 260psi air compressor pressure gauge, on/off switch & 3pcs  
 air nozzle adaptors  
 12V 3.6W working lights, one DC 12V output socket  
 12V 15A with automatic circuit overload protection, automatic cut off to  
 prevent overcharging  
 Voltmetre show the battery level, one charging indicator LED light  
 Included AC/DC charging adaptor & 12V DC power cord  
 Length of wire: 0.6m, 400 crank amps



Back

### #VP8920



Front

Heavy duty 12V portable jumpstart system, material: PP plastic  
 Built-in 12V 17Ah sealed-lead-acid rechargeable battery,  
 Heavy duty CU booster cable with ON/OFF safety switch, 60cm length  
 900A peak current, 400A starting current,  
 Built-in 260psi air compressor pressure gauge, on/off switch & 3pcs ai  
 nozzle adaptors  
 12V 3.6W working lights, one DC 12V output socket  
 12V 15A with automatic circuit overload protection, automatic cut off to  
 prevent overcharging  
 Voltmetre show the battery level, one charging indicator LED light  
 Included AC/DC charging adaptor & 12V DC power cord  
 Length of wire: 0.6m, 400 crank amps



Back

### #VP8930



Front

Heavy duty 12V portable jumpstart system, material: PP plastic  
 Built-in 12V 38Ah sealed-lead-acid rechargeable battery,  
 Heavy duty CU booster cable with ON/OFF safety switch, 120cm length  
 1500A peak current, 600A starting current,  
 12V 3.6W working light, one DC 12V output socket  
 12V 15A with automatic circuit overload protection, automatic cut off to  
 prevent overcharging  
 Voltmetre show the battery level, one charging indicator LED light  
 Included AC/DC charging adaptor & 12V DC power cord  
 Length of wire: 1.2m, 400 crank amps



Back

### #VP8940



Front

Heavy duty 12 & 24V portable jumpstart system, material: PP plastic  
 Built-in 2pcs 12V 17Ah sealed-lead-acid rechargeable battery, 12V/24V on/off switch  
 12V/34AH DC 1400A peak current, 500A starting current,  
 24V/17AH DC 900A peak current 400A starting current, HD CU booster cable  
 120cm length  
 12V 3.6W working light, one DC 12V output socket  
 12V 15A with automatic circuit overload protection, automatic cut off to  
 prevent overcharging  
 Voltmetre show the battery level, one charging indicator LED light  
 Included AC/DC charging adaptor & 12V DC power cord  
 Length of wire: 1.2m



Back

### #VP8899



#### Jump Starter With Air Compressor

300psi compressor; Working lights  
 12V DC power supply; AC/DC adaptors  
 Inflation adaptors; Replaceable fuses  
 Clamp storage holders; HD handle with metal saw tooth clamps  
 2 x bulb working lights & emergency flash lights  
 3 x 12V DC cigarette sockets for output power supply  
 On/off switch; leds battery strength indication  
 500 crank amps

# TYRE CHANGERS

## #VP8270

All steel construction

15 3/8" x 18 1/2" base

7 1/2" diameter x 3/16" thick wheel rest plate

Weight: 19kg



Mounts and demounts a full range of tyres from 8" to light truck

## #VP8270MB

Add this to Vp8270 & it becomes a motorcycle changer

Tyre rim capacity:

max: 25"

Min: 11"



# Automotive Products

## Multi Tyre Changer

### #VP8275

Ranges from

102mm-420mm

For Cars

&

Motorbikes



# Jump Leads & Cables



## Heavy Duty Jump Leads

**PRICED TO CLEAR**

#VP8965: 600 amp, length: 3.55m

#VP8975: 1000 amp, length: 4.5m

#VP8985: 1200 amp, length: 5m

## Smart Cable

### #VP8955

\* It's fool proof

\* Automatically detects positive & negative

\* 100% safe

\* Simple & easy to use

\* Fully insulated clamps

\* Surge protection

**PRICED TO CLEAR**



200 amps

# NEW Heavy Duty Battery Chargers

Features of battery charger:

Single phase, battery charger & starter, on wheels

Used for charging batteries with 12/24V voltage

Starts all kinds of cars, vans, light trucks, tractors

& trucks

Equipped with selector for normal charger (booster),

quick start, times for quick & ammeter



### #VP8163

# Battery Tester



### #VP8155

| Model  | Rated Input Voltage (V) | Max Charge Current (A) | Charging Absorbed Power (KW) | Starting Absorbed Power (K/W) | Start Current (V/C) (A) | Charging Voltage (V) | Weight (Kg) |
|--------|-------------------------|------------------------|------------------------------|-------------------------------|-------------------------|----------------------|-------------|
| Vp8160 | 240                     | 20                     | 0.8                          | 3.6                           | 120                     | 12/24                | 12          |
| Vp8163 | 240                     | 30                     | 1                            | 6.4                           | 180                     | 12/24                | 13          |
| Vp8165 | 240                     | 40                     | 1.6                          | 8                             | 240                     | 12/24                | 18          |

### #VP8165





## Automotive Products



10000 Kg Porta Power  
with own trolley case

#PPOW10T



4000 Kg Porta Power  
complete in strong  
plastic case

#PPOW4



#PP10R 10000 Kg Spare Ram

#PP10PH Pump & Hose

NEW 10000kg Porta Power  
with standard case



#PPOW100

Capacity: 10 Ton  
Ram stroke: 130mm  
N.W.: 31kg

#PP4R 4000 Kg Spare Ram

#PP4PH Pump & Hose

## Body Frame Repair Kit

#BFRK

Consists of:

7 piece ram set  
& 2 pull hoses

Eg: Smallest ram overall height: 40mm



Available separately

Pump & hose #PP10PH

All rams available to purchase separately

## Truckie's Mate

#VP73000

3/4 square drive breaker bar

Supplied with 1", 1-1/16", 1-1/8", 1-3/16",  
1-1/4", 1-5/16" sockets

in a heavy duty carry bag

**PRICED TO CLEAR**



### Transmission Jack

#VP8240

TALL TRANSMISSION jACK

Capacity: 454 Kgs

Min Height: 1.28m

Max Height: 1.75m



### 2-Stage Transmission Jack

#VP8250

Capacity: 500 Kgs

Min Height: 840mm

Max height: 1840mm

Package Size: 55 x 38 x 85cm

G.W.: 86kg



# SHOP PRESSES

## Automotive Products

- #PRESS6T 6000 KGS SHOP PRESS "H" FRAME Weight: 30kgs
- #PRESS12T 12 000 KGS SHOP PRESS "H" FRAME Weight: 46kgs
- #PRESS20T 20 000 KGS SHOP PRESS "H" FRAME Weight: 97kgs
- #PRESS20TAIR 20 000 KGS SHOP PRESS "H" FRAME Weight: 105kgs  
With Air Hydraulic
- #PRESS20HD 20 000 KGS SHOP PRESS "H" FRAME - HEAVY DUTY  
Weight: 110kgs
- #PRESS30T 30 000 KGS SHOP PRESS "H" FRAME
- #PRESS30THD 30 000 KGS SHOP PRESS "H" FRAME - HEAVY DUTY  
Weight: 151kgs
- #PRESS50THD 50 000 KGS SHOP PRESS "H" FRAME - HEAVY DUTY  
Weight: 300kgs

### Jacks To Suit Shop Presses Only:

- #JACK6 6000 Kgs
- #JACK12 12 000 Kgs
- #JACK20 20 000 kgs
- #JACK30 30 000 Kgs



Jacks not approved  
for lifting  
cars, restumping etc.

ALL PRESSES MANUALLY  
HYDRAULIC OPERATION



#PRESS50THD



#PRESS30THD

For All Dimensions On Shop  
Presses - See Pages 64 & 66



#PRESS20HD



# SHOP PRESSES

## Automotive Products



20 Ton Air  
Hydraulic  
Shop Press

#PRESS20TAIR

Available  
with  
air  
hydraulic  
pump



#PRESS30T

For All Dimensions On Shop  
Presses - See Pages 64 & 66

## Electric Hydraulic Shop Presses

#PRESS50THDELC

50 Ton Shop Press Electric Hydraulic  
Capacity: 50 ton  
240 Volt  
Frequency: 50Hz  
Power: 3KW  
Electric current: 6.8A  
Oil tank: 32L  
Stroke: 220mm  
Working pressure: 36.9mpa  
Frame inside dimensions: 870 x 700mm



#PRESS75THDELC


75 Ton Shop Press Electric Hydraulic  
Capacity: 75 ton  
240 Volt  
Frequency: 50Hz  
Power: 3KW  
Electric current: 6.8A  
Oil tank: 40L  
Stroke: 280mm  
Working pressure: 36.6mpa  
Frame inside dimensions: 825 x 760mm



## 75 Ton HD Air Hydraulic Shop Press


#PRESS75THDAIR

Capacity: 75 Ton  
Ram stroke: 250mm  
Side stroke: 300  
Working range: 226-1042mm  
Bed width: 800mm  
Air pressure: 0.75-0.85 Mpa  
Air inlet: 1/4" NPT




REFER TO PRICELIST -  
Part Nos. In Alphabetical order


# SHOP PRESS DIMENSIONS



| CARRYING CAPACITY (TON) | A (MM) | B (MM) | C (MM) | D (MM) | E (MM) | F (MM) | G (MM) | H (MM) | WORKING (MM) | PACKING (MM)             | GW KG |
|-------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------------|--------------------------|-------|
| PRESS6T                 | 420    | 500    | 935    | 76     | 245    | 120    | 245    | 90     | 0 - 245      | 950X440X120              | 27    |
| PRESS12T                | 500    | 500    | 1320   | 90     | 420    | 125    | 700    | 90     | 0 - 700      | 2 CARTONS                | 47    |
| PRESS20T                | 613    | 700    | 1570   | 120    | 505    | 145    | 915    | 100    | 0 - 915      | 2 CARTONS                | 85    |
| PRESS20T/AIR            | 613    | 700    | 1570   | 120    | 505    | 145    | 915    | 100    | 0 - 915      | 2 CARTONS                | 85    |
| PRESS20HD               | 760    | 660    | 1660   | 100    | 590    | 150    | 1000   | 100    | 0 - 800      | 3 CARTONS                | 120   |
| PRESS30T                | 760    | 660    | 1695   | 100    | 595    | 150    | 770    | 190    | 0 - 770      | 2 CARTONS                | 132   |
| PRESS30THD              | 910    | 800    | 1630   | 120    | 620    | 180    | 800    | 190    | 0 - 780      | 1 CRATE                  | 151   |
| PRESS30THDA             | 800    | 700    | 1720   | 110    | 535    | 160    | 1030   | 160    | 0-1070       | 1 CRATE                  | 185   |
| PRESS50HD               | 985    | 800    | 1665   | 140    | 820    | 190    | 735    | 230    | 0 - 735      | 1800X1000x420<br>1 CRATE | 280   |



**#PRESS6T**



**#PRESS12T  
#PRESS20T**

# **HEAVY DUTY QUICK ACTION ADJUSTABLE SHOP PRESSES**

**Complete press head assembly adjustable left to right and right to left**

**Spin wheel on press spindle for quick adjustment**

## **#PRESSA20QA**

Capacity: 20 ton  
Quick action spindle length: 750mm  
Ram stroke: 160mm  
Hand operated hydraulic  
Length: 750mm  
Width: 880mm  
Height: 1650mm  
Working range left to right: 500mm


## **#PRESSA30QA**

Capacity: 30 ton  
Quick action spindle length: 850mm  
Ram stroke: 160mm  
Hand operated hydraulic  
Length: 850mm  
Width: 980mm  
Height: 1750mm  
Working range left to right: 600mm

## **#PRESSA60QA**


Capacity: 60 ton  
Quick action spindle length: 950mm  
Ram stroke: 160mm  
Hand operated hydraulic  
Length: 950mm  
Width: 1080mm  
Height: 1850mm  
Working range left to right: 700mm

**Refer to  
Page  
66 For  
dimensions**




**Available Soon  
60 Ton Electric  
Powered Model**

# NEW QUICK ACTION ADJUSTABLE SHOP PRESS DIMENSIONS



| CARRYING<br>CAPACITY (TON) | A<br>(MM) | B<br>(MM) | C<br>(MM) | D<br>(MM) | E<br>(MM) | F<br>(MM) | G<br>(MM) | H<br>(MM) |
|----------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| PRESSA20QA                 | 860       | 750       | 1644      | 90        | 630       | 150       | 630       | 166       |
| PRESSA30QA                 | 980       | 850       | 1717      | 90        | 660       | 150       | 660       | 211       |
| PRESSA60QAS                | 1200      | 950       | 1827      | 90        | 840       | 150       | 830       | 261       |




#PRESSA20QA

#PRESSA30QA

#PRESSA60QA

# Automotive Products



#CR1TF

**1000 Kgs FOLDABLE ENGINE CRANE**

Arm Lifting Range: 0-2150mm  
Working Range: 960-1240mm



Australian Standard  
approval No: CC-026

#CR2TFHD

**1500 Kgs FOLDABLE ENGINE CRANE**  
Now with 8 000 Kg long ram & adjustable  
outrigger legs

Arm Lifting Range: 0-2360mm  
Working Range: 1050-1590mm



#CRANE3T

**3000 Kgs  
ENGINE CRANE**

Non-folding  
Arm Lifting Range: 0-2200mm  
Working Range: 1200-1830mm

## Air Hydraulic Shop Crane



#CR2TFAIR

Capacity: 1500kg  
Working Range Of Boom: 1050-1590mm  
Lifting Range: 0 - 2360mm

Air Hydraulic Long Ram 8 Ton  
To Suit: #RAMAIR8

## ENGINE LEVELERS

Engine Leveler  
Light Duty Construction  
adjustable range: 0 - 415mm  
capacity: 550kg



ENGINE LEVEL LIGHT DUTY  
CONSTRUCTION

#ELEV34

Engine Leveler  
Heavy Duty Construction  
adjustable range: 0 - 315mm  
capacity: 750kg



#ELEV15

Example of use of Engine Levelers





## SWIVEL BASE HYDRAULIC LIFTING CRANES

**450Kg  
#CRSC1T**

Capacity: 450kgs  
Working range of boom: 870-1290mm  
Lifting range: 0-2015mm  
Overall height folded: 1.45m  
N.W.: 45.5kg



Australian Standard  
approval No: CC-028



**900 Kg  
#CRSC2T**

Capacity: 900kgs  
Working range of boom: 900-1325mm  
Lifting range: 0-2015mm  
Overall height folded: 1.45m  
N.W.: 53kg

Australian Standard  
approval No: CC-029

## Swivel Base Hydraulic Lifting Cranes With Winch

**#CRSC1TW**

Working range of boom:  
870~1290mm  
Lifting range: 0~2015mm  
Capacity: 450kg  
Overall height: 1.45m



**#CRSC1TW  
#CRSC2TW**

**#CRSC2TW**

Working range of boom:  
900-1350mm  
Lifting range: 0~2300mm  
Capacity: 900kg  
Overall height: 1.45m



**#CRSC2TWH**

**NOW AVAILABLE**

**#CRSC2TWH**

Extra Heavy Duty  
Working range of boom:  
1250-1900mm  
Lifting range: 0~2300mm  
Capacity: 900kg  
Overall height: 1.45m

## Ute Crane

**#CRANE1000**

**454 KGS UTILITY**



Height:  
40cm

**#CRANE1000**

Capacity: 1000 lbs  
Working range of boom: 800-1500mm  
Lifting range: 0-1300mm  
N.W: 28kgs

**Spare Ram To Suit  
CRANE1000 Available: #RAM1S**

# Ute Crane With Height Extension & Winch

**Automotive  
Products**



**#CR1000EXW**

450kg pickup truck crane with winch  
Working range of boom: 780~1300mm  
Lifting range: 0~2000mm

## 2 Ton Foldable Engine Crane



**#CR125**



Light duty engine crane

## Super Heavy Duty Foldable Shop Crane 2000 Kg

**#CR2000HDA**

- \* Unique technology of quick lifting by double action pump
- \* Larger capacity than normal shop crane 3 position
- \* Chrome plated lifting piston and pump
- \* Relief valve to prevent overload
- \* 360° swivel operating handle
- \* Forged heavy duty swivel hook
- \* 125% overload testing before delivery

- \*Lifting capacity (boom extended-closed): 2000kg
- \*Boom length (closed-extended): 960
- \*Boom height (closed-extended): 350
- \*Base size: 1700x1010mm
- \*Power unit (long ram jack): 8mm
- \*N.W./G.W.: 92/98kg



# ENGINE STANDS

## Automotive Products



#ES750

#ES750: 350Kg capacity

#ES1000: 450kg capacity

#ES1250: 570kg capacity

#ES1500: 680kg capacity

#ES2000: 900kg capacity



#ES1250

#ES1500




#ES1000

UnFolded



#ES2000

Folded



#ES1500F

Folding  
Engine  
Stand



Heavy Duty  
Cap: 680kgs  
4-leg folding engine crane  
Large, heavy chrome head & black frame  
for big block & display engines  
4-hole mounting head rotates 360°  
and locks with a pin



# PARTS WASHERS

**Automotive  
Products**

- #PW3.5** 3.5 GALLON MINI PARTS WASHER  
Tub Size: 45 x 35 x 24cm
- #PW20** 20 GALLON PARTS WASHER & STAND  
Tub Size: 78 x 55 x 30cm
- #PW40** 40 GALLON PARTS WASHER & STAND  
Tub Size: 112 x 54 x 30cm



Cleaning Brush Available Separately #PWBRUSH

## Multi Circulative Pump

### #PUMP

It's a magnetic sealless pump  
Used in parts washers,  
fish pools, fountains etc.  
240v/50Hz 0.2A  
Max head 1.3m max Flow 51/m  
SUITS ALL PARTS WASHERS







Air Hydraulic Long Ram 8 Ton  
To Suit: **#RAMAIR8**

## 3 Tonne, 8 Tonne & 12 Tonne Rams Now Available In Combination Flat & Swivel Base - No Extra Charge

**#RAM3SF:** FLAT BASE SWIVEL & LONG RAM 3000 KG JACK  
Min Height: 658mm/Max Height: 1147mm, 10 KG


**#RAM8SF:** FLAT BASE SWIVEL & LONG RAM 8000 KG JACK  
Min Height: 653mm/Max Height: 1135mm, 15KG

**#RAM12SF:** FLAT BASE SWIVEL & LONG RAM 12 000 KG JACK  
Min Height: 640mm/Max Height: 1135mm, 12KG

This Style With  
Flat Base  
& Swivel Base  
Now

STROKE  
495mm  
ALL MODELS

**#RAM3SF**  
**#RAM8SF**  
**#RAM12SF**



## Torque Multipliers Nut Crackers

Used for the removal of nuts on heavy duty & light duty trucks & family cars

### #VP1012 16:1 reduction Torque Multiplier

Designed for family cars etc.  
1/2" square drive  
Includes 3 different sockets:  
17mm, 19mm, 21mm

**PRICED TO CLEAR**



### #VP1111-I 58:1 reduction Torque Multiplier

Industrial 1" square drive  
Designed for light duty trucks  
Comes with 1" female sq drive - 19mm female sq drive socket  
33mm 1" sq drive  
1" female sq drive - 21mm female sq drive socket  
41mm 1" sq drive

### #VP1121HD 68:1 reduction Torque Multiplier

1" square drive  
Designed for heavy duty trucks  
Comes with 1" female sq drive - 19mm female sq drive socket  
33mm 1" sq drive  
1" female sq drive - 21mm female sq drive socket  
41mm 1" sq drive



### 8 Piece Socket Sets Torque Multiplier

#### #VP1111-IS

1" square drive  
Industrial socket set  
Sizes are: 21mm, 22mm, 24mm  
27mm, 32mm, 33mm,  
38mm, 41mm

#### #VP1121HDS

1" square drive  
Heavy Duty socket set  
Sizes are: 21mm, 22mm, 24mm  
27mm, 32mm, 33mm,  
38mm, 41mm





# Air Hydraulic Jacks

## Automotive Products

#LHJ12

12 000 kgs Air Hydraulic Jack- 2 Return Springs  
Min Height: 250mm; Max Height: 508mm; G.W: 15 Kgs



#LHJ20

20 000 kgs Air Hydraulic Jack- 2 Return Springs  
Min Height: 260mm; Max Height: 508mm; G.W: 19 Kgs



NOW AVAILABLE #LHJ32

#LHJ35

35 000 kgs Air Hydraulic Jack- 4 Return Springs  
Min Height: 265mm; Max Height: 416mm



#LHJ50

50 000 kgs Air Hydraulic Jack- 4 Return Spring  
Min Height: 307mm; Max Height: 485mm



#LHTJ22

22 000 kgs Air Hydraulic Trolley Jack- 4 Return Springs  
Min Height: 210mm; Max Height: 465mm; G.W: 53 Kgs



#LHTJ30

30 000 Kgs Air Hydraulic Trolley Jack  
Min Height: 257mm; Max Height: 547mm; N.W: 42kgs



#LHTJ35

35 000 kgs Air Hydraulic Trolley Jack  
Min Height: 230mm; Max Height: 365mm; Lifting Height: 135mm



#LHTJ50

50 000 kgs Air Hydraulic Trolley Jack  
Min Height: 270mm; Max Height: 430mm; N.W: 35kg

# Truck Wheel Dolly

**Automotive  
Products**

#VP81TD

**Capacity: 0.75 TON**  
**Stroke: 110mm**  
**Min height: 90mm**  
**Max height: 280mm**  
**Roller length: 630mm**  
**Distance between rollers: 600mm**  
**Package: 113 x 87 x 16mm**  
**GW/NW: 85/82kg**  
**Supplied with roller arms to**  
**locate wheel studs with ease**  
**Takes dual wheel assemblies**




**PRICED TO CLEAR**

## Vehicle Positioning Jacks

#VP8370H9

Capacity: 680 Kg each  
 Max width of wheels: 235mm  
 4 pieces total capacity: 2720 kg  
 Weight: 17kg

PRICE IN PRICELIST IS  
 FOR ONE PIECE ONLY




**PRICED TO CLEAR**

#VP8377H12

Capacity: 680 kg each  
 Handle tyres up to 12" wide  
 1 piece total lifting capacity: 680kg  
 4 pieces total lifting capacity: 2720kg  
 N.W.: 17kg per piece

PRICE IN PRICELIST IS  
 FOR ONE PIECE ONLY



## Car & Truck Tyre Dolly

#VP8100



**Cap: 455kg**  
**Size: 603 x 390 x 140mm**

# Spanners

## Jumbo Spanner Sets


#SSI4JJ

4 piece Jumbo Jumbo Combination Spanner Set

#SSM4JJ

Imperial set  
 Sizes: 2-1/8"  
 2-1/4"  
 2-3/8"  
 2-1/2"

Metric set  
 Sizes: 54mm  
 57mm  
 60mm  
 65mm



Made of drop forged steel  
 Heat treated

6 piece Jumbo Combination Spanner Set

10 piece Jumbo Combination Spanner Set

#SSI6J

#SSM6J

Imperial set  
 Sizes: 1-3/8"  
 1-1/2"  
 1-5/8"  
 1-3/4"  
 1-7/8"  
 2"

Metric set  
 Sizes: 34mm  
 38mm  
 40mm  
 44mm  
 48mm  
 50mm



#SSI10J

#SSM10J

Imperial set  
 Sizes: 1-5/16"  
 1-3/8"  
 1-7/16"  
 1-1/2"  
 1-5/8"  
 1-11/16"  
 1-3/4"  
 1-13/16"  
 1-7/8"  
 2"

Metric set  
 Sizes: 33mm  
 35mm  
 36mm  
 38mm  
 41mm  
 42mm  
 44mm  
 46mm  
 48mm  
 50mm



## Chrome Vanadium Combination Sets

Sizes: 8mm 14 Piece Metric Combination Spanner Set

13 Piece Combination AF Set

#SS14MM

#SS13AF

Sizes: 1/4" 5/16"  
 3/8" 7/16"  
 1/2" 9/16"  
 5/8" 11/16"  
 3/4" 13/16"  
 7/8" 15/16"  
 1"



Lifetime  
 Guarantee

17 Piece Combination AF Set

15 Piece Metric Combination Spanner Set

#SS17AF

#SS15MM

Sizes: 1/4" 11/16"  
 3/8" 13/16"  
 1/2" 15/16"  
 5/8" 1"  
 3/4" 1-1/8"  
 7/8" 1-1/4"  
 5/16" 1-3/8"  
 7/16" 1-1/2"  
 9/16"

Sizes: 8mm  
 9mm  
 10mm  
 12mm  
 13mm  
 14mm  
 15mm  
 17mm  
 19mm  
 21mm  
 22mm  
 24mm  
 25mm  
 32mm  
 38mm



# Socket Sets - Industrial Quality

## Spanners



**#74020:** HARDENED & TEMPERED  
TRIPLE CHROME PLATED  
EXTRA H/D 26" RATCHET HANDLE  
H/D METAL CASE WITH CARRYING HANDLE  
**INCLUDES:** 12 POINT SOCKETS 1" SQUARE DRIVE:  
1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8", 2", 2 1/8", 2 3/16",  
2 1/4", 2 3/8", 2 1/2", 2 5/8", 2 3/4", 2 15/16", 3", 3 1/8"  
1 PC 8" EXTENSION BAR  
1 PC 21" EXTENSION BAR  
1 PC 21" SLIDING T-HANDLE  
METAL CASE WITH 21 PIECE CONTENTS



**#74040:** DROP FORGED  
HEAT TREATED STEEL  
TRIPLE CHROME PLATED FOR DURABILITY  
KNURLED HANLES ON RATCHET & BREAKER BAR FOR A SURE GRIP  
MEETS/EXCEEDS ANSI SPECS. B107.1  
6 POINT SOCKET ENSURES CORRECT FIT & MAX. SURFACE  
CONTACT ARE WITH BOLTS FOR GREATER TORQUE TRANSFER  
**INCLUDES:** 1 PC 495MM REVERSIBLE RATCHET  
1 PC 508MM FLEX BREAKER BAR  
2 PC 101MM & 203MM EXT BARS  
3/4" SOCKETS SQUARE DRIVE:  
19, 21, 22, 23, 24, 26, 27, 30, 32, 34, 36, 38, 41, 46, 48, 50MM  
BLOW MOULDED CASE WITH 20 PIECE CONTENTS

**#74010:** **INCLUDES:** 1" SOCKETS SQUARE DRIVE:  
30, 31, 32, 34, 36, 38, 41, 46, 50, 55, 60, 65, 70, 75, 80MM,  
1 PC 26" RATCHET HANDLE  
1 PC 8" EXTENSION BAR  
1 PC 18" EXTENSION BAR  
1 PC 22" SLIDING T-HANDLE  
1" SQUARE DRIVE  
METAL CASE WITH 20 PIECE CONTENTS

**#74045:** **INCLUDES:** 3/4" SOCKETS SQUARE DRIVE:  
10 PC SOCKETS:  
22, 24, 27, 30, 32, 36, 38, 41, 46, 50MM  
12 PC SOCKETS:  
7/8", 15/16", 1", 1 1/8", 1 1/4", 1 1/16", 1 3/8", 1 7/16", 1 5/8", 1 3/4", 1 7/8", 2"  
1 PC 495MM RATCHET  
1PC 200MM EXTENSION BAR  
1PC METAL BOX  
1PC SLIDING T-BAR  
1PC 100MM EXTENSION BAR  
METAL CASE WITH 26 PIECE CONTENTS

**#74060:** **INCLUDES:** 3/4" & 1" SQUARE DRIVE SOCKETS:  
15/16", 1", 1 1/16", 1 1/8", 1 1/4", 1 3/16", 1 5/16", 1 3/8",  
1 7/16", 1 1/2", 1 5/8", 1 11/16", 1 3/4", 1 13/16", 1 7/8", 2"  
3 PC 1" DRIVER 2 1/4", 2 1/2", 2 3/4"  
1 PC 3/4" DRIVER & 1" DRIVER ADAPTOR  
1 PC 3/4" DRIVER & 1" DRIVER ADAPTOR  
1 PC RATCHET  
1 PC 21" EXTENSION BAR  
1 PC 21" T-HANDLE  
1 PC 21" BREAKER BAR  
1 PC 8" EXTENSION BAR  
1 PC METAL BOX  
BLOW MOULDED CASE WITH  
25 PIECE CONTENTS

**#74041:** **INCLUDES:** 3/4" SOCKETS SQUARE DRIVE:  
7/8", 15/16", 1", 1 1/16", 1 1/8", 1 3/16", 1 1/4", 1 5/16",  
1 3/8", 1 7/16", 1 1/2", 1 5/8", 1 3/4", 1 13/16", 1 7/8", 2"  
1 PC 495MM REVERSIBLE RATCHET  
1 PC 508MM FLEX BREAKER BAR  
2 PC 101MM & 203MM EXT BARS  
METAL CASE WITH 20 PIECE  
CONTENTS

**#74061:** **INCLUDES:** 3/4" & 1" SOCKETS SQUARE DRIVE:  
21, 22, 23, 24, 26, 27, 28, 29, 30, 31,  
32, 34, 36, 38, 41, 46, 50, 55, 60, 65MM  
1 PC 200MM RATCHET  
1 PC 200MM EXTENSION BAR  
1 PC 3/4" DRIVER & DRIVER ADAPTOR  
1 PC PLASTIC BOX  
1 PC 520MM EXTENSION BAR  
1 PC 100MM T-BAR  
1PC BREAKER BAR  
BLOW MOULDED CASE WITH  
26 PIECE CONTENTS


**#74080:** **INCLUDES:** 8 PC 3/4" SOCKETS SQUARE DRIVE:  
2 1/16", 2 1/8", 2 3/16", 2 1/4", 2 5/16", 2 3/8", 2 7/16", 2 1/2"  
1 PC PLASTIC BOX  
BLOW MOULDED CASE WITH  
8 PIECE CONTENTS



# Belt & Disc Sanders


## #BD46

Power: 350W  
Belt Size: 4" x 36"  
Belt Table Tilt: 0-90°  
Disc Size: 6"  
Disc Table Tilt: 0-45°



## #BD46HD

Belt size: 4" x 36"  
Disc table tilt: 0-45°  
Belt table tilt: 0-90°  
Motor power: 370W  
Disc size: 6"



## BANDSAW

### #BSMJ3435

4 Speed Wood Cutting Bandsaw  
Throat 343mm  
Cutting depth 150mm  
Table size 360 x 360mm  
Motor 3/4 hp  
Blade length: 2350mm  
Cutting speed, Single = 3000FPM,  
Four = 600, 1140, 1670, 2670 FPM  
NW/GW 78/81 kgs



## Aluminium Universal Mitre Saw Stand

#MSUALM

Overall Length Extends to 2.5m





# Saw Blade Sharpener

## Wood-Working Equipment

**#PT10SBS**


240V

Motor: 110W

Speed: 5300rpm

Grinding wheel dia: 10mm

Sharpens TCT & HSS blades: 100-400mm dia



## DOOR Lock Mortiser Attachment



**#LOCKMORT**

**Comes with 3 Tungsten  
mortising cutters:  
16, 18, 20mm**

**Fits any portable  
electric drill with 12mm  
capacity of above**

## STAND - ROLLING & SLIDING

- \* Specially designed roller ball-glide bracket allows work piece to move in any direction
- \* L 406mm x dia 50mm chrome-plated steel, ball-bearing mounted roller lets work piece roll smoothly
- \* Height adjusts from 710 - 1040mm
- \* Folds for easy storage
- \* Heavy duty, tubular steel frame with baked enamel finish
- \* Supports up to 45 kgs



**#RS1000**

# Metal-Working Equipment

## Petrol Demolition Saw

### #PT4999

Single cylinder  
2 stroke engine  
Displacement: 64cc  
Max. Engine speed: 8500rpm  
Max. Output: 2.4kw  
Fuel tank capacity: 1.5L  
Standard blade dia.: 350mm  
Cutting depth: Max. 112.5mm (with blade dia. 350mm)  
Weight: 12kgs



Replacement spark plug:  
Champion RCJ8Y

Optional Extras:

### # PT4999DB

Extra replacement diamond blade




Also available with water  
attachment: **#PT4999WA**

## Sheet-Metal 30" Bending Brake

### #MBB30

- \* Bends up to 17 gauge steel and up to 90°
- \* Maximum width: 760mm
- \* Design for bench top or portable use
- \* Dimensions: 90cm L X 16cm W X 8cm H



## Square & Round Tube Bender

### #PIPE1TS


Round pipe: 3/8", 1/2", 9/16", 5/8", 3/4", 7/8"  
Square pipe: 3/4", 1"  
Pipe thickness: 0.8-1.2mm  
Max bending angle: 180 degrees



## Hand Shears


- \* Best for cutting metal plate, rod steel, flat steel
- \* Durable steel frame cutter includes hardened HSS steel blades.
- \* Bolt to bench or table top. Blade is easily replaceable.
- \* Replaceable HSS blades available for all models.

| Model  | Throat | Steel Plate | Flat Bar | Round Rod | Weight |
|--------|--------|-------------|----------|-----------|--------|
| #HS-8  | 8"     | 6mm         | 70x6mm   | 13mm      | 25kg   |
| #HS-12 | 12"    | 6mm         | 70x6mm   | 13mm      | 35kg   |



## Universal Steel Benders

| Model                  | Flat Steel      | Round Steel | Square Steel   | Angle Steel    | Weight |
|------------------------|-----------------|-------------|----------------|----------------|--------|
| #UB-70<br>Cold<br>Hot  | 70x6<br>70x15   | 18<br>30    | 16x16<br>30x30 | 60x8<br>70x15  | 32.4kg |
| #UB-100<br>Cold<br>Hot | 100x5<br>100x15 | 18<br>30    | 16x16<br>30x30 | 60x8<br>100x12 | 35kg   |



# Metal Cut Off Saws

**#MC16BDGG** 16" Cut Off Saw With Grinder  
With bench grinding attachment  
240 Volt, 2200 Watts  
Speed: 2600rpm  
Bore size of disc: 1" (25.4mm)  
Weight: 90kgs

**#MC16BDGG3** 16" Cut Off Saw With Grinder  
With bench grinding attachment  
3 Phase, 415 Volt, 2200 Watts  
Speed: 2400rpm  
Bore size of disc: 1" (25.4mm)  
Weight: 100kgs



## Jepson 14" Super Dry Metal Cutter With Tungsten Blade

### #PT9435A

Voltage: 230VAC, 50 Hertz  
Performance: 2200W  
Saw blade: 355mm Øx2, 2/1, 8mm x 25,4mm  
Number of teeth: 90  
Speed: 1300rpm (idling)  
Peripheral speed: 1450 m/min (idling)  
Mitre cutting: 15° - 30° - 45°  
Surface area: 480 x 290mm  
Weight: 23,5kg without saw blade  
Sound pressure level: 100dB(A)  
Sound power level: 113dB(A)  
Hand and arm vibration: 1.19m/s<sub>2</sub>



**#PT9435ABLD:**  
Tungsten blade to Suit:  
14" 350mm x 72mm teeth x 25mm bore



# BENCH GRINDERS

**Metal-Working  
Equipment**

**BG6GRIP**     **6" Bench Grinder, 3/4 HP, 1" Wheels With Light**  
2950 rpm; Spindle Size: 12mm x 2mm pitch, 13KGS



**#BG6GRIP**

**BG8GRIP**     **8" Bench Grinder, 1 HP, 1" Wheels With Light**  
2950 rpm; Spindle Size: 12mm x 2mm pitch    18KGS



**#BG8GRIP**

**BG68**     **6" x 8" Wet & Dry Bench Grinder**  
2950 rpm; Spindle Size: 12mm x 2mm pitch, 12KG  
Wet grinding wheel: 150rpm; 250 Watts



**#BG68**

**BG8HD**     **8" Heavy Duty Industrial Bench Grinder**  
8" dia wheels, 32mm thick with 32mm bore, 900 WATTS  
2950 rpm; Spindle Size: 16mm x 2mm pitch

**BG8HDST**     **8" Heavy Duty Industrial Bench Grinder**  
8" dia wheels, 32mm thick with 32mm bore With Stand, 45 kgs  
2950 rpm; Spindle Size: 16mm x 2mm pitch

**BG10HD**     **10" Heavy Duty Industrial Bench Grinder**  
10" dia wheels, 32mm thick with 32mm bore, 1100 WATTS  
2950 rpm; Spindle Size: 16mm x 2mm pitch

**BG10HDST**     **10" Heavy Duty Industrial Bench Grinder**  
10" dia wheels, 32mm thick with 32mm bore With Stand, 55 kgs  
2950 rpm; Spindle Size: 12mm x 2mm pitch



**#BG8HD**

**#BG10HD**

**JIG**     **Universal, Angle, Sharpening Jig, Suits All Bench Grinders**



Universal  
Sharpening  
**#JIG**

**Cast iron bench Grinder stand**



THIS  
STAND  
SUITS  
BG6GRIP  
& BG8GRIP

**#BG STAND HD**  
Heavy Duty 26KGS  
Table size: 240x278mm  
Overall Height: 832mm

**#BG STAND LD**  
Light duty 15KGS  
Table size: 227x264mm  
Overall Height: 832mm

Iron bench  
Grinder stand  
**#BG810HDSTAND**

THIS  
STAND  
SUITS  
BG8HD  
& BG10HD

Plate size: 31x19.5cm  
Overall Height: 70cm



**REFER TO PRICELIST -  
Part Nos. In Alphabetical order**



# PIPE BENDERS

## Metal-Working Equipment

### VERTICAL & HORIZONTAL PIPE BENDERS

#### #PIPE12 OR #PIPE12AIR

Cap: 12 000kg With air hydraulic

Weight: 41kgs

Complete with 6 Imperial formers:  
1/2" - 2"

**OR**

Complete with 6 Metric formers:  
15mm - 50mm

#### #PIPEFORM12

Set of 6 Metric formers 15mm - 50mm

**OR**

Set of 6 Imperial formers 1/2" - 2"

#### #PIPEFORM12DT

Deep Throat Metric or Imperial formers

#### #PIPE12-IM OR #PIPE12AIRIM

With both sets of Metric & Imperial formers

#### #PIPE16 OR #PIPE16AIR

Cap: 16 000kg With air hydraulic

Weight: 72kgs

Complete with 8 Imperial formers:  
1/2" - 3"

**OR**

Complete with 8 Metric formers:  
15mm - 75mm

#### #PIPEFORM16

Set of 8 Metric formers 15mm - 75mm

**OR**

Set of 8 Imperial formers 1/2" - 3"

#### #PIPEFORM16DT

Deep Throat Metric or Imperial formers


#### #PIPE16-IM OR #PIPE16AIRIM

With both sets of Metric & Imperial formers



#PIPE12

6 PIECES



#PIPE16

8 PIECES

### INDIVIDUAL IMPERIAL & METRIC SIZE FORMERS

PMF15mm  
PMF20mm  
PMF25mm  
PMF32mm  
PMF40mm  
PMF50mm  
PMF62mm  
PMF75mm

PIF1/2"  
PIF3/4"  
PIF1"  
PIF1 1/4"  
PIF1 1/2"  
PIF2"  
PIF2 1/2"  
PIF3"

### JACKS TO SUIT 12 000 & 16 000 Kg PIPE BENDERS

#PIPE12J JACK TO SUIT  
12 000 kg PIPE BENDER

#PIPE16J JACK TO SUIT  
16 000 kg PIPE BENDER

## Air Hydraulic Pipe Benders

### 12 Ton

#PIPE12AIR

Supplied with  
6 imperial formers: 1/2" - 2"

or

6 metric formers: 15mm-50mm

Also available with both sets



### 16 Ton

#PIPE16AIR

Supplied with  
8 imperial formers: 1/2" - 3"

or

8 metric formers: 15mm-75mm

Also available with both sets

# AUSTRALIA'S LARGEST RANGE OF BENCH & PEDESTAL DRILL PRESSES

| MODEL No.                   | ABD5     |       | ABD105   |         | ABD112   |         |
|-----------------------------|----------|-------|----------|---------|----------|---------|
| TYPE                        | BENCH    |       | BENCH    |         | BENCH    |         |
| POWER (WATT)                | 250      |       | 370      |         | 450      |         |
| CHUCK SIZE mm               | 1.5-13   |       | 1.5-13   |         | 3.-16    |         |
| CAPACITY mm                 | 13       |       | 13       |         | 16       |         |
| MORSE TAPER                 | B16      |       | B16      |         | MT2      |         |
| SWING mm                    | 210      |       | 210      |         | 254      |         |
| Spindle TRAVEL              | 50       |       | 50       |         | 60       |         |
| Distance from Table         | 200      |       | 360      |         | 370      |         |
| Spindle to Base             | 280      |       | 440      |         | 480      |         |
| BASE SIZE mm                | 315x200  |       | 315x200  |         | 340x210  |         |
| Table Size mm Square        | 165x165  |       | 165x165  |         |          |         |
| Table Size mm Round         |          |       |          |         | 248 dia  |         |
| COLUMN DIAMETER             | 46       | #ABD5 | 46       | #ABD105 | 60       | #ABD112 |
| RACK & PINION               | NO       |       | NO       |         | YES      |         |
| Spindle Speeds <i>Grade</i> | 5        |       | 5        |         | 12       |         |
| Spindle Speeds RPM          | 720-3000 |       | 720-3000 |         | 250-3000 |         |
| Overall Height mm           | 575      |       | 735      |         | 840      |         |
| G.W/ N.W kgs                | 20/19    |       | 26/27    |         | 42/37    |         |

**DRILL PRESSES DO NOT COME WITH CHUCK GUARDS**

**SEE CHUCK GUARDS PAGE 86**

| MODEL No.                   | APD112   |         | APD216   |         | APD316FS |           |
|-----------------------------|----------|---------|----------|---------|----------|-----------|
| TYPE                        | FLOOR    |         | FLOOR    |         | FLOOR    |           |
| POWER (WATT)                | 450      |         | 550      |         | 550      |           |
| CHUCK SIZE mm               | 3.-16    |         | 3.-16    |         | 3.-16    |           |
| CAPACITY mm                 | 16       |         | 16       |         | 16       |           |
| MORSE TAPER                 | Mt2      |         | Mt2      |         | Mt2      |           |
| SWING mm                    | 254      |         | 330      |         | 330      |           |
| Spindle TRAVEL              | 60       |         | 80       |         | 80       |           |
| Distance from Table         |          |         |          |         |          |           |
| Spindle to Base             |          |         |          |         |          |           |
| BASE SIZE mm                | 420x250  |         | 420x250  |         | 420x250  |           |
| Table Size mm Square        |          |         |          |         |          |           |
| Table Size mm Round         | 248 dia  |         | 310 dia  |         | 310 dia  |           |
| COLUMN DIAMETER             | 60       | #APD112 | 71       | #APD216 | 71       | #APD316FS |
| RACK & PINION               | YES      |         | YES      |         | YES      |           |
| Spindle Speeds <i>Grade</i> | 12       |         | 16       |         | 16       |           |
| Spindle Speeds RPM          | 210-2580 |         | 250-4000 |         | 250-4000 |           |
| Overall Height mm           | 1500     |         | 1580     |         | 1580     |           |
| G.W/ N.W kgs                | 53/47    |         | 66/60    |         | 66/60    |           |

# DRILL PRESSES

**Metal-Working  
Equipment**

Heavy Duty

| ABD216   |  | ABD316FS |  | ABD512   |  | ABD612   |  |
|----------|--|----------|--|----------|--|----------|--|
| BENCH    |  | BENCH    |  | BENCH    |  | BENCH    |  |
| 550      |  | 550      |  | 750      |  | 750      |  |
| 3.-16    |  | 3.-16    |  | 3.-16    |  | 5.-20    |  |
| 16       |  | 16       |  | 20       |  | 25       |  |
| Mt2      |  | Mt2      |  | Mt2      |  | Mt3      |  |
| 330      |  | 330      |  | 356      |  | 432      |  |
| 80       |  | 80       |  | 80       |  | 80       |  |
| 790      |  | 790      |  |          |  |          |  |
| 600      |  | 600      |  |          |  |          |  |
| 420x250  |  | 420x250  |  | 460x275  |  | 520x320  |  |
|          |  |          |  |          |  | 290x290  |  |
| 310 dia  |  | 310 dia  |  | 310 dia  |  |          |  |
| 71       |  | 71       |  | 80       |  | 80       |  |
| YES      |  | YES      |  | YES      |  | YES      |  |
| 16       |  | 16       |  | 12       |  | 12       |  |
| 250-4000 |  | 250-4000 |  | 120x3000 |  | 140-3050 |  |
| 960      |  | 960      |  | 980      |  | 980      |  |
| 57/53    |  | 57/53    |  | 73/70    |  | 93/87    |  |



#ABD216



#ABD316FS



#ABD512



#ABD612

**DRILL PRESSES DO NOT COME WITH CHUCK GUARDS**

**SEE CHUCK GUARDS PAGE 86**

Heavy Duty

Super Heavy Duty

Super Heavy Duty

| APD512FS |  | APD612   |  | APD3000  |  | APD4000  |  |
|----------|--|----------|--|----------|--|----------|--|
| FLOOR    |  | FLOOR    |  | FLOOR    |  | FLOOR    |  |
| 750      |  | 750      |  | 1100     |  | 1100     |  |
| 3.-16    |  | 5.-20    |  | 5.-20    |  | 5.-20    |  |
| 20       |  | 25       |  | 28       |  | 32       |  |
| Mt2      |  | Mt3      |  | Mt3      |  | Mt4      |  |
| 356      |  | 432      |  | 432      |  | 508      |  |
| 80       |  | 80       |  | 120      |  | 120      |  |
|          |  |          |  |          |  |          |  |
| 460x275  |  | 520x320  |  | 350x350  |  | 580x450  |  |
|          |  | 290x290  |  |          |  |          |  |
| 310 dia  |  |          |  |          |  |          |  |
| 80       |  | 80       |  | 92       |  | 92       |  |
| YES      |  | YES      |  | YES      |  | YES      |  |
| 12       |  | 12       |  | 12       |  | 12       |  |
| 140-3600 |  | 140-3050 |  | 150-2700 |  | 150-2700 |  |
| 1630     |  | 1650     |  | 1700     |  | 1710     |  |
| 86/80    |  | 96/90    |  | 138/128  |  | 148/138  |  |



#APD512FS



#APD612



#APD3000



#APD4000

# RADIAL DRILL PRESS

**Variable Speed Heavy  
Duty Pedestal Drill**

**Model No.**

|                       |            |
|-----------------------|------------|
| Type                  | floor      |
| Motor power           | 550w       |
| Chuck (mm)            | 3 - 16     |
| Swing (mm)            | 840        |
| Spindle travel(mm)    | 80         |
| Horizontal arm travel | 320mm      |
| Overall height        | 1630mm     |
| Speed range           | 550 - 3470 |
| Head tilt (degrees)   | 90L - 45R  |

**#APDR205**

**#APDR205**



**Features: Angle drilling; Deep throat drilling up to 420mm; Horizontal drilling**

## Chuck guards available



**#CG55MM**



**#CG40MM**



**#CG60MM**



**#CG75MM**



**#CG92MM**

# High Speed Grinder

**Metal-Working  
Equipment**

**#BG150F**

240V  
Speed: 0-10000rpm  
Size of abrasive wheel: 75x20mm  
Size of major axis: 10mm  
Size of flexible drive chuck: 1/8"



# Miller's Falls Dry Cutter

**#PT9400**

Rated voltage: 240V  
Weight: 26.5kg  
Circular: 90°:130mm  
45°:79mm  
Square: 90°:100\*100mm  
45°:79\*79mm  
Rectangular: 90°:75\*130mm  
45°:56\*56mm  
Power 2200W, 3800r/min  
Access. Included: 1 pce of 14" Tungsten blade

**PRICED TO CLEAR**



**#PT9400B** Blade to suit

# Hydraulic Pipe Bender

**#PIHM4C**


Max pressure: 63Mpa  
Max stroke: 415mm  
Crimp range: 21.3-108mm<sup>2</sup>  
Former sizes: 1/2", 3/4", 1", 1-1/4",  
1-1/2", 2", 2-1/2", 3", 4"  
1/2" - 4" capacity with 9/10 formers  
Tubing wall thickness: 2.75-6mm  
Overall weight: 200kg



**PRICED TO CLEAR**



## Nibblers




### #PT3040

- \* Capacity: 2.5mm mild steel  
1.5mm stainless steel
- \* 625 Watts
- \* Double Insulated
- \* Comes in blow moulded plastic case
- \* Supplies with side handle & extension
- \* 3 punches
- \* 2 dies

### #PT3025

- \* Capacity: 4mm mild steel  
2.5mm stainless steel
- \* 625 Watts
- \* Double Insulated
- \* Comes in blow moulded plastic case
- \* Supplies with side handle & extension
- \* 3 punches
- \* Optional extra - extension foot available



# Powertools & Accessories

## Nibbler Attachment

### #PT30NIB

- Capacity: Mild steel: 1.8mm
- Capacity: Stainless steel: 1.2mm
- Capacity: Copper, aluminium etc: 2mm
- Used for cutting circles in mild steel
- Selective double cutting heads
- Cuts in any direction or angle desired



**Remove handle to reveal second nibbling head**

## 18Volt Impact Wrench

### #PT1000

No-load speed: 0-2600r/min  
Machine screw: 4-8mm (dia)  
Standard bolt: 4-12mm (dia)  
Max torque: 155N.M  
Full-load impact rate: 0-3200bits/min  
Battery: Li-ion 18V, 3.0Ah  
Charger: 60mins fast charger



## Magnetic Drill Presses



### #PT1032

With gravity feed lubrication  
240 Volt  
Capacity: 32mm  
Power: 1300W  
Speed: 350rpm  
Max spindle travel: 180mm  
Cutting spindle dia: 19mm  
Weight: 33kg

### #PT1049

With gravity feed lubrication  
240 Volt  
Capacity: 49mm  
Power: 1350W  
Speed: 300rpm  
Max spindle travel: 180mm  
Cutting spindle dia: 19mm  
Weight: 34kg

### #PT10CA

Chuck adaptor to suit  
PT1032 & PT1049

### #PT80015

## Millers Falls Rotary Hammer (Heavy Duty)

3 functions complete with chisel & point,  
SDS bits: 8, 10, 12, 18mm drill bits  
13mm geared chuck,  
240 Volt

SDS adaptor in blow moulded case



## MODEL# SPADES - POINTS - CHISELS

SUIT HITACHI PH65SA & PH65

|          |                                |
|----------|--------------------------------|
| M-300137 | 375mm POINT                    |
| M-300141 | 410mm POINT                    |
| M-300146 | 460mm POINT                    |
| M-300155 | 550mm POINT                    |
| M-300237 | 375mm CHISEL 30 mm             |
| M-300241 | 410mm CHISEL 30mm              |
| M-300246 | 465mm CHISEL 30mm              |
| M-300255 | 550mm CHISEL 30mm              |
| M-300341 | 410mm WIDE SCALING CHISEL 50mm |
| M-300441 | 410mm WIDE SCALING CHISEL 75mm |
| M-300545 | HITACHI SPADE                  |



**Powertools  
&  
Accessories**

# Spade



**#M30060F**  
Suits  
Makita  
&  
Hitachi  
jackhammers




Distance across:  
130mm

## Jack Hammer With Drilling

**#PT4300**

Hammer & hammering with rotation function  
Drilling capacity: 25mm  
Voltage/freq: 240V/50Hz  
Power: 2100W  
No-load speed: 100-250r/min  
Impact rate: 750-1950rpm  
D model 360 degrees auxiliary  
handle for comfort  
Hexagon connector  
Supplied with 1pc point chisel & 1pc drill  
In BMC packing with 2 wheel box



## 144 PIECE UNIVERSAL DRILL BIT SET

Comprises of:

43 pieces titanium HSS drill bits,  
11 pieces masonry drill, 8 pieces wood  
bits, 3 pieces titanium flat wood bits, 59  
pieces screwdriver bits, 4 pieces long  
wood bits, 4 pieces long masonry bits, 4  
piece hole saw kits with arbor, 1 magnetic  
screwdriver holder, 1 countersink bit.

## Heavy Duty Demolition

## Jack Hammer

Complete with point

Weight: 25kg



**#PT4370**



**#PTA144**

Folded



**PRICED TO CLEAR**

# Uncle Bill's Great Aussie Stirrer

1 model:


|                   |           |
|-------------------|-----------|
| Power input:      | 1600W     |
| No-load speed     |           |
| - 1st gear (min): | 150-300   |
| - 2nd gear (min): | 300-650-1 |
| Chuck capacity:   | 16        |
| Whisk:            | 166mm     |
| Weight:           | 6kg       |



## Power tools & Accessories

- \* 2 speed heavy duty gearbox
- \* Large torque
- \* Variable speed switch
- \* Electronic IC constant speed control
- \* Soft start
- \* Overload protection

## Millers Falls Multi Drill & Blade Sharpener



#PT10MS

240V/50Hz  
65W

Max speed: 600rpm (no load)  
Diamond Wheels

Drill bits dia: 3mm~10mm

Sharpens straight edge chisel & plane blades  
from 6mm~51mm

Also sharpens knives, scissors

## Stirring Blades

Length of shaft: 600cm  
Available in  
3 sizes

#MIXST120  
120mm

#MIXST140  
140mm

#MIXST160  
160mm



Now Available  
Stainless  
Steel Mixer  
#MIXSTLESS

#MIXCA16  
CHUCK  
& ARBOR

16mm  
capacity



## Holesaw Kits

Electrician's Kit



#HSKEL 9 pieces

Sizes:  
22mm  
28mm  
35mm  
44mm  
51mm  
64mm

Deluxe Kit



#HSKDX 14 pieces

Sizes:  
19mm  
22mm  
25mm  
29mm  
35mm  
38mm  
44mm  
51mm  
57mm  
64mm  
76mm

Plumber's Kit



#HSKPL 9 pieces

Sizes:  
19mm  
22mm  
28mm  
38mm  
44mm  
57mm



## 180mm Variable Speed Polisher Heavy Duty

#PT4100



600-3000 RPM  
1200 Watts  
Weight: 3.2kg

## 230mm Angle Grinder

6000 rpm  
2350 Watts

**PRICED TO CLEAR**

Safety switch  
Heavy Duty

#PT4900



Rotating  
handle

## **Powertools & Accessories**

## NEW 125mm Angle Grinder/ 16mm Capacity Angle Drill



#PT45VC

Variable speed  
1150Watts  
3000-11500 rpm  
Supplied with  
16mm capacity  
chuck which  
converts  
angle grinder  
to angle drill

## Polishing Pads

Heavy Duty



- #PPW: Wool
- #PPWDS: Double Sided Lambs Wool Bonnet
- #PPR: Red: Heavy Cut
- #PPO: Orange: Medium Cut
- #PPB: Blue: Light Cut
- #PPG: Green: Soft Polish
- #PPBL: Black: Final Finish
- #PPV: Velcro Base Plate: Standard 14mm Thread

## 125mm Angle Grinder



#PT4500

11500Watts  
11500 rpm

**PRICED TO CLEAR**

**PRICED TO CLEAR**

## **Millers Falls Cordless Dry Wall Screwdriver With Magazine**

#PT4200



**PRICED  
TO CLEAR**

## Petrol Driven Powertools

#PT5500

125mm Angle Grinder

Max hole dia: 125mm

Arbor dia: 22mm

Main shaft thread: M14

Rated power: 750W

Unload speed: 5600-10000rpm

Tank capacity: 0.6L

Fuel mixture: 1(2 stroke-oil): 25(90#gasoline)

Ignition: CDI

Starting method: recoil pull cord



#PT5900

9" Petrol Driven Angle Grinder

Wheel dia: 230mm

Engine: single cylinder, air cooling &  
2 stroke gasoline engine

Starting method: manual starting

Fuel used: a mixture of gasoline &  
lubricating oil at ratio of 25:1

N.W.: 8kg

**PRICED TO CLEAR**

## Diamond Core Drill



#PT3505

Max. Drilling Diameter: 90mm  
Voltage: 240V  
Input power: 1500W  
Fully ball bearing  
2 speed mechanical gear box: 2100/950r/min  
Fitted with safety clutch & spirit level  
1pc carbon brush, adjustable front handle  
Adjustable back handle for comfort  
Water attachment  
Power cord fitted with RCD protection switch

**Range Of Long Core Drills  
Now Available  
Sizes from 10-300mm**

## Universal Core Drill Adaptor

1 1/4" female to 1/2" gas male  
#PT350A

## Powertools & Accessories

## Core Drill Stand Only

#PT350ST



## Diamond Core Drill Kit

#PT350KIT



Carry case  
with wheels


Outer diameter: 38, 52, 65, 117, 127mm  
Overall length: 170mm  
With 6 pcs adaptors  
Laser welded drill for blade head  
Suits normal & SDS drilling machines



## New Heavy Duty Diamond Core Drill

#PT3450

Max drilling diameter: 205mm  
Rated voltage: 240V/50Hz  
Rated input power: 2400W  
No-load speed: 600r/min  
Supplied with creepage protection switch



Core drills available from 10mm-300mm:

10-16mm drilling depth: 38cm

18-300mm drilling depth: 45cm

Refer to part no #DCD10  
onwards in pricelist



## Metal-Cutting Electric Shear



#PT3000

Power: 350W  
Mild Steel  
Capacity: 2.5mm



# Chainsaw Sharpener

#PT65CS12V

12 Volt Bar-Mounted Mini Grinder



**Powertools  
&  
Accessories**

**PRICED TO CLEAR**

#PT65CS12VBL

Blade to suit #PT65CS12V

## Gas Gun

#PT10GFG

**Framing Gun**

Nail angle: 34 degrees  
Gun size: 383x342x108mm  
Weight: 3.35kg  
Nail dia: 2.87-3.33mm  
Nail length: 50-90mm  
Magazine cap: 56pcs  
Intermittent operation: 2-3 nails per sec  
Continuous operation: 1000 nails per hour  
Fuel bottle life: Approx 1200nails  
Battery: 6Volts DC  
Drives approx: 4000 nails on full charge



#PT10GP

**Gas Pack for gas gun**  
(2 gas cartridges)

**PRICED TO CLEAR**

## Heavy Duty Electric Drill Blade Sharpener

#PT10DSHD

Power: 240V  
85 Watts  
4200rpm  
Sharpens drill bits 3mm-13mm  
Straight shank drills only



## Uncle Bill's Right Angle Drill Attachment Kit

#PT10MKIT

Professional 10mm keyless chuck 90 degree angled drill attachment  
2-professional 1200mm long flexible drive shaft with 10mm keyed chuck  
1-150mm long flexible extension  
1-150mm long hex drive extension with quick release chuck  
1-magnetic hex bit holder  
1-counter sinker  
Aluminium box packing



## Door Jamb Saw

#PT6000

Voltage A.C. Input: 240V~50Hz  
Power rated: 1500W  
No-load speed: 7,700rpm  
Blade size: 170mm  
Teeth: 40, TCT  
Auxillary handle  
Safety switch  
Depth adjustable: 0-25mm

**PRICED TO CLEAR**



**REFER TO PRICELIST -  
Part Nos. In Alphabetical order**

# LEADS, PLUGS & SOCKETS

## CLEAR 3 PIN PLUGS AND SOCKETS WITH INSULATED ACTIVE & NEUTRAL PINS

|             |                                                          |
|-------------|----------------------------------------------------------|
| #EX10MALE   | MALE 10 AMP H DUTY UNASSEMBLED PLUG                      |
| #EX10FEMALE | FEMALE 10 AMP H DUTY UNASSEMBLED SOCKET                  |
| #EX15MALE   | MALE 15 AMP H DUTY UNASSEMBLED PLUG                      |
| #EX15FEMALE | FEMALE 15 AMP H DUTY UNASSEMBLED SOCKET (with shroud)    |
| #EX15FEWOS  | FEMALE 15 AMP H DUTY UNASSEMBLED SOCKET (without shroud) |



### SAFETY PLUG

MALE HD RCD  
MAY BE FITTED  
TO ANY SIZE  
LEAD#EXRCD



#EXRCDWP  
NEW  
WATERPROOF  
INLINE RCD

HEAVY DUTY  
SAFETY PLUGS  
INLINE RCD'S  
MAY BE FITTED  
TO ANY SIZE  
LEAD: #EXRCDINL



## 2 Core & 3 Core Repair Leads With Insulated Active & Neutral Pins



PART NO.

|             |                                                                                          |
|-------------|------------------------------------------------------------------------------------------|
| #EXR2000    | 3 metre, 10 amp, Heavy Duty, 2 Core cable in grey or orange with clear moulded plugs     |
| #EXR2006    | 3 metre, 10 amp, Heavy Duty, 2 Core cable in grey & orange with solid moulded plugs      |
| #EXR2006RCD | 3 metre, 10 amp, Heavy Duty, 3 Core black with solid moulded plugs & inline RCD          |
| #EXR3005    | 3 metre, 10 amp, Heavy Duty, 3 Core cable in grey or orange with solid moulded plugs     |
| #EXR3006    | 3 metre, 10 amp, Heavy Duty, 3 Core cable in grey or orange with clear moulded plugs     |
| #EXR3007    | 3 metre, 15amp, Heavy Duty, 3 Core cable in grey or orange with clear 15 amp fitted plug |
| #EXR3008    | 3 metre, 15 amp, Heavy Duty, 3 Core cable in grey or orange with moulded 3 pin plugs     |
| #EXR3009    | 3 metre, 15 amp, Heavy Duty, 3 Core cable in grey with 10 amp moulded plug               |

# HEAVY DUTY EXTENSION LEADS

# 36 Different Colours Available In Plain & ~~Striped~~ cable

Fitted With Moulded Or Replaceable  
Clear Fitted Plugs



|           | 10 Amp HD cable 3 core<br>fitted with 10 amp<br>clear replaceable plugs | 15 Amp HD cable 3 core<br>fitted with 10 amp<br>clear replaceable plugs | 15 Amp HD cable 3 core<br>fitted with 15 amp<br>clear replaceable plugs | 15 Amp HD cable 3 core<br>fitted with 10 or 15 amp<br>clear moulded neon plugs | 20 Amp HD cable 3 core<br>fitted with 15 amp<br>clear replaceable plugs |
|-----------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------------------------------------------------------------------------|
| 5 Metres  | #EX5M10/10                                                              | #EX5M15/10                                                              | #EX5M15/15                                                              | #EX5M15/10MN                                                                   |                                                                         |
| 10 Metres | #EX10M10/10                                                             | #EX10M15/10                                                             | #EX10M15/15                                                             | #EX10M15/10MN                                                                  | #EX10M20/15                                                             |
| 15 Metres | #EX15M10/10                                                             | #EX15M15/10                                                             | #EX15M15/15                                                             | #EX15M15/10MN                                                                  | #EX15M20/15                                                             |
| 20 Metres | #EX20M10/10                                                             | #EX20M15/10                                                             | #EX20M15/15                                                             | #EX20M15/10MN<br>#EX20M15/15MN                                                 | #EX20M20/15                                                             |
| 25 Metres | #EX25M10/10MN<br>With Moulded neon plugs                                | #EX25M15/10                                                             | #EX25M15/15                                                             | NOT<br>AVAILABLE                                                               | NOT<br>AVAILABLE                                                        |
| 30 Metres | #EX30M10/10                                                             | #EX30M15/10                                                             | #EX30M15/15                                                             | #EX30M15/10MN<br>#EX30M15/15MN                                                 | #EX30M20/15                                                             |
| 45 Metres | NOT<br>AVAILABLE                                                        | #EX45M15/10                                                             | #EX45M15/15                                                             | NOT<br>AVAILABLE                                                               | #EX45M20/15                                                             |
| 60 Metres | NOT<br>AVAILABLE                                                        | #EX60M15/10                                                             | #EX60M15/15                                                             | NOT<br>AVAILABLE                                                               | #EX60M20/15                                                             |

## 500 Metre Drums Of Cable

#EX500CM10

10amp x 3 core Heavy Duty

#EX500CM15

15amp x 3 core Heavy Duty

#EX500CM20

20amp x 3 core Heavy Duty



Above available in any required length

## 4 Core & 5 Core, 3 Phase Extension Leads Fitted With 10 amp, 20 amp, 32 amp 4 & 5 Pin Plugs & Sockets



| Model No  | Description                                 | Model No  | Description                                 |
|-----------|---------------------------------------------|-----------|---------------------------------------------|
| #E4P1510  | 15m, 4 Pin 10 Amp Plug & Socket 2.5mm cable | #E5P1510  | 15m, 5 Pin 10 Amp Plug & Socket 2.5mm cable |
| #E4P1520  | 15m, 4 Pin 20 Amp Plug & Socket 2.5mm cable | #E5P1520  | 15m, 5 Pin 20 Amp Plug & Socket 2.5mm cable |
| #E4P15204 | 15m, 4 Pin 20 Amp Plug & Socket 4mm cable   | #E5P15204 | 15m, 5 Pin 20 Amp Plug & Socket 4mm cable   |
| #E4P15206 | 15m, 4 Pin 20 Amp Plug & Socket 6mm cable   | #E5P15206 | 15m, 5 Pin 20 Amp Plug & Socket 6mm cable   |
| #E4P15324 | 15m, 4 Pin 32 Amp Plug & Socket 4mm cable   | #E5P15324 | 15m, 5 Pin 32 Amp Plug & Socket 4mm cable   |
| #E4P15326 | 15m, 4 Pin 32 Amp Plug & Socket 6mm cable   | #E5P15326 | 15m, 5 Pin 32 Amp Plug & Socket 6mm cable   |
| #E4P2010  | 20m, 4 Pin 10 Amp Plug & Socket 2.5mm cable | #E5P2010  | 20m, 5 Pin 10 Amp Plug & Socket 2.5mm cable |
| #E4P2020  | 20m, 4 Pin 20 Amp Plug & Socket 2.5mm cable | #E5P2020  | 20m, 5 Pin 20 Amp Plug & Socket 2.5mm cable |
| #E4P20204 | 20m, 4 Pin 20 Amp Plug & Socket 4mm cable   | #E5P20204 | 20m, 5 Pin 20 Amp Plug & Socket 4mm cable   |
| #E4P20206 | 20m, 4 Pin 20 Amp Plug & Socket 6mm cable   | #E5P20206 | 20m, 5 Pin 20 Amp Plug & Socket 6mm cable   |
| #E4P20324 | 20m, 4 Pin 32 Amp Plug & Socket 4mm cable   | #E5P20324 | 20m, 5 Pin 32 Amp Plug & Socket 4mm cable   |
| #E4P20326 | 20m, 4 Pin 32 Amp Plug & Socket 6mm cable   | #E5P20326 | 20m, 5 Pin 32 Amp Plug & Socket 6mm cable   |
| #E4P3010  | 30m, 4 Pin 10 Amp Plug & Socket 2.5mm cable | #E5P3010  | 30m, 5 Pin 10 Amp Plug & Socket 2.5mm cable |
| #E4P3020  | 30m, 4 Pin 20 Amp Plug & Socket 2.5mm cable | #E5P3020  | 30m, 5 Pin 20 Amp Plug & Socket 2.5mm cable |
| #E4P30204 | 30m, 4 Pin 20 Amp Plug & Socket 4mm cable   | #E5P30204 | 30m, 5 Pin 20 Amp Plug & Socket 4mm cable   |
| #E4P30206 | 30m, 4 Pin 20 Amp Plug & Socket 6mm cable   | #E5P30206 | 30m, 5 Pin 20 Amp Plug & Socket 6mm cable   |
| #E4P30324 | 30m, 4 Pin 32 Amp Plug & Socket 4mm cable   | #E5P30324 | 30m, 5 Pin 32 Amp Plug & Socket 4mm cable   |
| #E4P30326 | 30m, 4 Pin 32 Amp Plug & Socket 6mm cable   | #E5P30326 | 30m, 5 Pin 32 Amp Plug & Socket 6mm cable   |

**Any Size Lead Made & Priced On Request**

## Portable Power Boards

### #ESG10

Double outlet.

Consists of 4 outlets:

2 on front, 2 on back

10 amp

### #ESG15

Single outlet.

Consists of 2 outlets:

1 on front, 1 on back

15 amp





# Plugs & Sockets

## Leads, Plugs & Sockets

| Model No  | Description                | Model No  | Description                |
|-----------|----------------------------|-----------|----------------------------|
| #P4P10A   | 4 pin 10 amp angle plug    | #P5P10A   | 5 pin 10 amp angle plug    |
| #P4P10ASP | 4 pin 10 amp straight plug | #P5P10ASP | 5 pin 10 amp straight plug |
| #S4P10A   | 4 pin 10 amp socket        | #S5P10A   | 5 pin 10 amp socket        |
| #P4P20A   | 4 pin 20 amp angle plug    | #P5P20A   | 5 pin 20 amp angle plug    |
| #P4P20ASP | 4 pin 20 amp straight plug | #P5P20ASP | 5 pin 20 amp straight plug |
| #S4P20A   | 4 pin 20 amp socket        | #S5P20A   | 5 pin 20 amp socket        |
| #P4P32A   | 4 pin 32 amp angle plug    | #P5P32A   | 5 pin 32 amp angle plug    |
| #P4P32ASP | 4 pin 32 amp straight plug | #P5P32ASP | 5 pin 32 amp straight plug |
| #S4P32A   | 4 pin 32 amp socket        | #S5P32A   | 5 pin 32 amp socket        |

## Screw Together 10 amp & 15 amp Male & Female Weatherproof Plugs

|            |                          |
|------------|--------------------------|
| #EX10WPM   | Individual male 10 amp   |
| #EX10WPFE  | Individual female 10 amp |
| #EX15WPM   | Individual male 15 amp   |
| #EX15WPFE  | Individual female 15 amp |
| #EX10WPSET | Set - 10 amp             |
| #EX15WPSET | Set - 15 amp             |



**Socket**




**Angle  
Plug**



**Straight  
Plug**

## Wall Switches & Socket Combo



#SS4P10 4 pin 10 amp  
#SS4P20 4 pin 20 amp  
#SS4P32 4 pin 32 amp

#SS5P10 5 pin 10 amp  
#SS5P20 5 pin 20 amp  
#SS5P32 5 pin 32 amp



# 15, 10, 20 Amp, 3 Core, H/D Cable With Woven Metal Braiding

## Leads, Plugs & Sockets



### #EX15M15/10MW

15 metre, 15 amp, 10 amp plug

### #EX20M15/10MW

20 metre, 15 amp, 10 amp plug

### #EX25M15/10MW

25 metre, 15 amp, 10 amp plug

### #EX30M15/10MW

30 metre, 15 amp, 10 amp plug

### #EX15M10/10MW

15 metre, 10 amp, 10 amp plug

### #EX20M10/10MW

20 metre, 10 amp, 10 amp plug

### #EX25M10/10MW

25 metre, 10 amp, 10 amp plug

### #EX30M10/10MW

30 metre, 10 amp, 10 amp plug

### #EX15M20/15MW

15 metre, 20 amp, 15 amp plug

### #EX20M20/15MW

20 metre, 20 amp, 15 amp plug

### #EX25M20/15MW

25 metre, 20 amp, 15 amp plug

### #EX30M20/15MW

30 metre, 20 amp, 15 amp plug

### #EX45M20/15MW

45 metre, 20 amp, 15 amp plug

### #EX60M20/15MW

60 metre, 20 amp, 15 amp plug

## Piggy Back Moulded 1mm Ordinary Duty Extension Leads

### #EX2M10/10PB

2 metre, 10 amp, 10 amp plug

### #EX3M10/10PB

3 metre, 10 amp, 10 amp plug

### #EX5M10/10PB

5 metre, 10 amp, 10 amp plug

### #EX10M10/10PB

10 metre, 10 amp, 10 amp plug

### #EX15M10/10PB

15 metre, 10 amp, 10 amp plug

### #EX20M10/10PB

20 metre, 10 amp, 10 amp plug

### #EX25M10/10PB

25 metre, 10 amp, 10 amp plug



**PRICED TO CLEAR**

## 4 Core & 5 Core Heavy Duty Cable

### #EX4C2.5MM

4 Core, 2.5mm Heavy Duty Cable

### #EX4C4MM

4 Core, 4mm Heavy Duty Cable

### #EX4C6MM

4 Core, 6mm Heavy Duty Cable

### #EX5C2.5MM

5 Core, 2.5mm Heavy Duty Cable

### #EX5C4MM

5 Core, 4mm Heavy Duty Cable

### #EX5C6MM

5 Core, 6mm Heavy Duty Cable

# Millers Falls **REDBACK** Air Compressors

**Air Compressors  
&  
Accessories**

## #ACB3070

3 HP motor  
70L tank  
Displacement: 16cfm  
3 cylinders  
8" solid wheels  
15 amp plug



## #ACB30100

3 HP motor  
100L tank  
Displacement: 16cfm  
3 cylinders  
8" solid wheels  
15 amp plug

**PROFESSIONAL  
USE**


## #ACD30100V

Speed: 2800rpm  
Power: 3HP  
Displacement: 14.8cfm  
Voltage: 240V  
FAD: L/min cfm  
Current: 12.4amp  
115 psi  
Tank capacity: 100L



## #ACB3050A

Belt driven air compressor  
3HP, 50L tank  
3 cylinder pump  
Pump displacement: 454L/min  
FAD: 295L/min  
6-8 bar operating pressure/115psi  
Professional use  
Comes with 2 wheels  
& handle



## #ACD3050V

3 HP motor  
50L tank  
V Twin pump  
Pump displacement: 360L/min  
FAD: 240L/min  
6-8 bar operating pressure/115psi  
Professional use




# Millers Falls **REDBACK** Air Compressors

## Air Compressors & Accessories

### #ACH3070

Belt Drive air compressor  
70L tank  
3HP motor  
3 cylinders  
Piston displacement: 370L/min  
6-8 bar operating pressure/115psi



### #ACB6550P

Belt Drive air compressor with engine  
5.5HP motor,  
50L tank  
Pump displacement: 370L/min  
FAD: 240L/min  
6-8 bar operating pressure/115psi  
Professional use



### #ACB13100P

Belt driven air compressor with engine  
13HP  
100L tank  
16cfm  
Pump displacement: 454L/min  
8 bar operating pressure



**1 cubic foot = 28.3 litres**

## AIR FILTER REGULATORS

### Compressor Switch

#ACS1: 1 OUTLET  
#ACS3: 3 OUTLET



Single  
Filter



#AFR1000



Filter  
with  
oiler

#AFR1010



# Petrol & Diesel Engine Products

## Generators

### #GEN12240V

Two cylinder, forced air cooling, 4-stroke  
 Power output: 3600rpm  
 Bore x stroke: 78x71mm  
 Compression ratio: 8.5:1  
 Starting system: Electric start  
 Ignition system: Transistorized magneto  
 Displacement: 680cc  
 Fuel tank cap: 25L  
 Continuing time: 6hrs  
 Oil cap: 1.4L  
 Phase number: single phase  
 Rated frequency: 50Kz  
 Rated voltage: 240V  
 Voltage regulator system: AVR  
 Rated output: 8.5Kw  
 Max output: 9.5Kw  
 Power factor: 1.0  
 Charging voltage: 12V  
 Charging current: 8.3A  
 Dimension: 868Lx635Wx676Hmm  
 Distance of 7m away from generator: 70db



### #GEN123PH

Two cylinder, forced air cooling, 4-stroke  
 Power output: 3600rpm  
 Bore x stroke: 78x71mm  
 Compression ratio: 8.5:1  
 Starting system: Electric start  
 Ignition system: Transistorized magneto  
 Displacement: 680cc  
 Fuel tank cap: 25L  
 Continuing time: 6hrs  
 Oil cap: 1.4L  
 Phase number: three phase  
 Rated frequency: 50Kz  
 Rated voltage: 415V  
 Voltage regulator system: AVR  
 Rated output: 9Kw  
 Max output: 10Kw  
 Power factor: 0.8  
 Charging voltage: 12V  
 Charging current: 8.3A  
 Dimension: 868Lx635Wx676Hmm  
 Distance of 7m away from generator: 70db

## Generator Compressor

### #GA2200



Max output: 1800W  
 DC Rated outlet: 12V, 10amp  
 Fuel tank cap: 7.5 Litres  
 Electric start  
 Max psi: 125  
 Max 4cfm  
 4 stroke engine  
Compressor  
 Twin tank  
 1 tank removeable  
 2HP

**#GENCOMES** Also available in electric start

### #GEN8000ES

- \* Electric Start
- \* Engine: 4 stroke, single cylinder with air-cooled
- \* 15 HP
- \* Fuel tank capacity (L/gal): 25/6.6
- \* Continuous Operating Hourse: 9h
- \* Oil: SF or Higher Grade
- \* Ignition system: T.C.I
- \* Starting System: Electric start
- \* Operating Noise Level (7m) dB(A): 72
- \* Fuel gauge: yes

- \* Engine switch: yes
- \* Voltmeter: yes
- \* AC Circuit breaker: yes
- \* AC Socket: yes
- \* Wheel & handle: yes
- \* DC Output: 2 outlet
- \* DC Circuit breaker: 3 outlet
- \* AC Outlet: 240 volt, 15 amp



### #GEN1500




Overall length: 460mm  
 Overall Width: 350mm  
 Overall Height: 370mm  
 Air-cooled, 4-stroke  
 2.8 HP  
 Unleaded fuel  
 Tank capacity: 13L  
 70db  
 1 x 240V outlet  
 1x 12V DC outlet  
 1 Volt metre  
 1.2kva  
 Weight: 18kg

# Petrol Engines

## Petrol & Diesel Engine Products

| Model            | QPE55 (5.5HP)                        | QPE65 (6.5HP)                        |
|------------------|--------------------------------------|--------------------------------------|
| Engine type      | Air-cooled, 4 stroke single cylinder | Air-cooled, 4 stroke single cylinder |
| Bore x Stroke    | 68 x 45mm                            | 68 x 54mm                            |
| Displacement     | 163ml                                | 196ml                                |
| Max power output | 5.5HP/4000rpm                        | 6.5HP/3600rpm                        |
| Max torque       | 10.8N.m/2500rpm                      | 13N.m/2500rpm                        |
| Start mode       | Hand operated                        | Hand operated                        |
| Fuel tank cap.   | 3.6 litres                           | 3.6 litres                           |
| Fuel consumption | 290g/HP-hour                         | 290g/HP-hour                         |
| Engine oil cap.  | 0.6 litre                            | 0.6 litre                            |
| Overall length   | 312mm                                | 313mm                                |
| Overall width    | 362mm                                | 376mm                                |
| Overall height   | 335mm                                | 335mm                                |
| Net weight       | 14 kg                                | 16 kg                                |
| Shaft OD         | 19mm                                 | 19mm                                 |
| Shaft length     | 58mm                                 | 58mm                                 |

QPE55 also available with 20mm shaft



1<sup>cm</sup> = 1000 Litres

| Model            | QPE9 (9HP)                           | QPE13 (13HP)                         |
|------------------|--------------------------------------|--------------------------------------|
| Engine type      | Air-cooled, 4 stroke single cylinder | Air-cooled, 4 stroke single cylinder |
| Bore x Stroke    | 77x58mm                              | 88x64mm                              |
| Displacement     | 270ml                                | 389ml                                |
| Max power output | 9HP/3600rpm                          | 13HP/2600rpm                         |
| Max torque       | 19N.m/2500rpm                        | 26.4N.m/2500rpm                      |
| Start mode       | Hand operated                        | Hand operated                        |
| Fuel tank cap.   | 6 litres                             | 6.5 litres                           |
| Fuel consumption | 290g/HP-hour                         | 290g/HP-hour                         |
| Engine oil cap.  | 1.1 litres                           | 1.1 litres                           |
| Overall length   | 380mm                                | 405mm                                |
| Overall width    | 430mm                                | 450mm                                |
| Overall height   | 410mm                                | 443mm                                |
| Net weight       | 25kg                                 | 35kg                                 |
| Shaft OD         | 25 & 25.4mm                          | 25 & 25.4mm                          |
| Shaft length     | 72mm                                 | 72mm                                 |

## Petrol Engine

#QPE16


4-stroke OHV design  
16HP  
Shaft size: 25mm  
3600rpm  
Engine size: 54 x 48 x 50cm  
Weight: 35kg



## Petrol Engines - Electric Start

#QPE9ES

9 Hp  
Electric Start  
4-stroke, air-cooled, single cylinder  
Bore x stroke: 77 x 58mm  
Displacement: 270ml  
Max power output: 9HP/3600rpm  
Max torque: 19N.m/2500rpm  
Fuel tank cap: 6 litres  
Fuel consumption: 290g/HP-hour  
Engine oil cap: 1.1 litres  
Overall length: 380mm  
Overall width: 430mm  
Overall height: 410mm  
N.W.: 25kg  
Shaft OD: 25 & 25.4mm  
Shaft length: 72mm



#QPE55ES

5.5 HP Electric Start


#QPE65ES

6.5 HP Electric Start



#QPE13ES

13 HP Electric Start





# Petrol Engines

## Petrol Engines - Electric Start

### #QPE16ES

4-stroke OHV design  
Single cylinder  
16 HP  
Shaft size: 25mm



### #QPE20ES

4-stroke OHV design  
Twin cylinder  
20 HP  
3600rpm  
Oil capacity: 1.4L  
Shaft size: 28.5mm



### #QPE25ES

4-stroke OHV design  
Twin cylinder  
25 HP  
Shaft size: 28.5mm

## Petrol Engines With 2:1 Reduction Gear Boxes & Centrifugal Clutches

### #QPE55R

### #QPE65R

### #QPE8R


### #QPE9R



## Centrifugal Reduction Box

### #QPE5565R


Suits 5.5 & 6.5 HP  
petrol engines  
Spindle size: 19mm



## Large Diesel Engines

### #QDE25HP

27 HP  
3000 rpm  
length: 91cm  
width: 62cm  
Height: 74cm  
Power: 1.36L  
With radiator & hose  
Weight: 205kg  
3 cylinder  
At 2300-2400rpms engine develops 15HP &  
uses 3 litres of diesel per hour  
At this speed it is classed as a Superman diesel



### #QDE30HP


36 HP  
3000 rpm  
length: 1.05m  
width: 62cm  
Height: 74cm  
Power: 1.8L  
With radiator & hose  
Weight: 245kg  
4 cylinder  
At 2000-2200rpms engine develops 25HP &  
uses 3.5 litres of diesel per hour  
At this speed it is classed as a Superman diesel

### #QDE45HP

45 HP  
1800 rpm  
4 cylinder  
Electric start  
Governing method: mechanical  
Voltage: 24



# Diesel Engines

| Model                 | QDE45                                          | QDE6ES     | QDE10ES    |
|-----------------------|------------------------------------------------|------------|------------|
| Engine type           | Single cylinder, vertical, 4-stroke air-cooled |            |            |
| Bore x Stroke         | 70x55mm                                        | 78x62mm    | 86x70mm    |
| Displacement          | 211cc                                          | 269cc      | 406cc      |
| Max power output      | 4.5HP                                          | 6HP        | 10HP       |
| Fuel tank cap.        | 2.5 litres                                     | 3.5 litres | 5.5 litres |
| Engine Speed          | 3000/3600rpm                                   |            |            |
| Spindle Size          | 19mm                                           | 25.4mm     | 25.4mm     |
| Dry Weight (electric) | 32kg                                           | 38kg       | 53kg       |



## Petrol & Diesel Engine Products

### Diesel Engine Performance Charts



## PUMPS

### Firefighting Pump On Trolley

#### #QWPF65M

Everything you need to start firefighting on one trolley.  
 Gives a property owner their own personal firefighting device  
 (except the water source) to protect your family home or farm.  
 The only thing you will need to provide is fuel, oil & water supply  
 Features:

- Hose reel for quick hose deployment
- 30m of layflat fire hose
- 5m of inlet hose
- Fog nozzle for safer firefighting
- Clear suction hose for easier priming
- A 480L/min (max) Mark 1 ultimate fire pump



### Firefighting Kit



#### #QWFKIT


- 20 metres 3/4" hose fitted with nozzle & tail fitting
- 5 metres 2" suction hose with filter & tail

# PUMPS


## Twim Impeller Firefighting Pump

**Petrol & Diesel  
Engine Products**

|                     |                     |
|---------------------|---------------------|
| Model               | QWPFT6515           |
| Horse power         | 6.5                 |
| Suction             | 38mm                |
| Brackets            | 1-1/2               |
| Discharge port dia. | 1 x 1-1/2" + 2 x 1" |
| Max. head           | 78m                 |
| Max. cap.           | 27M3/hr             |
| Max suction head    | 8m                  |
| Self-priming time   | 30 S/4m             |




#QWPFT6515



## Firefighting Pump



|                     |                 |
|---------------------|-----------------|
| Model               | QWPF652 (6.5HP) |
| Suction             | 38mm (1 1/2 in) |
| Discharge port dia. | 1-1/2" + 2 x 1" |
| Max. head           | 55m             |
| Max. cap.           | 30M3/hr         |
| Max suction head    | 8m              |
| Self-priming time   | 30 S/4m         |



## Trash Pump

#QWTP653

Inlet & Outlet Inside dia: 80mm  
Nut & tail supplied take 75mm hose  
Hose size: 75mm  
Pump lift: 26mm  
Suction height: 7m  
Max. Pump output: 78m3/hr  
Engine type: Air cooled, 4 stroke, single  
Displacement: 196cc  
Max. Power output: 6.5HP/3600rpm  
Start type: recoil  
Con. Operating hours: 2.5hr  
Fuel tank capacity: 3.6L



## Firefighting Hoses

### #QWFK20M

20m 3/4" firefighting hose  
with brass fittings



### #QWFK40M

40m 3/4" firefighting hose  
with brass fittings



**PRICED TO CLEAR**

## PETROL DRIVEN CHEMICAL PUMP

### #QWCP552

5.5HP  
Max suction: 8m  
Max capacity: 600L/min  
Total head: 32m  
Starting system: recoil starting  
Fuel tank capacity: 3.6L  
Oil capacity: 0.6L  
Dry weight: 24Kg  
Dimensions: 510x370x430mm  
For all chemicals including sulphuric  
acid, diesel, oil etc.



## 4 Stroke 1" Water Pump

### #QWPE4S11

2.8HP  
1" Outlet  
Flow: 8m<sup>3</sup>/H  
4 Stroke  
Max Suction Head: 20/8m  
N.W.: 16kg



## 4 Stroke 1-1/2" Water Pump

### #QWPE4S15

2.9HP  
1 1/2" Outlet  
Flow: 14m<sup>3</sup>/H  
4 Stroke  
Max Suction Head: 20/8m  
N.W.: 17kg



## Flexible Drive Water Pump

- \* Widely used to drain the water in construction field
- \* Pump lift: 12m
- \* Discharging dia: 80mm
- \* Flow: 40 m<sup>3</sup>/H
- \* Engine: 5.5HP
- \* With frame & coupling

### #QWPE55FX

Flexible Drive & Pump also available as a separate unit



**REFER TO PRICELIST -  
Part Nos. In Alphabetical order**



## Petrol & Diesel Engine Products


# Water Transfer Pumps Petrol

### Features:

- \* Powered by 4 Stroke OHV Gasoline Engine.
- \* Big Volume Water Discharge.
- \* Highly Effective Mechanical Seal.
- \* Protected by a Sturdy Steel Rollover Pipe Frame.
- \* Compact in Structure and Light Weight.

### Specifications:


| Model  |                                   | QWPE42                                              | QWPE553     | QWPE84      |
|--------|-----------------------------------|-----------------------------------------------------|-------------|-------------|
| Pump   | Suction(mm)                       | 50(2in)                                             | 80(3in)     | 100(4in)    |
|        | Discharge port dia(mm)            | 50x1                                                | 80x1        | 100x1       |
|        | Max. capacity(m <sup>3</sup> /hr) | 36                                                  | 60          | 96          |
|        | Max. head(m)                      | 26                                                  | 28          | 40          |
|        | Self-priming time(s/4m)           | 70                                                  | 120         | 180         |
|        | Max. suction head(m)              | 8                                                   |             |             |
| Engine | Type                              | Air-cooled 4-stroke OHV25 Inclined Horizontal shaft |             |             |
|        | Cont. output(hp)/speed            | 4/3600                                              | 5.5/3600    | 8.0/3600    |
|        | Displacement(cc)                  | 163                                                 | 163         | 242         |
|        | Fuel tank capacity(L)             | 3.6                                                 | 3.6         | 6           |
| Unit   | Net weight(kg)                    | 24                                                  | 27          | 44          |
|        | Dimensions(LxWxH)                 | 470x385x400                                         | 510x385x400 | 620x450x550 |



## Diesel Water Pumps

### Features:

- \* Powered by Air-cooled Direct Injection 4-Stroke Diesel Engines.
- \* Big Volume Water Discharge.
- \* Aluminium Alloy High Pressure Casting.
- \* Compact in Structure and Light Weight.
- \* High Quality and Mechanical Sealed Equipment.




### Specifications:

| Model  |                                   | QWD452      | QWD63ESA    | QWD104ESA   |
|--------|-----------------------------------|-------------|-------------|-------------|
| Pump   | Suction/discharge port dia(mm)    | 50(2in)     | 80(3in)     | 100(4in)    |
|        | Max. capacity(m <sup>3</sup> /hr) | 44          | 60          | 96          |
|        | Max. head(m)                      | 19          | 28          | 31          |
|        | Engine speed(rpm)                 | 3600        |             |             |
| Engine | Self-priming time(s/4m)           | 70          | 120         | 180         |
|        | Max. suction head(m)              | 8           |             |             |
|        | Output(hp)                        | 4           | 6           | 10          |
|        | Displacement(cc)                  | 211         | 296         | 406         |
|        | Fuel tank capacity(L)             | 2.5         | 3.5         | 5.5         |
|        | Max. head(m)                      | 19          | 28          | 31          |
| Unit   | Net weight(kg)                    | 38          | 48          | 67          |
|        | Dimensions(LxWxH)                 | 540x440x515 | 540x440x515 | 635x500x570 |

### Conversion Chart

M<sup>3</sup>/HR x .2778= Litres per second  
 Litres per second x 60= Litres per minute  
 Litres per minute x 60= Litres per hour



## Water Pump

### #QWPE1515

Horse Power: 1.5


2 Stroke

Outlet: 1 ½"

Head: 7m

Flow: 12 m<sup>3</sup> per hour

Weight: 10kgs



## Trolley Sprayer

### #PDPT535

Tank capacity: 35 Litres

Battery: 12V/17AH maintenance-free power storage battery

Fuse: 6A

Charger: DC12V/2000MA Automatic saturation

Pump: DC12V / 2.6A / 4.0L/min

Automatic pressure switch: 70psi (0.48Mpa)

Duty cycle: Five block rate of flow adjustment

Voltage metre: Electricity instruction

Sprayer want: Plastic steel adjustable want

Sprayer gun: Adjustable gun

Nozzle: Adjustable brass nozzle

Output pressure hose: 8 metres

Using time after full charged: 7 hours (cumulative time)



## Petrol & Diesel Engine Products

## Water Pump

|                                    |                      |
|------------------------------------|----------------------|
| Model                              | QWPE11               |
| Rated Power                        | 0.55kw               |
| Diameter of intake/<br>outlet pipe | 25.4mm<br>(1.0 inch) |
| Rotate speed                       | 6500rpm              |
| Max suction head                   | 25/8m                |
| Successive<br>working time         | 2 hours              |
| Max power output                   | 1HP                  |
| Dimesions                          | 320x220x310mm        |
| Net weight                         | 7kg                  |

### #QWPE11 2 STROKE



## Petrol Operated Units

## Petrol Driven General Purpose Sprayer

### #PDSP

Suction hose: 2m

Suction volume: 7.71/min

Delivery hose: 10m

Max pressure: 2.5mpa (375 psi)

Engine model: ECO25GR

Weight: 7kgs

2 Stroke: 30:1



## Vibrating Plate

### #CP150

Engine type: 5.5hp

Frequency: 5500vpm

Centrifugal depth: 30cm

Travel speed: 40 cm per min

Plate size: 53x50cm



#CP150ROB Available with Robin engine






#QWE75

# Water Pumps

## Petrol & Diesel Engine Products

PERFORMANCE CHART AT n=2850RPM



#QWE75


Rated voltage: 240V  
Power: 0.75hp  
Max flow: 45 L/min  
Max head: 50m  
Inlet/outlet: 1"x1"  
Max suction: 9m  
N.W.: 9.2kg

#QWEO560

Rated voltage: 240V  
Power: 0.5hp  
Max flow: 35 L/min  
Max head: 35m  
Inlet/outlet: 1"x1"  
Max suction: 9m  
N.W.: 5.5kg



PERFORMANCE CHART AT n=2850RPM



#QWE7570

PUMP WITH  
CONTROL VALVE



#QWEPV10


Rated voltage: 240V  
Max current: 10A  
Frequency: 50Hz  
Max power: 1.1kw  
Screw joint: 1"

## Pressure Pump Control Valve

# Electric Pumps


#QWEH160

DC 12 volt  
Max pressure: 160  
Max flow: 5.5 L/min




#QWELP35

DC 12 volt  
Max pressure: 35  
Max flow: 12.5L/min



#QWELP40

DC 12 volt  
Max pressure: 40  
Max flow: 17L/min



# Pressure Washers

**Petrol & Diesel  
Engine Products**

## #PW13HP

Engine type: single cylinder, 4-stroke, air-cooled,  
OHV, gasoline engine Pressure: 3600psi/248BAR  
Rated flow: 4.5GPM(17L/min)  
Max water temperature: 40C  
Engine model: 13HP  
Fuel type; Automotive unleaded gasoline  
Starting system: Recoil starter  
N.W.: 63kg  
Overall dimensions: 725L x 555W x 680Hmm  
Accessories included: Hose kit: gun, wand, 15 metre hose  
Wheel kit: 10" solid wheel, handle



## #PW65HP

Power: 6.5HP  
4-stroke  
Pressure: 170bar max (2470psi)  
Flow: 520L/h (2.3gpm)  
Ambient: 5-40°C  
Hose: 8 metres  
N.W.: 44kgs



- \* Pencil nozzle handy for cleaning cars, house, garden etc
- \* Folding fan shape jet handy for watering your garden, lawn, cleaning the toilet etc

## Small Petrol Engine Pressure Washer

### #PW2HP

Working pressure: 80Bar/1160Psi  
Max pressure: 120Bar/1740Psi  
Flow: 360 L/H (1.58GPM)  
Engine Type: QE-950  
Category: 2.2HP Single crank  
two stroke, top-installed  
gasoline motor

Exclusion of cylinder: 80cm<sup>3</sup>  
The max output power: 1.5/3600 kw/rpm  
Start system: Manual coil  
Capacity of fuel tank: 1.5L  
Consumption of fuel: 0.42  
Consecutive working: 4h  
Noise (at 7 m): 70 Db



**PRICED TO CLEAR**



# Vertical Shaft Petrol Engines


**Petrol & Diesel Engine Products**

#QPVS13ES  
13HP



## Vertical Shaft Engines

| Model            | QPVS55                               | QPVS65                                   |
|------------------|--------------------------------------|------------------------------------------|
| Engine Type      | 4-Stroke, 1 Cylinder, Overhead Valve | 4-Stroke, 1 Cylinder, Forced Air Cooling |
| Displacement     | 16.4ml                               | 190cm3                                   |
| Bore x Stroke    | 68 x 45mm                            | 68.3 x 51.8mm                            |
| Max. Output      | 5.5HP                                | 6.5HP                                    |
| Shaft Dia:       | 22mm                                 | 22mm                                     |
| Fuel Consumption | 395g/(kw.h)                          | min 395g/(kw.h)                          |
| shaft Length:    | 38mm                                 | 70mm                                     |



## Vertical Shaft Petrol Engines

All are electric start

| Model                 | QPVS13ES          | QPVS16ES          | QPVS25ES          |
|-----------------------|-------------------|-------------------|-------------------|
| Engine type           | 13HP<br>4-stroke  | 16HP<br>4-stroke  | 25HP<br>4-stroke  |
| Combustion System     | Spark ignition    | Spark ignition    | Spark ignition    |
| Cylinder              | 1: cast iron      | 1: cast iron      | 2: cast iron      |
| Displacement          | 340cc             | 452cc             | 764cc             |
| Bore & Stroke         | 88x56mm           | 92x68mm           | 80x76mm           |
| Bore/Stroke Ratio     | 1.45              | 1.353             | 1.053             |
| Compression Ratio     | 9.1               | 8.8               | 8.7               |
| Fuel type             | Automotive petrol | automotive petrol | automotive petrol |
| Battery               | 12V               | 12V               | 12V               |
| Max Torque            | 2500rpm           | 2600rpm           | 2400rpm           |
| Operating speed range | 280~3200rpm       | 2800~3200rpm      | 2800~3200rpm      |
| Shaft diameter        | 1"                | 1"                | 1"                |
| Weight                | 28kg              | 31kg              | 42kg              |

#QPVS16ES  
16HP



#QPVS25ES  
25HP



# ALUMINIUM TOOL BOXES

## WORKSTATIONS



**#TBT4AL**

765 mm Aluminium Truck Tool Box  
Overall dimensions: L765xW320xH250mm




**#TBT6AL**

1220 mm Aluminium Truck Tool Box  
Overall dimensions: L1220xW380xH380mm

Keep your tools organised, dry & secure  
Stationary handle for easy access  
Lockable hatch  
Durable water & corrosion resistant aluminium construction

**#TBT9AL**



1450 mm Aluminium Truck Tool Box  
Overall dimensions: L1450xW520xH460mm



**#TBTSETAL**

Set of all 3 aluminium tool boxes

# STEEL TOOL BOXES



**#TBT50ST**

765 mm Steel Truck Tool Box  
Overall dimensions:  
775x430x310mm



Locks hidden  
underneath  
fingergrips

**#TBT70ST**

**#TBTSETST**  
Set of all 3 steel tool boxes



**#TBT60ST**

914 mm Steel Truck Tool Box  
Overall dimensions:  
915x440x566mm



Open


1219 mm Steel Truck Tool Box  
Overall dimensions:  
1200x620x710mm  
Steel thickness: 2.5mm



Open

# ALUMINIUM TRUCK TOOLBOXES

## WORKSTATIONS




### #TBTAL10

Dimensions: 900W x 505D x 705H mm  
Manufactured from 2.5mm aluminium checkerplate  
Fitted with one full length shelf  
Angled lid fitted with rubber seal & gas struts  
Mighty strong boxes to suit all utes, one tonners & light trucks  
Max capacity & fitted with a convenient shelf  
Ideal for every trade person  
Eg: builders, plumbers, electricians, farmers  
Ideal for mining industry & extreme conditions



### #TBTAL20

Dimensions: 1220W x 505D x 705H mm  
Manufactured from 2.5mm aluminium checkerplate  
Fitted with one full length shelf  
Angled lid fitted with rubber seal & gas struts  
Mighty strong boxes to suit all utes, one tonners & light trucks  
Max capacity & fitted with a convenient shelf  
Ideal for every trade person  
Eg: builders, plumbers, electricians, farmers  
Ideal for mining industry & extreme conditions



### #TBTAL30

Dimensions: 1450W x 505D x 705H mm  
Manufactured from 2.5mm aluminium checkerplate  
Fitted with one full length shelf  
Angled lid fitted with rubber seal & gas struts  
Mighty strong boxes to suit all utes, one tonners & light trucks  
Max capacity & fitted with a convenient shelf  
Ideal for every trade person  
Eg: builders, plumbers, electricians, farmers  
Ideal for mining industry & extreme conditions

## Steel Tilt Lid Ute Box With 2 Drawers

### #TBT1210

2 large drawers with sealed bearing slides (100kg rating)  
T handle keyed locking mechanism  
Powder coated black or white gloss finish  
4 x heavy duty handles  
Weight 118kg  
2 x gas struts  
Weather proof  
Ideal for the back of vehicles  
Two shelves  
Huge capacity for mobile tradespersons  
Dimensions overall: 1210W x 600D x 750Hmm



### #TBT1500

2 large drawers with sealed bearing slides (100kg rating)  
T handle keyed locking mechanism  
Powder coated black or white gloss finish  
4 x heavy duty handles  
Weight 147kg  
2 x gas struts  
Weather proof  
Ideal for the back of vehicles  
Two shelves  
Huge capacity for mobile tradespersons  
Dimensions overall: 1500W x 600D x 750Hmm



# Toolboxes

## WORKSTATIONS

### #TBTAL140

- \* Aluminium truck box extra capacity: 1400mm
- \* Made from 2.5mm aluminium checkerplate
- \* Strong gas struts to secure lid
- \* Large full length shelf
- \* Lid opens into upright position for ease of access
- \* Extra large capacity
- \* Suit one tonners, utes, trucks etc.
- \* 1400W x 600D x 700Hmm
- \* Weight: 42kg



CLOSED

## Trailer Tongue Box

### #TBTALBX

Full length aluminium piano hinge  
With 1 air spring  
With lockable stainless steel latch  
Material thickness: 1.5mm

### #TBTALBX

Dimensions: 864L(rear) x 406L(front)  
x 482W x 457H mm



## Left & Right Hand Boxes

- \* Underbody box
- \* Features left or right-hand opening (specify at time of purchase), water resistant foldback lip, hi-quality welding & continuous piano hinge
- \* Size: 750 top edge L & 580 base edge L x 400H x 250W
- \* Material thickness: 1.5mm

Left Handed Box  
Closed




#TBTAL75R  
Right Handed Box

#TBTAL75L  
Left Handed Box

### #TBTALUTE

## Ute Box

- \* Gas struts
- \* Capacity: 153L
- \* Made from ALU. Checkerplate
- \* Measurements: 1770x405x400mm
- \* Material thickness: 2.0mm





# Steel Toolboxes

## WORKSTATIONS

### #TBT12ST



Steel One Tonner 1210mm  
 Dimensions: 1210Wx500Dx700Hmm  
 Weight: 48kg  
 Made from 1.5mm cold rolled steel  
 New improved twin flush locks  
 Keyed alike  
 Concealed stainless steel piano hinge  
 Full rubber seal around lid  
 Single shelf supplied with fasteners to be fitted by purchaser

### #TBTSTUTE



Gull wing steel box extra deep, charcoal grey  
 Overall dimensions: 1770Wx550Dx400Hmm  
 Weight: 51kg  
 Twin locks keyed alike  
 Gas struts  
 Made from fully welded 1.5mm zinc metal cold rolled steel  
 Extra wide for maximum capacity

**CLOSED**



### #TBT1200



Steel Truck Box  
 Dimensions: 1200Wx455Dx365Hmm  
 Weight: 34.5kg  
 Fully welded  
 Extra heavy duty hinges for support lid  
 Manufactured from heavy gauge steel, zinc coated for rust protection  
 Finished in powder coat white gloss

**CLOSED**



# Toolboxes

## WORKSTATIONS

### #TBT4003X

3 Drawers  
Size: 668Wx316Dx386Hmm  
N.W.: 22.8kg



### #TBT4006X

6 Drawers  
Size: 668Wx316Dx386Hmm  
N.W.: 24.8kg



### #TBR4007X

7 Drawers  
Size: 688Wx458Dx735Hmm  
With Castors  
N.W.: 63kg



### #TBT4009X

9 Drawers  
Size: 668Wx316Dx461Hmm  
N.W.: 38kg



ALL TOOLBOXES  
WITH  
ROLLER  
BEARINGS

### #TBT3012BX

12 Drawers  
Size: 668Wx445Dx491Hmm  
N.W.: 48.5kg



## Dog Aluminium Carrier

### #TBTALD

4 fitted carrying handles  
Measurements:  
960 x 1000 x 500mm  
2 doors sizes: 390 x 420mm

## Low Profile Toolboxes

### #TBALTB1200

120x60x50mm

### #TBALTB1450

145x60x50mm

Aluminium



## PRICED TO CLEAR



# Steel Truck Toolboxes

**Work  
Stations**

#TBT765

Size: 765x335x325mm



Shows inside

#TBT1200

Size: 1200x455x365mm



Shows inside

## Warehouse & Workshop Equipment

### Heavy Duty Platform Trolley

#WH7511HD

Capacity: 300kg

Weight: 23.8kg

Overall height: 965

Platform height: 280

Length: 905

Width: 605

Tyre dia: 8", 6 cm wide

Pneumatic wheels

**PRICED TO CLEAR**

**LARGE  
8"  
DIAMETER  
WHEELS**



### Hand Pallet Truck

#WH7419

Nylon Single Roller  
1120x685mm

Capacity: 2500kg

Fork width: 685mm

Fork length: 1120mm

Min fork height: 85mm

Max fork height: 195mm



# Pallet Trucks

# Warehouse & Workshop Equipment



Galvanised

**#WH7458**  
Fork Width: 550mm  
Fork Length: 1120mm  
Capacity: 2000Kg

**#WH7459**  
Fork Width: 685mm  
Fork Length: 1220mm  
Capacity: 2000Kg

## Quick Lift

**#WH74QL**  
4 Pumps to the max height  
Automatically switches to normal lifting  
under heavy load  
Capacity: 2000 kg  
Fork width: 685 mm  
Fork length: 1220 mm



**PRICED TO CLEAR**

## Side Roller

**#WH7420**

- \* Capacity: 1500Kg
- \* Fork width: 550mm
- \* Fork length: 1150mm
- \* Min height: 85mm
- \* Max height: 205mm
- \* Movements:  
Forwards & backwards  
Left & right

## With Scale

**#WH7440A**  
\*Features weighing accuracy for load  
of 2000kg  
\* Tandem Rollers  
\* Fork Width: 680mm  
\* Fork Length: 1220mm  
\* 240 Volt battery charger  
\* Battery: DC7.2 volt  
\* 5000 mah  
\* Capacity: 2000KG



**PRICED TO CLEAR**

## Super Low

**#WH7460**  
Capacity: 1000Kg  
Specifications: 530x 1120mm  
(double wheels)  
Min Fork Height: 35mm  
Max Fork Height: 90mm





# Pallet Trucks

## **Warehouse & Workshop Equipment**

### **#WH7400**

Capacity: 2000Kg  
fork length: 1100mm  
Fork width: 550mm  
fork min. Height: 85mm  
fork max. Height: 200mm



- \*Durable hydraulic pump**
- \*Central fingertip controls**

### **#WH7410**

Capacity: 2500Kg  
fork length: 1100mm  
Fork width: 550mm  
fork min. Height: 85mm  
fork max. Height: 200mm

### **#WH7405**

Fork width: 520mm  
Length of forks: 1150mm  
Capacity: 1680kg  
Tandem wheels

### **#WH7412**



### **#WH7415**

Capacity: 2500Kg  
Fork width: 685mm  
Fork length: 1220mm  
Double Rollers

### **#WH7412**

Capacity: 2500Kg  
Fork width: 685mm  
Fork length: 1220mm  
Tandem Nylon Wheel  
Min fork height: 85mm  
Max fork height: 195mm

### **#WH7413**

Capacity: 2500Kg  
Fork width: 685mm  
Fork length: 1150mm  
Double rollers  
Min fork height: 85mm  
Max fork height: 195mm

### **#WH7418**

Capacity: 3000KG  
Fork width: 685mm  
Fork length: 1220mm  
Tandem Polyurethane Wheel  
Min fork height: 75mm  
Max fork height: 185mm



## All Terrain

### **#WHALTE**

Capacity: 1000kg  
Overall width: 1580mm  
Width inside the front wheels: 1230mm  
Fork length: 800mm  
Distance over the forks: 80mm  
Lift height: 150mm  
Dia. Of front load wheel: 437mm  
Width of tread on front load wheel: 130mm  
Dia. Of steering wheel: 87mm  
Overall length: 1200mm  
Overall height: 1280mm  
Height to the bulk head: 550mm  
Truck weight: 160kg



## High Lift


### **#WH7630**

- \* Used as both work table & Pallet truck
- \* Safety overload system
- \* Automatic stabilizer
- \* A lock device on release Lever for safe operation
- \* Capacity: 1500Kg
- \* Fork Width: 650mm
- \* Fork Length: 680mm
- \* Distance between forks: 350mm
- \* Max Height: 800mm
- \* Min Height: 85mm



# Stackers

**Warehouse  
& Workshop  
Equipment**



## **#WH7600**

Capacity: 1000Kg  
Min Fork Height: 85mm  
Max Fork Height: 1.6m  
Overall Mast Height: 1.98m  
Length Of Forks: 900mm  
Max Height: 1.6m  
Overall Width: 780mm  
Overall Fork Width: 760mm



## High Lift

### **#WH768L**

Capacity: 1000Kg  
Min Fork Height: 85mm  
Max Fork Height: 2.5m  
Overall Mast Height: 1.83m  
Length Of Forks: 900mm  
Max Height: 2.5m  
Overall Width: 780mm  
Overall Fork Width: 760mm

\* Capacity: 1000kg  
\* Max. Height: 2.5m

## NEW Straddle Leg

### **#WH750SL**

Type: Straddle leg  
Capacity: 1000kg  
Max fork height: 1525mm  
Min fork height: 60mm  
Fork length: 1170mm  
Fork width: 540mm  
Leg width: 1225mm  
Overall width: 1310mm  
Overall height: 1950mm  
Net weight: 260kg



## Straddle Leg

### **#WH7800SL**

Capacity: 1000kg  
Max. Fork Height: 2850mm  
Leg width: 1270mm  
Fork length: 1150mm  
Max. External width of adjustable fork: 710mm  
Min. Height: 88mm  
Max Height: 2.8 metres  
Overall width: 1.42m  
Single nylon roller  
Nylon steering wheel



# Platform Trolleys

**Warehouse  
& Workshop  
Equipment**

## #WH7500

Weight: 9.2kg

Load: 150kg

Castor: 4"

Dimensions: 815H x 738L x 479W

**PRICED TO CLEAR**



## #WH7509

Weight: 16.85kg

Load: 300kg

Castor: 5"

Dimensions: 863H x 916L x 616W

## Hydraulic Tables/Service Carts

### High Lift

## #WH7530

Capacity: 350Kg

Lifting Height: 1.3 metres

Lowest table height: 350mm

Table size: 910x500x53mm



## #WH7535

Table Size: 820 x 500 mm

Capacity: 300KG

Min Height: 265mm

Max height: 760mm

Package Size: 97 x 57 x 28cm

G.W.: 58kg

## #WH7540

Capacity: 500kg

Min height: 300mm

Max height: 740mm

Table Size: 820 x 500mm



## #WH7550

Capacity: 500Kg

Lifting Height: 880mm

Lowest table height: 340mm

Table size: 855x500x50mm

**With Folding Handle**



### High Lift



## #WH7545

Capacity: 150kg

Min height: 370mm

Max height: 1250mm

Table Size: 820 x 500mm

## #WH7580

Capacity: 1000Kg

Min Height: 445mm

Max Height: 950mm

Table size: 1000x510x60mm



## #WH7555

Capacity: 750Kg

Lifting Height: 1000mm

Lowest table height: 420mm

Table size: 1000x510x60mm





# Abrasive Blast Units

**Warehouse  
& Workshop  
Equipment**



**PORTABLE**

**#SB250**

**#SB250GB** (supplied with glass beads)

Recommended air  
pressure range: 65-125psi  
Tank capacity: 10 gallons



Grit

Glass beads

**#SBBGB4/SBBGB6**

Glass beads available 25 Kg per bag.

**#SBGRIT**

Garnet grit available 25 Kg  
per bag. The Garnet grit is 30/60 grade  
The chemical composition of #SBGRIT:  
SiO<sub>2</sub> :36 - 40 AL<sub>2</sub>O<sub>3</sub> :20 - 24 Fe<sub>2</sub>O<sub>3</sub> :4 - 6  
TiO<sub>2</sub> :0-0.5 MgO :8-13 FeO :22 - 24  
CaO :6 - 9 MnO :0-0.5

| Product Code   | Micron Max. | Micron Min | Use                         |
|----------------|-------------|------------|-----------------------------|
| <b>#SBBGB4</b> | 425         | 212        | Polishing medium/fine       |
| <b>#SBBGB6</b> | 300         | 106        | General purpose all rounder |

## NEW Vacuum Cleaner Model - R2D2

**#SB28V**

Abrasive blasting unit with vacuum  
28 Gallons  
Motor power: 240V  
Air compressor delivery: 115psi@6-22.5cfm  
Overall dimensions: 46x38x102cm



**#SB5000HD**

Width: 850mm  
Depth: 570mm  
Front panel height: 350mm  
Back panel height: 580mm  
Comes with interior light  
Replaceable glass viewing panel  
5 extra viewing panels  
Includes gloves, gun & ceramic tips

**#SB5000HDGB** (supplied with glass beads)

**#SB5**

Recommended air pressure range: 65-125psi  
Portable


**#SB5GB With Glass Beads**

**PRICED TO CLEAR**





# Truck Fork Extensions






Designed to lift long objects or large pallets with a fork truck  
Fit onto forks up to 50mm thick.  
Powder coat yellow finish

**Warehouse  
& Workshop  
Equipment**




| MODEL | EXT. LENGTH | MIN. LENGTH | FITS FORKS<br>WITH WIDTH OF |
|-------|-------------|-------------|-----------------------------|
| 3KR57 | 1524mm      | 1016mm      | 102mm                       |
| 3KR58 | 1830mm      | 1220mm      | 127mm                       |
| 3KR59 | 1830mm      | 1220mm      | 152mm                       |
| 3W667 | 1524mm      | 1016mm      | 127mm                       |

**WARNING**  
It is essential that fork extensions do not exceed length of forks on which they are installed by more than 50%

## Safety Rails





W808 & W809 used together, same height, W808 is corner, W809 is centre



W804, W805, W806, W807 are with same width, but different length. They are 1118mm, 1727mm, 2337mm, 2946mm

## Safety Bollards



| MODEL | DESCRIPTION        | OVERALL HEIGHT (MM) | OVERALL LENGTH (MM) | MOUNTING PLATE DIA. (MM) | PIPE DIA (MM) |
|-------|--------------------|---------------------|---------------------|--------------------------|---------------|
| W170  | High-profile guard | 1068                | 1220                | 205x205x10               | 115           |
| W178  | Low-profile guard  | 230                 | 1220                | 205x205x10               | 115           |
| W145  | Safety bar         | 915                 |                     | 255x255x10               | 115           |

# Collapsable Safety Barriers

**Warehouse  
& Workshop  
Equipment**

Light-weight guard rails for easy lifting

Simple to install, add-on or custom size guard rail lengths in the field


"Lift-out" design allows temporary access to specific areas quickly & safely

Safety yellow powder coat finish

Rails: 2"x4"x11 guage steel tubing

Posts: 3"x3"x11 guage steel tubing columns, 8"x8"x1/4" steel baseplate, 9/16" mounting holes

- #WMPB4 MPB Rail 4'
- #WMPB6 MPB Rail 6'
- #WMPB8 MPB Rail 8'
- #WMPB10 MPB Rail 10'
- #WMPBP20 MPB 20" In-Line F
- #WMPBP20C MPB 20" Corner Post
- #WMPBP20E MPB 20" End Post
- #WMPBP42D MPB 42" Double Rail In-Line Post
- #WMPBP42C MPB 42" Double Rail Corner Post
- #WMPBP42E MPB 42" Double Rail End Post



**PRICED TO CLEAR**



## Front End Bucket Loader Clamp On Fork Extensions

Allows you to quickly & easily add pallet lifting cap to your loader bucket without swapping out the bucket.

### #BF450

Clamp on bucket fork: 450kgs

Fork height: 50.8mm

Fork width: 76.2mm

Fork thickness: 6mm

Fork length: 812.8mm

GW/NW: 50/58kgs



### #BF900

Clamp on bucket fork: 900kgs

Fork height: 50.8mm

Fork width: 76.2mm

Fork thickness: 6mm

Fork length: 914.4mm

GW/NW: 54/63kgs

### #BF1350

Clamp on bucket fork: 1350kgs

Fork height: 50.8mm

Fork width: 101.6mm

Fork thickness: 6mm

Fork length: 1066.8mm

GW/NW: 71/83kgs

### #BF1800

Clamp on bucket fork: 1800kgs

Fork height: 50.8mm

Fork width: 101.6mm

Fork thickness: 8mm

Fork length: 1066.8mm

GW/NW: 71/83kgs

### #BF2700

Clamp on bucket fork: 2700kgs

Fork height: 76.2mm

Fork width: 127mm

Fork thickness: 8mm

Fork length: 1219.2mm

GW/NW: 93/109kgs



# Electric Hoists

**Warehouse  
& Workshop  
Equipment**

| Model                  | WHPA200                                         | WHPA250   | WHPA300   | WHPA400   | WHPA500   | WHPA600   | WHPA700   | WHPA800   | WHPA1000   | WHPA1200   |
|------------------------|-------------------------------------------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|------------|------------|
| Load cap.              | 100-200kg                                       | 125-250kg | 150-300kg | 200-400kg | 250-500kg | 300-600kg | 400-700kg | 400-800kg | 500-1000kg | 600-1200kg |
| Lifting height         | <b>PRICED TO CLEAR</b><br>11m<br>10m/min<br>12m |           |           |           |           |           |           |           |            |            |
| Lifting speed          |                                                 |           |           |           |           |           |           |           |            |            |
| Cable length           |                                                 |           |           |           |           |           |           |           |            |            |
| Cable dia.             | 3.05mm                                          | 3.05mm    | 3.05mm    | 3.8mm     | 4.2mm     | 4.5mm     | 4.8mm     | 5mm       | 5.5mm      | 6mm        |
| Mains voltage          | 230V-50Hz                                       |           |           |           |           |           |           |           |            |            |
| Motor performance      | 510W                                            | 510W      | 600W      | 980W      | 1020 W    | 1200 W    | 1300 W    | 1300 W    | 1800 W     | 2000 W     |
| Length of Switch cable |                                                 |           |           |           |           |           |           |           |            |            |

## Steel Work Benches



**#WH7100**

**Work Bench Top Made Of  
3mm Thick Steel Plate**

### **#WH7100**

Overall width: 2000mm  
Overall depth: 640mm  
Overall height: 865mm  
Shelf width: 2040mm  
Shelf depth: 705mm  
Shelf height: 225mm  
Weight: 110Kg

## **Steel Tear Down Bench**

### **#WH7200**

Capacity: 136kg

N.W.: 75.5kg

Clean, organised way to work on mowers, snowblowers, small engines & transmissions

48" x 28" steel tabletop holds up to 300lbs

3/4" rim & grooves channel oil & fluids into removable 20" x 6" plastic drain pan

Table adjusts from 37" to 41" high; has locking tool drawer 24" x 18" x 5 1/2"

2 rigid & 2 swivel casters with brakes



# Steel Loading Ramps

**Warehouse  
& Workshop  
Equipment**

Lifting chains included on all models for ease of handling  
All models made of steel plate with welded steel kerb  
Painted sides to ensure user is aware of the edges

## #RAMPS6060

1500x1500mm


## #RAMPS7248

1800x1200mm

## #RAMPS7260

1800x1500mm

**PRICED TO CLEAR**



# Container Ramp

## #RAMP4500

Safe working load: 4500kg

Unit weight: 275kg

Width: 2200mm

Length: 2000mm

Fork pocket size: 165x60mm

Fork pocket centres: 775mm





# Log Splitters And Cutters

## #LS30

Petrol Driven  
Engine: 6.5HP  
Slits wood horizontally/vertically  
Delivers 3000 max. PSI  
Extra H/D I-beam construction for max. Performance  
Direct drive with flexible couplings  
4" bore  
24" stroke  
610mm long; 300mm diameter

## 30 Ton Horizontal & Vertical Log Splitter

Log Splitter - No Engine  
#LS30WE  
30 tonne



## #LS30ES

30 Ton Electric  
Start Log Splitter  
also available



## 12 Ton Folding Log Splitter

### #LS12AH

Horizontal use only  
Height: 42cm & 60cm  
Engine: 6.5HP  
Max capacity: 12 Ton  
Log size: 21" long x 8" diameter  
Cycle time: 25 sec  
Oil tank capacity: 8L  
Oil capacity: 6.3L  
Gear pump: 1 stage  
Max pressure: 3000psi  
Max flow: 2.8GPM  
Pneumatic tyre: 10"  
Max towing speed: 5mph  
508mm long; 203mm diameter

## 40 Ton Log Splitter

### #LS40


13 HP Petrol Engine  
20cm dia x 5cm jockey wheel  
61cm max log length, 31cm dia  
2-stage gear pump for min 16s cycly time  
Auto return valve, with safe relief function  
16" DOT Peumatic wheels towing speed reach 30mph  
Opeartion at horizontal and vertical position



### #LS40ESB

40 Ton Electric  
Start engine  
With Battery  
Log Splitter  
also available

## Log Splitter With Kohler Engine



Fitted with  
genuine Kohler  
petrol engine

#LS30KO6 6HP

#LS30KO7 7HP

#LS30KO9.5 9.5HP

Kohler engines  
have a 3 year  
warranty

# Electric Log Splitter

## Log Splitters & Cutters

### #LS9

9 Ton

240V

Log capacity maximum diameter: 320mm

Log capacity maximum length: 520mm

Motor: 2300W

Hydraulic oil: 6.5L

Maximum pressure: 16mpa



## Chain Saw Bench

### #FICSB

\* Length of blade: 400mm

\* Max cutting length: 1200mm

\* Max cutting dia: 260mm

**PRICED TO CLEAR**



## Saw Bench - Portable Roller Top

### #SAWMOB



#SAWMOBBLADE Blade to suit SAWMOB

36" tungsten tipped saw blade mounted on frame with wheels, complete with 13HP petrol engine,

electric start with clutch & retarder

Saw blade size: 910x5.5mm

Max dia of wood: 300mm

Max rev of saw blade: 950rpm

Horizontal cutting stroke: 370mm

Work bench size: 520x1070mm

Tyre: 16" pneumatic

Overall size: 1820Lx1160Wx1200Hmm

N.W.: 274kg

# Oddbods

## Pneumatic Wheels

#HT10WH: 10" Bore size: 16mm

#HT13WH: 13" Bore size: 16mm

#HT16WH: 16" Bore size: 19mm

#HT16WH1: 1" Bore size: 1"



## Hand Trolley

#HT2401

**HEAVY DUTY**

**Loads 300kg**

**Body size: 1308 x 565 x 590mm**

**Pneumatic tyres: 13" X 4"**

**Foot plate size: 35x18cm**



## 3 Wheel Stair Climbing Trolley

#HT18SC

Heavy Duty

Load capacity: 250kg

Handle: round/curved type

Axle: 20mm

Wheel: 6" solid wheel assembly

Dimensions: 1330Hx400Wmm

Weight: 18kg

Ratchet tie down: 2750x50m



## Hand Trolley

#HT2023

Capacity: 150kg

Pneumatic tyre: 10" x 3.5"

Body size: 1250L x 546W x 433H

Toe plate: 200

N.W.: 10.7kg

**PRICED TO CLEAR**



#HT1800

Overall Height: 1150mm

Foot plate size:

35x18cm

250kg capacity



#HT1805F

Retracting foot

150kg capacity

Foot plate size:


35x18cm

Extendable foot size:

30x40cm



Bar drops down  
extending foot



Hook holds up bar



# BANDSAW


**Oddbods**

## 10" Stainless Steel Meat-Cutting BandSaw with Mincer

#BSMC10

55kgs

THROAT: 254MM/10"  
MAX. CUTTING DEPTH: 240MM  
MAX. CUTTING WIDTH: 250MM  
TABLE SIZE: 470 X 600MM  
BLADE SPEED: 4.74M/S  
BLADE LENGTH: 2085MM  
MOTOR POWER: 3/4 HP  
G.W: 55KG



#BSMC10

**Spare  
Stainless  
Steel  
Blades  
Available**

#BSMCBLADE

## Hired Hand



#HH1000

### STRETCH



- \*Secure wire to one hook
- \*Use other hook to draw wire to post
- \*3rd hook lets you stretch unlimited length of wire

### SPLICE & HOLD

- \*Stationary hook & travelling hook take up slack from wire
- \*3rd hook hold wire as travelling hook is released & moved out of way, clearing the way for splicing

### REPOSITION

- \*Travelling hook can be Repositioned without Resetting fence tool





# Dump Carts

**Oddbods**

## 227 Kgs Trailer Cart (also tipper)

#VP8450

Length: 1040mm  
Width: 800mm  
Height: 300mm



#VP8450

## 10 Cubic Foot Poly Dump Cart & Wheelbarrow



#VP8410

**Converts to a wheelbarrow**  
**Converts to a towable trailer tipper**  
**Dimensions: 1200x950x300mm**  
**Runs on 16" pneumatic wheels**

## 680 Kgs Dump Cart & Tipper

#VP8470

Cart Bed Size: 1550mmL x 925mmW x 355H  
G.W.: 81Kg



## Penny Farthing Magic Wheel

#PFMW

**PRICED TO CLEAR**

Features:

Weight: 14lbs

Max height: 29"

Wheel dia: 26"/20mm

Rear direction wheel: 125 x 25mm

Wheel used: Professional sports wheel

Frame: High quality reinforced ABS plastic

Colours: Black & red

90 days warranty, tool kit & user manual included

Rider weight: Max 250lbs

Suitable for users aged 12+



## Hand Truck

#HT1000C

Max load capacity: 90 kgs  
Height range: 80-110cms  
Material of frame: steel  
Wheel: 6"

**PRICED TO CLEAR**



**FOLDED**



# Gun Safe

**Oddbods**

## Gun Safe

### #GS5

For 5 guns  
3mm steel thickness  
Key lock  
Ammunition storage in separate key  
5-pin locking bolt  
Capacity: 5 guns  
Size: 1450x350x350mm  
Height: 145cm  
Width: 35cm  
Depth: 38cm  
Dimensions:  
Height: 145cm  
Width: 35cm  
Depth: 38cm



**COMING SOON  
15 PIECE GUNSAFE**

## Gun Safe

### #GS12

12 piece gun safe  
Size: 1450x500x405mm  
Weight: 75kg  
Key lock with handle  
Ammunition box has separate key  
Capacity: for 12 guns  
Door thickness: 3mm steel  
Body thickness: 2.5mm  
Ammunition compartment has a different key to main door  
Pre-drilled holes in base & back for bolting down to the wall or floor  
Complies with all states including Tasmania firearms regulations



## Drum Stand



### #WH9509

Suits 44 gallon drums & smaller  
4 swivel wheels  
Height: 145mm  
Inside diameter: 610mm  
Capacity: 225kg



## Tile Cutting Saw

**Oddbods**

**#TCHD250A**

Motor: 240V

Power: 1-1/2 HP

Motor speed: 3450rpm

Blade size: Outer diameter: 10" (250mm)

Bore: 5/8" (15.9mm)

Length of cut: Rip cut: 610mm

Diagonal cut: 406mm

Depth of cut: 75mm

Table size: 395x535mm

**PRICED TO CLEAR**

## Tile Cutter

**#TC180A**

Motor: 240V

Power: 600W

Blade size: Diameter 180mm

Bore: 7/8" (22.2mm)

Table tilting range: 0-45 degrees


Depth of cut: 34mm @ 90 degrees, 25mm @ 45 degrees

Table size: 395x385mm

N.W.: 11kg



## All Steel Off-Set Vices 5" & 6"



**#VICOF5**

**#VICOF6**



**#TADI60**


**60 Piece**

## TAP & DIE SETS

**Tungsten alloy  
Metric & SAE  
Tap & Dies**

**110 Piece**

**#TADI110**





# Rebar Cutter & Bender

**Oddbods**

## #RBCB25

Max bending dia: 25mm  
Max cutting dia: 25mm  
Bending speed: 6s/180°  
Bending angle: 0-180°  
Bending radius: 4D  
Power: 240V  
Output: 1500W  
Net weight: 137kg



**PRICED TO CLEAR**



**REDBACK**

## Brackets For Ladders

Guaranteed to be the safest brackets  
for ladders ever invented

**PRICED TO CLEAR**

### #SLE700



Use for gutters  
Fitted to ladder within seconds.  
Once fitted & attached to guttering,  
guaranteed not to move 1mm

### #SLE800



INTERNATIONAL PATENT:  
#PCT/AU2008/001112



Use for parapet & rails etc.  
Fitted to ladder within seconds.  
Once fitted & attached to parapet or railing,  
guaranteed not to move 1mm



## Comealongs

**#LC3550** Comealong In Blow Moulded Case With Double Ratchett;  
 At 2 ton cap: 2 metre pull  
 At 1 ton cap: 4 metre pull  
 G.W: 21 Kgs  
 Cable diameter: 4mm

**#LC3650** Comealong In Blow Moulded Case With Double Ratchett;  
 At 2 ton cap: 6 metre pull  
 At 4 ton cap: 3 metre pull  
 G.W: 26 Kgs  
 Cable diameter: 4mm



## Reinforcing Bar Cutter & Bender

**CLOSED**



**#RBCB16**

Cutting dia: 16mm  
 N.W.: 18kg



### Pulley & Bearing Separators



|                  | Capacity |       |
|------------------|----------|-------|
|                  | Min      | Max   |
| <b>#BPS1060</b>  | 10mm     | 60mm  |
| <b>#BPS1575</b>  | 15mm     | 75mm  |
| <b>#BPS35115</b> | 35mm     | 115mm |
| <b>#BPS40150</b> | 40mm     | 150mm |

### Hydraulic Pulley Bearing Separator

**#BPHS2515**

Capacity: 8 ton  
 25mm/150mm



### Hydraulic Bearing Puller Kits

**25 pieces include:**

1 pc hydraulic ram; 3 pc 4" leg;  
 3 pc 6" leg; 3 pc 8" leg; 1pc twin  
 head; 1 pc triple head; 1 pc sent  
 pop; 1 pc extension rod 1" x 2";  
 1 pc extension rod 1" x 4"; 2 pc  
 main rod 8" x 1.75P; 2 pc main  
 rod 8" x 1.75P; 1 pc beam; 1 set  
 (3 pc) bearing separator & bolts;  
 1 pc nut; 1 pc metal box



**#BPKIT**

**#BPKITRAM:** Hydraulic Ram to suit available separately

# Fans

**Oddbods**

## #FANM650

Fan dia: 650mm  
Voltage: 240V  
Power: <220W  
Quantity of atomization: 1-10L/h  
Dia of atomized drip: <10µm  
Capacity (ground): 30L  
Jet distance: 8m  
Volume: 6300m/h  
Working area: 80m  
CE & ROHS Approval



## #FANM500WC

Type of mist fan: centrifugal misting system & moveable fan design.  
Fan dia: 500mm  
Fan height: 1.50m  
Fan oscillation adjustable: 90 degrees automatically, fan tilt adjustable: 30 degrees  
Temp dop: 4-8 degrees C, Available area: 50 m3  
Water tank cap: 60 L, continuance water supply: 15h  
Freq: 50Hz, Volt: 240V  
CE & ROHS Approval



## #FANM750WHP

Type of mist fan: high pressure misting system & moveable stand fan design.  
Fan dia: 750mm; fan height: adjust from 1.70-2m  
Fan oscillation adjustable: 90 degrees automatically, fan tilt adjustable: 30 degrees  
Temp dop: 4-8 degrees C, Available area: 30-50 m3  
Continuance water supply: from tank or water pipe  
Freq: 50Hz, Volt: 240V  
CE & ROHS Approval

## #FANM450WHP

Type of mist fan: high pressure misting system & moveable stand fan design.  
Fan dia: 450mm; fan height: 1.50m  
Fan oscillation adjustable: 90 degrees automatically, fan tilt adjustable: 30 degrees  
Temp dop: 4-8 degrees C, Available area: 15 m3  
Continuance water supply: from tank or tape water pipe  
Freq: 50Hz, Volt: 240V  
CE & ROHS Approval



# Fans

**Oddbods**

## **#FANM650WC**

Type of mist fan: centrifugal misting system & moveable fan design.

Fan dia: 650mm; fan height: Adjustable from 1.70-2m

Fan oscillation adjustable: 90 degrees automatically, fan tilt adjustable: 30 degrees

Temp dop: 4-8 degrees C, Available area: 30-50 m3

Water tank cap: 36 L, continuance water supply: 8hrs

Freq: 50Hz, Volt: 240V

CE & ROHS Approval



## **#FANM650WALL**

Type of mist fan: centrifugal force misting system & wall mounting fan design.

Fan dia: 650mm; best height of mounting: 2.0-2.5m

Fan oscillation adjustable: 90 degrees automatically, fan tilt adjustable: 30 degrees

Temp dop: 4-8 degrees C, Available area: 30-50 m3


Water tank cap: 16 L, continuance water tap supply

Freq: 50Hz, Volt: 240V

CE & ROHS Approval



Floor fan



## **#FANFLO**

240 volts

130 watts


3 blades diam: 500mm

3 speed

Adjustable angle

Solid construction

Wall fan



## **#FANWAL**

240 volts

250 watts

1400rpm

3 blades diam: 750mm

3 speed osilating

Adjustable angle

Solid construction



Pedestal fan

## **#FANPED**

240 volts

250 watts

3 blades diam: 750mm

3 speed osilating

Adjustable height

Solid construction

# SCAFFOLDING

## Mobile Aluminium Scaffolding Tower

**Oddbods**


### #ALHDSC48

Overall Height: 4.8m

Approved to Australian Standards  
number AS/NZS1576.3

Consists of:

1.25 x 1.6 ladder frame x 2  
1.25 x 2.0 ladder frame x 2  
1.25 x 1.0 guard rail frame x 2  
Bottom brace (black clip) 2791mm x 1  
Diagonal brace (blue clip) 2620mm x 10  
Horizontal brace (yellow clip) 2495mm x 6  
Skidproof deck without hatch 2495x540mm x 1  
Skidproof deck with hatch 2495x540mm x 1  
6" adjustable caster with thread stem x 4  
4.8m alum ladder x 1  
1034mm ladder bracket x 1  
2442 x 1166mm alum toe board (set) x 1  
Stabilizer x 4  
L 2.5 x W 1.25 x H4.8m  
Distributed weight: 450kg



### #ALSC48800

4.8m high  
800mm wide  
Fits through doorways etc.

### #ALSC6800

6m high  
800mm wide  
Fits through doorways etc.

## Individual Alumimium Scaffolding Parts

**Guard Rail Frame:** Guard rail

**1.25x1.2m Extension Frame:** Ladder fram 3 row

**1.25x1.6m Extension Frame:** Ladder fram 4 row

**1.25x2.0m Extension Frame:** Ladder fram 5 row

**2.5m Horizontal Brace:** Yellow hook brace

**2.5m Diagonal Brace:** Blue hook brace

**Plan Brace (Bottom Brace):** Black hook brace

**2.5m Plain Platform:** Platform closed

**2.5m Hatch Platform:** Platform with hatch

**Variable Ladder 4.8m:** Ladder C+Ladder D

**Variable Ladder 6.0m:** Ladder A+Ladder B

**Outriggers (Stabilizer):** Stabilizer

**Adjustable Castors:** 6' adjustable caster wheel

**Toe Board Set:** Wooden toe board

**Ladder Bracket:** Supporting tube (Ladder support)

### #ALHDSC6

Overall Height: 6m

Approved to Australian Standards  
number AS/NZS1576.3

Consists of:

1.25 x 1.25 ladder frame x 2  
1.25 x 1.6 ladder frame x 2  
1.25 x 2.0 ladder frame x 2  
1.25 x 1.0 guard rail frame x 2  
Bottom brace (black clip) 2791mm x 1  
Diagonal brace (blue clip) 2620mm x 12  
Horizontal brace (yellow clip) 2495mm x 6  
Skidproof deck without hatch 2495x540mm x 1  
Skidproof deck with hatch 2495x540mm x 1  
6" adjustable caster with thread stem x 4  
6m alum ladder x 1  
1034mm ladder bracket x 1  
2442 x 1166mm alum toe board (set) x 1  
Stabilizer x 4  
L 2.5 x W 1.25 x H6m  
Distributed weight: 450kg





# 1.98m Aluminium Scaffolding

Capacity: 235kg

Overall dimension: 1970mmL x 740mmW x 1980H

N.W.: 36.9kg

NO STANDARDS  
REQUIRED FOR  
ALUMINIUM SCAFFOLDING  
UNDER 2 METRES HIGH



## Interior Scaffolder

Capacity: 455kg

Overall dimensions: L185 x W75 x H180cm

N.W.: 58kg



## Shrink Wrap

#SWRAPBL  
Black

Width: 500mm x 25um x 375metres  
Blown Wrap

NOW  
ALSO  
AVAILABLE  
IN  
CLEAR



## Plaster Board Sheet Lifter

With extension arms



#PBSL150SB

Capacity: 68kg

Min. Height: 1.4mm

Max. Height: 4.2 m

Sheet capacity length: 6m

N.W.: 41kg

Now fitted with  
overhead  
safety platform

# Vacuum Cleaners

**Oddbods**

**#PT2230**

**Power: 2000W**

**Voltage: 240V**

**Height: 90cm**

**Diameter: 44cm**

**Air flow: 106L/S**

**Function: wet/dry**

**Capacity: 70L**

**Length of cable: 7.2m**

**Features:**

- \* **Duel motors to produce constant power & exceptional performance**
- \* **Ergonomic design with large base for stability**
- \* **Suitable for factories, supermarkets, workshops, warehouses etc.**
- \* **Easily cleaned with water drain outlet**



Available  
in  
red,  
blue  
or  
yellow

## Heavy Duty Vacuum Cleaner

**#PT2250P**

240V outlet on the machine

2000W outlet on the machine

Power: 3500W

Twin motors

7 metre cord

Wet & dry

Stainless steel tank

70 Litres



## Backpack Vacuum

**#PT2100**

**Features:**

Back pack design easy movable

Big capacity handle power switch easy operate

5 layers of heap filtration

Handle insert storage, power cord wrapped benefit for storage

**Specifications:**

600/800/1000W rated power

240V 50Hz

Noise level less than 70DB

Vacuum power: 16kpa

Dust capacity: 2L

**Quality Standard:**

CE/GS/EMC approval



## Lawn Mower

**#LM510A**

18" Hand Push

Petrol engine: 4.75HP

Engine speed: 3000rpm

Cutting width: 510mm

7 adjustable cutting heights

Grass collector capacity: 50L

Metal body



# Mini Round Balers

**Oddbods**

## #FIMRB50

Baler sizes: Diameter 50cm x Width 70cm  
Working width: 80cm  
Working speed: 2-5 kilometers/hour  
Tractor HP required: 25-50HP  
540rpm



## #FIMRB70

Baler sizes: Diameter 61cm x Width 70cm  
Working width: 80cm  
Working speed: 2-5 kilometers/hour  
Tractor HP required: 25-50HP  
540rpm



---

# Animal Cages

## #AT3PCSET

Pre-assembled  
Safe to use  
Easy to bait, set & release  
Effective  
Humane  
Sure catch  
Built to last

Small  
Size: 61 x 18.5 x 18.5cm  
Ideal for catching rats, rabbits,  
& feral cats .

Medium  
Size: 81.5 x 26.5 x 32cm  
Ideal for catching possums,  
small wild dog & feral cats.

Large  
Size: 117 x 39 x 38.5cm  
Ideal for catching foxes, possums  
& feral cats.



# Weighing Equipment

**Oddbods**

## Floor Scales

**PRICED TO CLEAR**

### #SPF2T

Display: LED/LCD  
AC/DC power supply  
Cap/precision: 2000kg/1kg  
Table-board size: 1.2 x 1.2m  
CE Approval

### #SPF3T

Display: LED/LCD  
Power supply: 240V  
Capacity/precision: 3000kg/1kg  
Table size: 1.5 x 1.5m

### #SPF5T

Display: LED/LCD  
Power supply: 240V  
Capacity/precision: 5000kg/2kg  
Table size: 2 x 2m




## Platform Scale

### #SP4252

Display: Red LED  
AC/DC power supply  
Capacity: 150kg  
Table-board size: 42x52cm  
Table material: stainless steel  
CE Approval

### #SP5262

Display: Red LED  
AC/DC power supply  
Capacity: 300kg  
Table-board size: 52x62cm  
Table material: stainless steel  
CE Approval



**THE ABOVE SCALES NOT TO BE USED  
IN TRADE SUPPLIES  
IE: FRUIT, VEGIES, DELI ETC.**

## Crane Scales

Accuracy class: OIML Class III  
Display: 30mm (1/2") 5 digits LCD/LED  
Tare range: full capacity  
Stable time: <10 seconds  
Overload indication: 100% max capacity  
Max safety load: 125% max capacity  
Ultimate load: 400% max capacity  
Operation time: 60 hours min/100 hours max  
(depends on operation mode)  
Battery type: fully sealed lead-acid battery, 6V/10Ah  
Charger: DC9V/1500mA  
Operating temp: -10°C - +40°C  
Operating humidity: <85% RH under 20°C  
Battery of remote controller: 5# battery, 1.5V x 2

### Features:

30mm (1.2") LCD display remote control calibration  
Easy to replace battery pack AC/DC power adaptor:  
output DC9V/1.5A  
6 V/10Ah rechargeable battery infrared remote controller,  
distance: 20m  
Hold, tare, accumulation, kg/lb conversion, gross/net  
conversion, parameter regulation



### General Crane Scales

| Model       | SPXC5T  | SPXC10T | SPXC15T | SPXC20T |
|-------------|---------|---------|---------|---------|
| Capacity    | 5 ton   | 10 ton  | 15 ton  | 20 ton  |
| Precision   | 2kg     | 5kg     | 5kg     | 10kg    |
| GW/NW (Kgs) | 34/30.5 | 54/47   | 76/64   | 80/68   |

### Portable Crane Scales

| Model       | SPXC200 | SPXC500 | SPXC1000 |
|-------------|---------|---------|----------|
| Capacity    | 200kgs  | 500kgs  | 1000kgs  |
| Precision   | 0.1kg   | 0.2kg   | 0.5kg    |
| GW/NW (Kgs) | 6.0/5.5 | 6.0/5.5 | 6.0/5.5  |



# Cement Mixer

**Oddbods**

**#CM130**

3/4 HP  
Comes in yellow & green  
550 Watt  
130 Litres  
2.2cfm



## 24 Bin Storage Rack

**#STOBX**

**Metal frame**  
**Poly boxes**  
**Box Sizes: L260xW90xH100mm**



# Rolling Machine

**#PSMR**

Max plate thickness: 2.5mm  
Max plate width: 300mm  
Max thickness: 5mm  
N.W.: 10.4kg  
Dimensions: 495x215x95mm



# Bending Machine

**#PSMB**


Max plate thickness: 2.5mm  
Max plate width: 300mm  
N.W.: 10kg  
Dimensions: 340x50x635mm



# Heavy Duty Wedges

Made from UHMPE  
(Ultra High Molecular Weight Polyethylene)

**Oddbods**



**PRICED TO CLEAR**

## #WEDGE1

Forklift use  
Eg: used for lifting  
cartons in containers  
from the floor up

## #WEDGE2

Hammer use  
Eg: used for sperarating  
stacks of plastic board  
& plywood etc.

## Sewerage Cleaner Attachments - Flexible Hose



## #FSC30KIT

Consists of:  
4 x 5 metre flexible shaft  
30mm diameter

## Shrink Wrap Holder



## #SWDISP

5 start acme screw thread for rapid assembly  
Large locating washer centres 5 start female nut

# Toolboxes



## #TBT4410X

10 Drawers  
Size: 1051 x 445 x 552  
NW: 64.5kg



## #TBT4408X

8 Drawers  
Size: 1051 x 445 x 552  
NW: 61kgs



## #TBT4007X

7 Drawers  
Size: 1067 x 458 x 853  
(With castors H: 1077)  
NW: 90.5kg



## #TBT4407X

7 Drawers, 1 cabinet  
Size: 688 x 458 x 735  
NW: 61.5kg



## #TBT4411X

11 Drawers  
Size: 1067 x 458 x 853  
(With castors H: 1007)  
NW: 101kg



# Portable Ventilators



#VEN8  
#VEN12  
#VEN16



Hoses available

#VEN85M  
#VEN1210M  
#VEN125M  
#VEN1610M  
#VEN165M

FOR MORE INFORMATION REFER TO PAGE 17

# LED Lights


## High Bay Lights

#LEDHBL120 Pure white colour  
#LEDHBL150 Pure white colour



## Flourescent Tubes

#LEDTC Clear colour  
#LEDTP Pearl colour



FOR MORE INFORMATION REFER TO PAGE 22

# Multi Task Sharpener

#PT6913A



FOR MORE INFORMATION REFER TO PAGE 15



# T.W.M. IMPORTS PTY/LTD

Wholesalers of Tools, Wood Working & Metal Working Machinery

ACN 061 735 699 ABN 21061735699

1-15 James Court, Tottenham, Victoria, 3012

P.O. Box 466 Williamstown, Victoria, 3016

Phone: (03) 9314 8588 Fax: (03) 9314 8255

EMAIL: sales@twm.com.au