



Millers Falls **Worker**
simply the best

PRODUCT CATALOGUE - LOG SPLITTER

JUNE 2021



**We have the largest range of
Log Splitters in Australia**



LS30JTTBD

30T LOG SPLITTER 6.5HP MANUAL START

FEATURES:

- Capacity: 30 ton
- Operates at Horizontal & vertical position
- Engine: 6.5HP, 11 GPM Gear Pump
- Cylinder: 4-1/2" x 23"
- Splits up to 24" long & 12" diameter
- Hard steel wedge: 8"
- Cycle time: 17 seconds
- Auto return valve
- Pneumatic wheel: 16x6.5" DOT for highway hauling
- Coupler size: 50mm cast steel
- Oil capacity: 1 0L
- Max towing speed: 72kph
- Only to be towed on private property - not on public roads
- Packing dimensions: 187 x 51 x 68cm
- Weight: 270kg



ALSO AVAILABLE:

LS30JTTEsBD

30T LOG SPLITTER 6.5HP ELECTRIC START



LS30WEJTTBD

30T LOG SPLITTER WITHOUT ENGINE

- Packing dimensions: 187 x 51x 68cm
- Weight: 257kg

LS30JTTBD-BS

30T LOG SPLITTER 6.5HP **BRIGGS & STRATTON** MANUAL START

FEATURES:

- Capacity: 30 ton
- Operates at Horizontal & vertical position
- Engine: 6.5HP, 11 GPM Gear Pump
- Cylinder: 4-1/2" x 23"
- Splits up to 24" long & 12" diameter
- Hard steel wedge: 8"
- Cycle time: 17 seconds
- Auto return valve
- Pneumatic wheel: 16x6.5" DOT for highway hauling
- Coupler size: 50mm cast steel
- Oil capacity: 1.0L
- Max towing speed: 72kph
- Only to be towed on private property - not on public roads
- Packing dimensions: 187 x 51 x 68cm
- Weight: 270kg



LS30LTBD

30T LOG SPLITTER 6.5HP WITH LIFT TABLE MANUAL START

FEATURES:

- Capacity: 30 ton
- 6.5HP manual start engine
- 8" (20cm) dia x 2" (5cm) jockey wheel
- Max log length: 24" (61cm)
- Heavy duty 4-1/2" (11.5cm) x 23" (57.5cm) cylinder
- 8" (20cm) heavy duty cast steel wedge
- Max lifting cap of table: 50kg
- 2-stage gear pump for min 17s cycle time
- Auto return valve, with safe release function
- 16" D.O.T. Pneumatic wheels towing
- Max towing speed: 72kph
- Safe chain, wheel fenders included, with reflector
- Only to be towed on private property, not on public roads
- Packing dimensions: 187 x 52 x 93cm
- Weight: 320kg





LS30LTESBD

30T LOG SPLITTER 6.5HP WITH LIFT TABLE ELECTRIC START

FEATURES:

- Capacity: 30 ton
- Operates at Horizontal & vertical position
- Engine: 6.5HP, 11 GPM Gear Pump
- Cylinder: 4-1/2" x 23"
- Splits up to 24" long & 12" diameter
- Hard steel wedge: 8"
- Cycle time: 17 seconds
- Auto return valve
- Pneumatic wheel: 16x6.5" DOT for highway hauling
- Coupler size: 50mm cast steel
- Oil capacity: 1 OL
- Max towing speed: 72kph
- Only to be towed on private property - not on public roads
- Packing dimensions: 187 x 51 x 68cm
- Weight: 270kg



LS30LTBD-BS

30T LOG SPLITTER 6.5HP **BRIGGS & STRATTON** WITH LIFT TABLE MANUAL START

FEATURES:

- Capacity: 30 ton
- 6.5HP manual start engine
- 8" (20cm) dia x 2" (5cm) jockey wheel
- Max log length: 24" (61cm)
- Heavy duty 4-1/2" (11.5cm) x 23" (57.5cm) cylinder
- 8" (20cm) heavy duty cast steel wedge
- Max lifting cap of table: 50kg
- 2-stage gear pump for min 17s cycle time
- Auto return valve, with safe release function
- 16" D.O.T. Pneumatic wheels towing
- Max towing speed: 72kph
- Safe chain, wheel fenders included, with reflector
- Only to be towed on private property, not on public roads
- Packing dimensions: 187 x 52 x 93cm
- Weight: 320kg



LS40BD

40T LOG SPLITTER 13HP MANUAL START

FEATURES:

- 13HP Manual start engine
- 8" dia x 2" jockey wheel
- Max length: 55cm; 30cm diameter
- Heavy duty log table
- Heavy duty 5" x 19.4" cylinder
- 8" heavy duty cast steel wedge, wearproof
- 2-stage gear pump for min 16s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic wheels towing
- Max towing speed: 72KPH
- Safe chain, wheel fenders included, with reflector
- Only to be towed on private property - not on public roads
- Packing dimensions: 172 x 52 x 79cm
- Weight: 315kg



ALSO AVAILABLE:

LS40ESBD

40T LOG SPLITTER 13HP ELECTRIC START



LS40WEBD

40T LOG SPLITTER WITHOUT ENGINE

- Packing dimensions: 172 x 52 x 79cm
- Weight: 300kg



LS40BD-BS

40T LOG SPLITTER 13.5HP **BRIGGS & STRATTON** MANUAL START

FEATURES:

- 13.5HP Manual start engine
- 8" dia x 2" jockey wheel
- Max length: 55cm; 30cm diameter
- Heavy duty log table
- Heavy duty 5" x 19.4" cylinder
- 8" heavy duty cast steel wedge, wearproof
- 2-stage gear pump for min 16s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic wheels towing
- Max towing speed: 72KPH
- Safe chain, wheel fenders included, with reflector
- Only to be towed on private property - not on public roads
- Packing dimensions: 172 x 52 x 79cm
- Weight: 315kg



LS45BD

45T LOG SPLITTER 15HP MANUAL START

FEATURES:

- 15HP manual start petrol engine
- Horizontal & vertical working position
- Max log length: 55cm
- 8" x 2" jockey wheel for easy moving
- 20cm in height heavy duty cast steel wedge
- 2-stage gear pump for min 18s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic tyre for max towing speed: 72kmp
- Packing dimensions: 172 x 52 x 79cm
- Weight: 315kg



LS45ESBD

45T LOG SPLITTER 15HP ELECTRIC START

FEATURES:

- 15HP electric start petrol engine
- Horizontal & vertical working position
- Max log length: 55cm
- 8" x 2" jockey wheel for easy moving
- Heavy duty 12.7 x 49.3cm cylinder
- 20cm in height heavy duty cast steel wedge
- 2-stage gear pump for min 18s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic tyre for max towing speed: 72kmp
- Packing dimensions: 174 x 52 x 74cm
- Weight: 315kg



LS50LTBD

50T LOG SPLITTER 15HP MANUAL START

FEATURES:

- 15HP electric start petrol engine
- Horizontal working position
- Max log length: 55cm
- 8" x 2" jockey wheel for easy moving
- Heavy duty 12.7 x 49.3cm cylinder
- 20cm in height heavy duty cast steel wedge
- 2-stage gear pump for min 18s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic tyre for max towing speed: 72kmp
- Packing dimensions: 174 x 52 x 74cm
- Weight: 315kg





LS50LTESBD

50T LOG SPLITTER 15HP HYDRAULIC LIFT TABLE ELECTRIC START

FEATURES:

- 15HP electric start petrol engine
- Horizontal working position
- Max log length: 55cm
- 8" x 2" jockey wheel for easy moving
- Heavy duty 12.7 x 49.3cm cylinder
- 20cm in height heavy duty cast steel wedge
- 2-stage gear pump for min 18s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic tyre for max towing speed: 72kmp
- Packing dimensions: 174 x 52 x 74cm
- Weight: 315kg



LS50LTBD-BS

50T LOG SPLITTER 15HP **BRIGGS & STRATTON** WITH HYDRAULIC LIFT TABLE - MANUAL START

FEATURES:

- 15HP electric start petrol engine
- Horizontal working position
- Max log length: 55cm
- 8" x 2" jockey wheel for easy moving
- Heavy duty 12.7 x 49.3cm cylinder
- 20cm in height heavy duty cast steel wedge
- 2-stage gear pump for min 18s cycle time
- Auto return valve, with safe relief function
- 16" DOT pneumatic tyre for max towing speed: 72kmp
- Packing dimensions: 174 x 52 x 74cm
- Weight: 315kg



LS25-3PT

3 POINT 25T LOG SPLITTER SUIT TRACTOR

FEATURES:

- 25TON
- Operation either Vertical / Horizontal
- Powered by Tractor
- Valve: Detent, Auto return. Max flow 25gpm
- Cylinder: 4 1/8" x 24.5"
- Max. PSI: 3750
- Assemble time: Under 30 minutes
- GW: 186.2kgs





TWM Imports Pty Ltd

5-15 James Court,
Tottenham, Victoria 3012
Phone 03 9314 8588
Email : sales@twm.com.au



www.twm.com.au

Millers Falls **Worker**
simply the best